LAW OFFICES

ALAN N. SHOVERS LARRY R. DOWNS JON GOLDMAN BRIAN P. WILLIAMS G. MICHAEL SCHOPMEYER JOHN E. HEGEMAN JEFFREY K. HELFRICH JEFFREY W. AHLERS KENT A. BRASSEALE II CHRISTOPHER D. LEE MARK S. SAMILA ROBERT F. BARRON II ALLISON K. COMSTOCK STEVEN S. HOAR STEPHEN S. LAVALLO SHANNON S. FRANK MARIA L. WORTHINGTON MONICA E. EDWARDS MICHAEL E. DIRIENZO GREG J. FREYBERGER JACOB R. FULCHER MICHAEL G. SMITH CARRIE MOUNT ROELLE REBECCA NESS RHYMER CRYSTAL SPIVEY WILDEMAN RYAN M. SCHULZ JOSHUA B. GESSLING JOHN C. HAVILL STEVEN M. THEISING

KAHN, DEES, DONOVAN & KAHN, LLP

501 MAIN STREET, SUITE 305 POST OFFICE BOX 3646 EVANSVILLE, INDIANA 47735

TELEPHONE (812) 423-3183
FACSIMILE (812) 423-3841
E-MAIL: evvlaw@kddk.com
WEBSITE: www.kddk.com

May 3, 2012



ISIDOR KAHN
(IBB7-1963)
HARRY P. DEES
(1912-2004)
ARTHUR R. DONOVAN
(1910-2000)
ROBERT KAHN

OF COUNSEL
THOMAS O. MAGAN

Via UPS Overnight Delivery

Michelle Kerr, Remedial Project Manager U.S. Environmental Protection Agency – Region 5 Superfund Division (SR-6J) 77 W. Jackson Blvd. Chicago, IL 60604-3590



Resending

RE: General Notice and Information Request for the Chemetco Superfund Site in Hartford, Illinois Dated November 30, 2011 – J. Trockman & Sons, Inc.

Dear Ms. Kerr:

On behalf of our client, J. Trockman & Sons, Inc. ("Trockman"), enclosed for the U.S. Environmental Protection Agency's ("EPA") records is Trockman's responses to the above EPA Request for Information. This correspondence is being provided consistent with the May 4, 2012 extension granted by the EPA to identified potential responsible parties for this matter by the EPA's February 24, 2012 e-mail. Also enclosed is supporting documentation relevant to the responses prepared by Trockman.

Please direct any future correspondence regarding this matter to my attention at the following address:

Monica E. Edwards, Esq. Kahn, Dees, Donovan & Kahn, LLP 501 Main Street, Suite 305 P.O. Box 3646 Evansville, IN 47735 medwards@kddk.com Michelle Kerr, Remedial Project Manager U.S. Environmental Protection Agency – Region 5 May 3, 2012 Page 2 of 2

Upon your review of this correspondence, please call or write if you should have any questions.

Cordially,

KAHN, DEES, DONOVAN & KAHN, LLP

Monica E. Edwards medwards@kddk.com

Michael E. DiRienzo mdirienzo@kddk.com

MEE/cjs:199854

cc: J. Trockman & Sons, Inc.

Thomas Martin, Associate Regional Counsel, USEPA (martin.thomas@epa.gov)

Jon D. Goldman

G. Michael Schopmeyer

Michael G. Smith

J. TROCKMAN & SONS, INC'S RESPONSE TO EPA'S CERCLA § 104(e)(2) INFORMATION REQUEST REGARDING CHEMETCO FACILITY IN MADISON COUNTY, ILLINOIS

J. Trockman & Sons, Inc. ("Trockman"), by counsel, hereby provides the following response to the EPA's Information Request made pursuant to Section 104(e)(2) of the Comprehensive Environmental Response, Compensation and Liability Act ("CERCLA") regarding the Chemetco facility located in Hartford, Madison County, Illinois (the "Site"):

I. OBJECTIONS AND RESERVATIONS APPLICABLE TO ALL REQUESTS

Trockman hereby asserts the following objections and reservations regarding EPA's Information Request. All of Trockman's responses set forth herein are made expressly subject to these objections, without waiver.

A. Attorney-Client Privilege.

Trockman objects to EPA's Information Request on the basis of the attorney-client privilege to the extent that any specific Request, Definition or Instruction, in whole or in part, seeks production of documents, information or other materials that constitute, contain, reflect or otherwise reveal confidential communications between Trockman and its attorneys, or that are otherwise protected by the attorney-client privilege.

B. Work Product Protection.

Trockman objects to EPA's Information Request on the basis of the work-product protection to the extent that any specific Request, Definition or Instruction, in whole or in part, seeks production of documents, information or other materials that fall within the work product protection, including, but not limited to, those which were created or assembled by or for Trockman in anticipation of litigation or for trial, or that constitute, contain, reflect or otherwise reveal the mental impressions, conclusions, opinions, or legal theories of any attorney for Trockman, or that otherwise constitute work product or attorney work product. This objection includes documents, information or other materials concerning the selection and/or compilation of documents, evidence or materials or information that in the opinion of Trockman or its counsel "support," "show" or "relate to" certain allegations, defenses or contentions regarding the subject matter of the Information Request.

C. Temporal Scope of Requests.

Trockman objects to EPA's Information Request to the extent any specific Request, Definition or Instruction, in whole or in part, seeks to impose any obligations on Trockman to produce documents or information relating to times outside the scope of the relevant activity at the Site or outside the time period of Trockman's business operations.

D. Obligations Beyond Applicable Law and Burdensomeness of Requests.

Trockman objects to EPA's Information Request to the extent any specific Request, Definition or Instruction, in whole or in part, seeks to impose any obligations on Trockman that are different from or in addition to the requirements of §104(e) of CERCLA and to the extent that the Instructions and Requests are overly broad, unduly burdensome, insufficiently specific and/or not reasonably relevant to the scope of EPA's investigation related to the Site.

E. Documents not Within Trockman's Possession, Custody or Control.

Trockman objects to EPA's Information Request to the extent any specific Request, Definition or Instruction seeks production of documents or other materials and/or information that are not within the Trockman's present possession, custody or control. This objection includes any attempt by EPA to impose a burden on Trockman to produce documents other than its own through the use of overly broad or expansive Definitions and Instructions. Trockman also objects to any request for production of "original" documents, but will produce true and accurate copies of responsive documents that are not otherwise privileged or protected from discovery.

F. Trade Secret and Other Confidential, Proprietary Information.

Trockman objects to the extent that EPA's Information Request, or any specific Request, Definition or Instruction, in whole or part, seek production of any trade secret or other confidential, commercial or proprietary information about Trockman's business operations, except to the extent that such information is adequately protected from public disclosure or use for any purpose other than that allowed pursuant to § 104(e) of CERCLA.

G. Ongoing Investigation.

Trockman's investigation of information in response to EPA's Information Request is incomplete and ongoing, and Trockman reserves the right to modify, supplement or amend any response or objection to the contained herein based upon subsequent discovery or investigation.

H. Superfund Recycling Equity Act Defense

As more fully set forth in its responses to EPA's Information Request, Trockman is exempt from liability under CERCLA for its scrap metal recycling activities involving the Site pursuant to the Superfund Recycling Equity Act ("SREA"), § 127 of CERCLA, 42 U.S.C. § 9627. At no time did Trockman arrange for the disposal of any hazardous materials at the Site. All transactions between Trockman and Chemetco involved the sale of useful products and valuable recyclable materials, including but not limited to scrap metal, for use in manufacturing new products.

I. Reservation of Other Objections and Conditions of Response.

In providing these responses to EPA's Information Request, Trockman does not waive or intend to waive any of the following:

- (1) Objections as to competency, relevancy, materiality or admissibility;
- Objections on any grounds based on the use of any responses herein in any subsequent proceedings, including any litigation regarding the Site or any other actions;
- (3) Objections as to vagueness or ambiguity; and
- (4) Rights to object further to this or any subsequent requests in this matter.

Further, in making any objection to any specific Request, Trockman does not imply or intend to imply that non privileged, responsive information or documents actually exist. Finally, Trockman's identification of information or production of documents in response to any specific Request is not and should not be construed to be an acknowledgment that such information or documents are relevant to the subject matter of or admissible for any purposes in any legal action related to the Site or otherwise.

II. RESPONSES TO SPECIFIC INFORMATION REQUESTS

- 1. Provide the following information about your company ("Respondent"):
 - (a) The complete and correct legal name of your company.
 - J. Trockman & Sons, Inc.
 - (b) The name(s) and address(es) of the President and the Chairman of the Board, or other presiding officer of the company.

David Trockman, President J. Trockman & Sons, Inc. 1017 Bayse Street Evansville, IN 47714

- (c) The state of incorporation of the company and the company's agents for service.
 - J. Trockman & Sons, Inc. is an Indiana corporation whose agent for service of process is as follows:
 David Trockman, Registered Agent
 1017 Bayse Street
 Evansville, IN 47714
- (d) The name(s) of all subsidiaries, affiliates, or parent companies to your company.
 - J. Trockman & Sons, Inc. does not have any subsidiaries or parent companies. D & J Properties, L.L.C. is an affiliate of J.Trockman & Sons, Inc.

(e) The state of incorporation and agents for service of process in the state of incorporation.

For J. Trockman & Sons, Inc., see response to Request No. 1(c) D & J Properties is an Indiana limited liability company whose agent for service of process is as follows:

Jeffrey N. Trockman, Registered Agent
1017 Bayse Street
Evansville, IN 47714

- (f) The status of all subsidiaries, affiliates, or parent companies to your company.
 - J. Trockman & Sons, Inc. does not have any subsidiaries or parent companies. D & J Properties, L.L.C. is an affiliate of J.Trockman & Sons, Inc., and is an Indiana limited liability company in good standing and authorized to do business in Indiana.
- 2. Describe and provide any documents related to your company's business activities which resulted in sending material to Chemetco.

Trockman objects to this request on the grounds that it is vague, overbroad, and unduly burdensome insofar as it appears to request information and documents regarding Trockman's business activities beyond those specifically related to transactions with Chemetco. Without waiving said objection, however, Trockman directs the EPA to the invoices, notes, bills of lading, scale tickets, receiving reports, check stubs, account journal entry pages and other documents attached hereto regarding the sale of useful products and valuable recyclable materials, including but not limited to scrap metal, for use as a feedstock for manufacturing of new saleable products or as a replacement or substitute for a virgin raw material.

3. Describe and provide any documents related to your company's role at the Site, including what duties/involvement your company had at the Site.

Trockman objects to this request on the grounds that it is vague with respect to the undefined terms "role" and "duties/involvement" contained in the request. Without waiving said objection, however, Trockman states that it had no direct involvement in any of the operations at the Site, and merely sold useful products and valuable recyclable materials, including but not limited to scrap metal, to Chemetco for use as a feedstock for manufacturing of new saleable products or as a replacement or substitute for a virgin raw material, as further described in the documents provided in Trockman's response to Request No. 2.

- 4. If the nature or size of Respondent's activities in relation to Chemetco changed over time, describe those changes and the dates they occurred.
 - Trockman's activities in relation to Chemetco were limited to specific transactions involving the sale of useful products and valuable recyclable materials, including but not limited to scrap metal, to Chemetco for use as a feedstock for manufacturing of new saleable products or as a replacement or substitute for a virgin raw material, as further described in the documents provided in Trockman's response to Request No. 2. Any changes in the number or size of said transactions were dependent upon the amount of recyclable materials available and the price to be paid by Chemetco compared to other prospective buyers of the same recyclable materials.
- 5. For each type of waste or material used in Respondent's operations, describe and provide documents relating to Respondent's contracts, agreements, or other arrangements for its disposal, treatment, trading, or recycling with Chemetco, including but not limited to whether Respondent controlled where waste sent to Chemetco warehouses was ultimately processed/recycled.
 - Trockman objects to this request on the grounds that it is vague, overly broad, and unduly burdensome. Without waiving said objection, however, Trockman states that it did not send "waste" to Chemetco and had no direct involvement in any of the operations at the Site, and merely sold useful products and valuable recyclable materials, including but not limited to scrap metal, to Chemetco for use as a feedstock for manufacturing of new saleable products or as a replacement or substitute for a virgin raw material, as further described in the documents provided in Trockman's response to Request No. 2.
- 6. If not already provided, specify the dates and circumstances when Respondent's waste or material was taken to the Site, and identify the companies or individuals who brought Respondent's waste/material to the Site. Provide any documents which support or memorialize your response.

See the documents provided in response to Request No. 2.

- 7. Were transactions between your company and Chemetco and specifically the Site: I) an outright sale; 2) subject to a written or verbal "tolling" agreement between the companies; or 3) reflected the "banking" of the transacted material in a metal account at the request of your company for return or other disposition at a later date?
 - All transaction between Trockman and Chemetco were the outright sale of useful products and valuable recyclable materials, including but not limited to scrap metal, for use as a feedstock for manufacturing of new saleable products or as a replacement or substitute for a virgin raw material.

8. Did your company have any influence over waste disposal or recycling activities at the Site? If so, how?

Trockman objects to this request on the grounds that it is vague with respect to the undefined term "influence" contained in the request. Without waiving said objection, however, Trockman states that it had no direct involvement in any of the operations at the Site, and merely sold useful products and valuable recyclable materials, including but not limited to scrap metal, to Chemetco for use as a feedstock for manufacturing of new saleable products or as a replacement or substitute for a virgin raw material, as further described in the documents provided in Trockman's response to Request No. 2.

9. Was any shipment of material sent to the Site by Respondent ever refused and/or returned? If so, describe this event in detail, including its cause and outcome.

Trockman does not have any recollection of any instances where Chemetco refused or returned any of the useful products and valuable recyclable materials, including but not limited to scrap metal, sold to Chemetco for use as a feedstock for manufacturing of new saleable products or as a replacement or substitute for a virgin raw material.

10. Describe in detail the types of material that you sent for recycling, processing, or disposal at the Site. In your response, please also give the generic name of each type of materials shipped to the Site [e.g., scrap metal (including scrap automobiles), batteries, electronics, scrap paper, scrap plastic or scrap textile, etc.].

Trockman only sold specification-grade non-ferrous scrap metal to Chemetco including #2 Copper, shredded electric motors and auto radiators, some of which may be more particularly described in the documents provided in Trockman's response to Request No. 2.

(a) Identify whether the materials were delivered directly to the Site or were trans-shipped there from another intermediate delivery point. If applicable, describe each such delivery point.

For the vast majority of the transactions between Trockman and Chemetco, the recyclable materials were shipped directly to Chemetco's site in Hartford, Illinois. However, on at least two (2) occasions, recyclable materials were shipped to Chemetco's St. Louis Warehouse located in Granite City, Illinois, as more particularly described in the documents provided in Trockman's response to Request No. 2.

(b) State whether any of the material was ever tested by your company and if so, whether the substances exhibited any of the characteristics of a hazardous waste identified in

35 Illinois Administrative Code 721, Subpart C or 40 C.F.R. § 261, Subpart C.

This request is not applicable to Trockman as the useful products and valuable recyclable materials sold to Chemetco were not intended to be discarded and was not special waste, solid waste, hazardous waste or a hazardous substance. However, Trockman occasionally tested its scrap metal to determine the grade of the material.

(c) Describe what was done to materials once they were brought to the Site, including any further processing of the materials.

Trockman objects to this request on the grounds that it is vague with respect to the undefined term "done" contained in the request. Without waiving said objection, however, Trockman states that it had no direct involvement in any of the operations at the Site, and merely sold useful products and valuable recyclable materials, including but not limited to scrap metal, to Chemetco for use as a feedstock for manufacturing of new saleable products or as a replacement or substitute for a virgin raw material, as further described in the documents provided in Trockman's response to Request No. 2.

(d) Provide any additional information and all documents that you believe are related to the type, nature and characteristics of the materials you sent to the Site.

See Trockman's response to Request No. 2 and the attached Scrap Specification Circular from the Institute of Scrap Recycling Industries, Inc. ("ISRI").

(e) List the years in which your company sent materials to Chemetco and/or its broker(s) for recycling, processing, or disposal.

Trockman's activities in relation to Chemetco were limited to specific transactions involving the sale of useful products and valuable recyclable materials, including but not limited to scrap metal, to Chemetco for use as a feedstock for manufacturing of new saleable products or as a replacement or substitute for a virgin raw material, as further described in the documents provided in Trockman's response to Request No. 2.

Questions and Requests for Documents Related to Scrap Metal

- 11. For the following questions which relate to transactions involving scrap metals, provide the requested information, and also provide copies of any documents that contain any information that is related to the response:
 - (a) Did a market exist for the scrap metal listed in your response to No. 10 above? If so, describe the nature of such a market at the time of the transaction (possible uses, possible consumers, etc.) and the source of the commercial specification grade (e.g., Institute of Scrap Recycling Industries, Inc. (ISRI), Department of Defense, or wherever your company would find the grade published).

Trockman objects to this request insofar as it requests information that is outside of Trockman's possession, custody and control. Without waiving said objection, however, Trockman states that there was a market for the scrap metal sold by Trockman to Chemetco, and that Chemetco was a competitive consumer of scrap metal in said market. Upon information and belief, nonferrous scrap metal is consumed by secondary smelters, refiners, ingot makers, fabricators, foundries and other industrial consumers, who rely on such scrap metal as input to manufacture new products. ISRI publishes commercial specification grades applicable to the scrap metal market, as indicated in the attached Scrap Specification Circular.

(b) What commercial specification grade did the scrap metal listed in your response to question No. 10 meet? Identify/list the commercial specification grades that each scrap metal identified in No. 9 met.

With respect to Request No. 10, Trockman only sold specification-grade scrap metal to Chemetco, including #2 Copper, shredded electric motors and auto radiators, some of which are more particularly described in the documents provided in Trockman's response to Request No. 2. With respect to Request No. 9, Trockman does not have any recollection of any instances where Chemetco refused or returned any of the scrap metal sold to Chemetco.

(c) At the time of the transaction(s) what was the intended disposition of the scrap metal listed in your response to question No.10? Did this include burning as fuel, or for energy recovery, or incineration?

Trockman objects to this request insofar as it requests information that is outside of Trockman's possession, custody and control. Without waiving said objection, however, Trockman states that the scrap metal sold to Chemetco was expected to be consumed by secondary smelters, refiners, ingot makers, fabricators, foundries and other industrial consumers, who rely on such scrap metal as a replacement or substitute for a product made, in whole or in part, from virgin raw material. Trockman did not sell scrap metal to Chemetco with the intent that it be discarded or burned for fuel, energy recovery or incineration.

(d) After sale, transfer, delivery, recycling, or disposal, what portion of the scrap metal listed in your response to question No.10 was to be made available for use as a feedstock for manufacturing of new saleable products? Explain how the portion identified in this answer was derived or calculated.

Trockman objects to this request insofar as it requests information that is outside of Trockman's possession, custody and control. Without waiving said objection, however, Trockman states that all of the scrap metal sold to Chemetco was expected to be made available for use as a feedstock for manufacturing of

new saleable products.

(e) Could the scrap metal listed in your response to question No. 10 have been used as a replacement or substitute for a virgin raw material? If so, provide details.

Trockman objects to this request insofar as it requests information that is outside of Trockman's possession, custody and control. Without waiving said objection, however, Trockman states that all of the scrap metal sold to Chemetco was intended to be used as a replacement or substitute for a virgin raw material.

(f) Could any products made from the scrap metal listed in your response to question No.10 have been used as a replacement or substitute for a product made, in whole or in part, from a virgin raw material? If so, provide details.

Trockman objects to this request insofar as it requests information that is outside of Trockman's possession, custody and control. Without waiving said objection, however, Trockman states that some of the scrap metal sold to Chemetco could have been used as a replacement or substitute for a product made, in whole or in part, from virgin raw material.

(g) Did your company melt the scrap metal listed in your response to question No. 10 before it was transported/delivered to the Site? If yes, describe the process used for melting the scrap metal.

Trockman did not melt any of the scrap metal sold to Chemetco.

(h) Describe the source of or the process that produced the materials sent to the Site.

Trockman objects to this request insofar as it requests information that is outside of Trockman's possession, custody and control. Without waiving said objection, however, Trockman states that it purchased nonferrous scrap metal from various persons and entities. Following purchase, Trockman sorted, graded, baled, shredded, if applicable, and weighed the scrap metal for sale.

12. Did any of the scrap material sent to the Site contain other material(s) incident to or adhering to the scrap? If so, describe in detail.

To the best of Trockman's knowledge and belief, none of the scrap metal sold to Chemetco contained other materials.

13. Did any of the material sent to the Site contain wire or wiring? If so, was the wire's insulation first stripped before being shipped to or accepted at the Site, after being received at the Site, or was the wire not stripped?

Trockman objects to this request insofar as it requests information that is outside of

Trockman's possession, custody and control. Without waiving said objection, however, Trockman states that the No. 2 Copper and shredded electric motors sold by Trockman to Chemetco may have contained wire, but they did not contain insulated wire. Because no insulation was present there was no need to strip the wire contained in the No. 2 Copper and shredded electric motors.

14. Did the material shipped include drums or shipping containers? If so, specify the generators of the drums or shipping containers, the capacity of such drums or containers and whether such containers ever contained liquid of any sort. If so, specify the type of liquid and whether such liquids contained wastes of any kind.

The scrap metal sold by Trockman to Chemetco was shipped loose or in gaylord boxes. To the best of Trockman's knowledge and belief, the gaylord boxes in which the scrap metal was shipped did not contain any liquid of any sort.

15. Describe all efforts (i.e., Site visits) taken by your company to determine what would be done with the scrap metal identified in your response to question No.10.

Trockman objects to this request on the grounds that it is vague, overly broad and unduly burdensome. Without waiving said objection, however, Trockman states that it visited Chemetco's Hartford, Illinois site on at least one occasion prior to 1998, and that Chemetco's facility appeared to be a clean, well run, state of the art facility at the time of such visit. Prior to selling scrap metal to Chemetco, Trockman determined that Chemetco offered prices for recyclable materials that were competitive and in line with market prices and it appeared that Chemetco was conducting legitimate recycling operations. During the time that Trockman sold scrap metal to Chemetco, Trockman was not aware of any negative comments about Chemetco or its facilities, and there was no reasonable reason for Trockman to believe that the Site was not in compliance with applicable local, state and federal environmental laws.

Questions and Request for Documents Related to Electrical and Electronic Equipment

- 16. For the following questions which relate to transactions involving electrical and electronic equipment (e.g., transformers, capacitors, white goods; computers, monitors, cables, circuit boards, or other electrical equipment), provide the requested information, and also provide copies of any documents that contain any information that is related to the response:
 - (a) List an estimated number of shipments of electrical and electronic equipment your company sent to the Site on an annual basis and list the years. In this list, include the type and quantity, volume and weight of electrical and electronic equipment sent.

Trockman objects to this request on the grounds that it is vague and overly

broad insofar as the terms "electrical and electronic equipment" are not adequately defined. Without waiving said objection, however, Trockman states that it did not ship any transformers, capacitors, white goods, computers, monitors, cables, circuit boards, or other electrical equipment to the site, but Trockman did sell some shredded electric motors to Chemetco as more particularly described in the documents provided in Trockman's response to Request No. 2.

(b) At the time of the transaction(s), what was the intended deposition of the electrical and electronic equipment listed in your response to question 15(a)? Did the intended disposition include burning as fuel or for energy recovery or incineration?

Trockman objects to this request on the grounds that it is vague and overly broad insofar as the terms "electrical and electronic equipment" are not adequately defined. Without waiving said objection, however, Trockman states that it did not ship any transformers, capacitors, white goods, computers, monitors, cables, circuit boards, or other electrical equipment to the site, but Trockman did sell some shredded electric motors to Chemetco as more particularly described in the documents provided in Trockman's response to Request No. 2. Trockman did not sell shredded electric motors to Chemetco with the intent that they be discarded or burned for fuel, energy recovery or incineration.

17. With respect to waste or materials sent to the Site, at the time of the transactions, specify the measures you took to determine the actual means of treatment, disposal, recycling, or other uses of the material. Provide information you had and any documents relating to the treatment, recycling and disposal practices of Chemetco at the Site. What assurances, if any, were you given by the owner/operator of the Site regarding the proper handling and ultimate disposition of the materials you sent there, as well as its compliance with applicable environmental laws? Include in your response any correspondence to and from Chemetco relating to this topic and dates the measures were taken or assurances were given.

Trockman objects to this request on the grounds that it is vague, overly broad and unduly burdensome. Without waiving said objection, however, Trockman states that it visited Chemetco's Hartford, Illinois site on at least one occasion prior to 1998, and that Chemetco's facility appeared to be a clean, well run, state of the art facility at the time of such visit. Prior to selling scrap metal to Chemetco, Trockman determined that Chemetco offered prices for recyclable materials that were competitive and in line with market prices and it appeared that Chemetco was conducting legitimate recycling operations. During the time that Trockman sold scrap metal to Chemetco, Trockman was not aware of any negative comments about Chemetco or its facilities, and there was no reasonable reason for Trockman to believe that the Site was not in compliance with applicable local, state and federal environmental laws. In addition, Trockman states that it did not send "waste" to

Chemetco and had no direct involvement in any of the operations at the Site, and merely sold useful products and valuable recyclable materials, including but not limited to scrap metal, to Chemetco for use as a feedstock for manufacturing of new saleable products or as a replacement or substitute for a virgin raw material, as further described in the documents provided in Trockman's response to Request No. 2.

What efforts and when, if any, did you take to investigate the nature of the operations conducted at the Site and the environmental compliance of the Site prior to selling, transferring, delivering disposing of, trading, or arranging for the treatment, recycling, or disposal of any materials?

Trockman objects to this request on the grounds that it is vague, overly broad and unduly burdensome. Without waiving said objection, however, Trockman states that it visited Chemetco's Hartford, Illinois site on at least one occasion prior to 1998, and that Chemetco's facility appeared to be a clean, well run, state of the art facility at the time of such visit. Prior to selling scrap metal to Chemetco. Trockman determined that Chemetco offered prices for recyclable materials that were competitive and in line with market prices and it appeared that Chemetco was conducting legitimate recycling operations. During the time that Trockman sold scrap metal to Chemetco, Trockman was not aware of any negative comments about Chemetco or its facilities, and there was no reasonable reason for Trockman to believe that the Site was not in compliance with applicable local, state and federal environmental laws. In addition, Trockman states that it had no direct involvement in any of the operations at the Site, and merely sold useful products and valuable recyclable materials, including but not limited to scrap metal, to Chemetco for use as a feedstock for manufacturing of new saleable products or as a replacement or substitute for a virgin raw material, as further described in the documents provided in Trockman's response to Request No. 2.

19. Provide all information in your possession that shows that you were in compliance with applicable federal environmental regulations or standards regarding the recycling of materials, particularly Section 127 of CERCLA, 42 U.S.C. § 9627, sent to the Chemeteo Site.

Trockman objects to this request on the grounds that it is vague, overly broad and unduly burdensome insofar as it appears to request information and documents regarding Trockman's business activities beyond those specifically related to transactions with Chemetco and that it calls for legal conclusion and argument. Without waiving said objections, however, see Trockman's responses to Requests No. 2, 11(a)-(h), 15, 17 & 18.

20. Provide all information in your possession that shows that you were in compliance with

applicable federal environmental regulations or standards regarding scrap metal promulgated under Resource Conservation and Recovery Act (RCRA).

Trockman objects to this request on the grounds that it is vague, overly broad and unduly burdensome insofar as it appears to request information and documents regarding Trockman's business activities beyond those specifically related to transactions with Chemetco and that it calls for legal conclusion and argument. Without waiving said objections, however, see Trockman's responses to Requests No. 2, 11(a)-(h), 15, 17 & 18.

21. Provide all RCRA Identification Numbers issued to Respondent by EPA or a state for Respondent's operations.

Trockman objects to this request on the grounds that it is vague, overly broad and unduly burdensome insofar as it appears to request information and documents regarding Trockman's business activities beyond those specifically related to transactions with Chemetco. Without waiving said objections, however, Trockman states that it has never been issued any RCRA identification numbers for its operations.

22. List all federal and state environmental laws and regulations under which Respondent has reported to federal or state governments, including but not limited to: Toxic Substances Control Act, 15 U.S.C. Sections 2601 *et seq.*, (TSCA); Emergency Planning and Community Right-to-Know Act, 42 U.S.C. Sections 1101 *et seq.*, (EPCRA); and the Clean Water Act (the Water Pollution Prevention and Control Act), 33 U.S.C. Sections 1251 *et seq.*

Trockman objects to this request on the grounds that it is vague, overly broad and unduly burdensome insofar as it appears to request information and documents regarding Trockman's business activities beyond those specifically related to transactions with Chemetco and that it calls for legal conclusion and argument. Without waiving said objections, however, Trockman states that it has applied for and received an industrial storm water permit (#INR600255) from the Indiana Department of Environmental Management pursuant to 327 IAC 15-6-1, et seq. Trockman also states that it applied for and received Exempt Operation Status (#163-15369-00123) from the Indiana Department of Environmental Management pursuant to 326 IAC 2-1.1-3, at seq.

23. Identify the federal and state offices to which such information was sent. State the years during which such information was sent/filed.

Trockman objects to this request on the grounds that it is vague, overly broad and unduly burdensome insofar as it appears to request information and documents regarding Trockman's business activities beyond those specifically related to

transactions with Chemetco. Without waiving said objections, however, Trockman states that it submitted information to the Indiana Department of Environmental Management in order to obtain and maintain the permit and classification indicated in Trockman's response to Request No. 22.

24. If you have reason to believe that there may be persons able to provide a more detailed or complete response to any question contained herein or who may be able to provide additional responsive documents, identify such persons and the additional information or documents that they may have.

Trockman objects to this request insofar as it requests information that is outside of Trockman's possession, custody and control. Without waiving said objection, however, Trockman states that individual employees of Chemetco may be able to provide additional information and documents responsive to these requests.

- 25. If any of the documents solicited in this information request are no longer available, please indicate the reason why they are no longer available. For each and every question contained herein, if information or documents responsive to this Information Request are not in your possession, custody or control, then identify the persons from whom such information or documents may be obtained. If the records were destroyed, provide us with the following:
 - (a) the document retention policy between 1970 and 2001;
 - (b) a description of how the records were destroyed (burned, trashed, etc.) and the approximate date of destruction;
 - (c) a description of the type of information that would have been contained in the documents;
 - (d) the name, job title and most current address known by you of the person(s) who would have produced these documents, the person(s) who would have been responsible for the retention of these documents; the person(s) who would have been responsible for the destruction of these documents; and the person(s) who had and/or still may have the originals or copies of these documents; and
 - (e) the names and most current address of any person(s) who may possess documents relevant to this inquiry.

Trockman objects to this request insofar as it requests information that is outside of Trockman's possession, custody and control. Without waiving said objection, however, Trockman states that some invoices, notes, bills of lading, scale tickets, receiving reports, check stubs and other documents related to specific transactions between Trockman and Chemetco may no longer be available. Trockman is a small family business with limited resources and limited storage facilities for its business records. Older records that are no longer needed for business, tax or accounting purposes are periodically removed from storage and disposed of as needed to make room for new records. Information contained in those documents would have been similar to that

contained in the documents provided in response to Request No. 2. The person(s) who would have been responsible for the retention of and destruction of these documents is as follows:

Jeff Trockman, Secretary J. Trockman & Sons, Inc. P. O. Box 682 Evansville, Indiana 47704

26. Please state the name, title and address of each individual who assisted or was consulted in the preparation of the response to this information request.

Trockman objects to this Request to the extent it seeks information that constitutes, contains, reflects or otherwise reveals confidential communications between Trockman and its attorneys, or that is otherwise protected by the attorney-client privilege and the work-product protection. Without waiving said objection, however, Trockman states that the following individuals assisted in the preparation of this response:

Jeff Trockman, Secretary J. Trockman & Sons, Inc. P. O. Box 682 Evansville, Indiana 47704

I certify under the penalty of law that this document and all enclosures were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based upon my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete, except as otherwise indicated herein. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

By: Jeff Trockman, Secretary

Date: 527

DOCUMENTS PROVIDED IN RESPONSE TO EPA'S REQUEST NO. 2

CHIDDEDCAPING	GROSS	TARE	NET	PRICE	AMOUNT	GROSS	TARE	NET	PRICE	AMOUNT
SHIPPER CAR NO.	17310	32140	10100	Q.L	283860	77080	32060	4502D	24	3826
				00	30 %				0-0-1	
	经营业									
							自然基础	该摆到	領導	
TOTALS										Laurus adel Arti
ADVANCE		DTD	-/	/	LE	SS FREIGHT	la For	-1564		251
FREIGHT PD ON	LBS CK#_	85735	OTD 4721	<u>9</u> 8	BA	LANCE	7		2	574
OVET POW ATTACHED TO	INVD-		1.1.1	SET	TLEMENT OVER	HORT SHIPPING	TOTAL			CC NO 12
FINAL SETTLEMENT, DTD.		15 1/1	C 45	DUE	то 140	LBS DEAD	LEREIGHT OR_	7/01		999
ADJ TO SETTLEMENT ON	VOUCHER ATT'D	TO INVD					LBS OR_			

DR his late with a property of the control of the c

J. Trockman & Sons, Inc.



U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

TOUR	Order N	17 Sept 18 18 18 18 18 18 18 18 18 18 18 18 18			SVILLE, INDIAN	A	200		. 1 7
Shipp	ed Via_	6 8 %klm	Sold To	Chowete.	<u>e</u>				
Car I	٧٥	∜3 4	Address	3576 Ch	ometeo Lane				
				Hartion	d. IL 6204	8			
				o					
No.	Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Total	
j),	T/L	Shredded Motors	77 300	52340	45160	034		\$5,630 .	68
				-					
								-	-
					-				+
									
				-		10			-
					 				·
						107			
						Ž			
					1				ļ
					-	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			+
					-				+
					-				-

J. Trockman & Sons, Inc.

B/L

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

Your	Order 1	No. 7 2586		EVANS	VILLE, INDIANA		3-18	19
Ship _l Car	ped Via_ No	4.5. Buik	Sold To	<u>Che</u> 357	on etc	emel	co En	
				Hart	Cord.	marya.	630	48
Term	s		Shipped T	0				
No.	Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Total
- P		Sheedded motore	7775	179.40	45100	8 1/a d		
		,						
_								
		Caution Casti	con 5	cran				
		See mans for De	10115	,				
			7			-		
			= 1 (
	- :	· · · · · · · · · · · · · · · · · · ·						





MATERIAL_CUSTOMER TRUCK NO	US	DATE DATE TRAILER /BOX NO	1
GTNREMARKS	7707	2	
ву		The state of the s	



P.O. Box 8 • Hartford, IL 62048

CUSTOMER OR SUPPLIER J. Trockman & Sons

DATE 3/18/99

TIME	DATE	REGISTER NO	WEIG	SHTS		LOT NU	MBER
GROSS				77080	L3 0	7: 39 AB	19 18 98
TARE				32060	R.R. O	3:22 AM	03 18 98
NET			The State of the S	45020	MARKED	a tau a causa ara gagan ara managaran aggada	<u> </u>
					TRUCK NO		
					TRAILER U	BUIK	934
		**			WEATHER	A	M
					DRIVER'S SIGNATURE X	al	of Herri
PRODUCT	MACH SELECT		;)		WEIGHER X		
2556.011	45760	11111	100 1		1 1	# 6)	001
	13100	5 h yrd ded	Motors	1	Lot	<u>.</u>	936
	13100	> h red ded	Motors		L.01		436
	a train, an late sing since some par tree communications on		Motors		L.01		436
			Markan III da wasa kataba a maka kacamananan		L.01		436
	a train, an late sing since some par tree communications on		Markan III da wasa kataba a maka kacamananan		L.01		436
	a train, an late sing since some par tree communications on		Markan III da wasa kataba a maka kacamananan		L-07		436
	- 6.		Markan III da wasa kataba a maka kacamananan		L-01		436
	a train, an late sing since some par tree communications on		Markan III da wasa kataba a maka kacamananan		L-07		436
	- 6.		Markan III da wasa kataba a maka kacamananan		L-07		436

J. Trockman & Sons, Inc.

B/L Nº 07236

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

Shipp Car I		# 2556 U.S. Bulk # 34		_ Address	Che 357	meto 6 Cho	en et	3-18 co Ln 620	
Term	;			Shipped To	0				
No.	Unit	Description		Gross Weight	Tare	Net Weight	Price	Amount	Total
	TIL	Shredded	motors	77300	3440	45160			
									418
		Caution: See msas	Cast i	tails	crap				
			Hemo	4					

J. Trockman & Sons, Inc.

Nº 24754 ·

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

	Order N	II S B111b	Sold To			March 1	8, 1998		.19
		#34			emetco Lane				
					d, IL 62048				
				0					
No.	Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Total	
1	T/L	Shredded Motors	77300	32140	45160	8½¢		\$3,838.	60
									ļ
									
				·	<u> </u>				
									ļ
									
				1					+
									

J. ROCKMAN & SONS INC. P.O. BOX 682 ΙŅ **EVANSVILLE**, 47704 0000 *** FINAL *** 6959 OUR LOT NUMBER WE RECEIVED FROM YOU ON 3/18/98 2556 OUR CONTRACT NO. SHREDDED ELECTRIC MOTORS CARRIER US BULK 34 GROSS WEIGHT 45,020 DUNNAGE Ü 45,020 NET WEIGHT ====== MOISTURE NIL \$ 3,826.70 45,020 LBS NET WT 8 8.50 CENTS PER POUND OF MATERIAL =

TOTAL VALUE OF MATERIAL TOTAL AMOUNT DUE

3,826.70 \$ 3,826.70

========

Chemetco, Inc. P.O. BOX 8 • HARTFORD, ILLINOIS 62048

1	INV. NO.	INV. DATE	TNUOMA	DISC.	NET AMOUNT	
		OUR	Y SUB	1427	4/22/98	
TYPE P	AYMENT L)	NT NO. INVOICE A	O. CARR	TER ANCU!	T
FIN	4L	5959 25	56.010	US BUL	K 34 \$3,526.	70
FIN	AL	3972 25	56.010	0K 200	\$3,874.	50
FIN	<u> </u>	C241 25	56.010	OK TRA	NS 18 84,073	20
					,	

SHIPPER CAR NO.	GROSS	TARE	NET	PRICE	AMOUNT	GROSS	TARE	NET	PRICE	AMOUNT
	78060	32340	1520	829	3886.22	77560	31980	45582	824	387430
TOTALS						 .				
ADVANCE	(87)	DID_	- 1 /		LE	ESS FREIGHT	,569	Ulb.		75434
FREIGHT PD ON CUST PO# ATTACHED TO	LBS CK#	65449 1	DTD 5/24/9		BA	M.ANCE	TOTAL 1/	90	j	1619,96 1- Price
FINAL SETTLEMENT DTI	Illa of a	6 9	4548	DUE	+(1)	LBS DEAL	CBEIGHT ON (OT STO	of 1)	7924
ADJ TO SETTLEMENT O	N VOUCHER ATTI	TO INVD					LBS OR_			/

N 24753

J. Trockman & Sons, Inc.

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

Your	Order N	o. # a 556 B/L 7220		EVANS	VILLE, INDIANA	March March	18, 1998		19
Shipp	ed Via_	OK Transport	Sold To	Chemetco					
	No	#200	Address	3576 Che	metco Lane				
				Hartford	l, IL 6204	8			
Terms			Shipped To	0					
No.	Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Total	
1	T/L	Shredded Motors	78060	32340	45720	8½¢		\$3,886.	20
						11			
					01	250			
					1	7			
					4				
					4				
									No.
CHOCK STORY	A STATE OF THE PARTY OF	Company of the Compan				-			

J. Trockman & Sons, Inc.

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

	Order No							19
Shipp	ed Via	OK Transport	_ Sold To	Cher	netc	0		
Car N	No	# 200	_ Address	3574	o Ch	emet	co La	ne
				Hart	ford	IL	620	48
			Shipped To					
No.	Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Total
	7/1	Shredded motors	78060	32340	4 5720	8/2 t		3386 20
		The Control of the Control						
					1,	7		
					Dor	5		
					1			
		Contone cost	00 50	600				
		Caution: cast ?	31016	190				
		7.0 17730 7 701 01						

J. TROCKMAN & SONS, INC.

CUSTOMER	DATE-
TRUCK NO.	TRAILER /BOX NO
DRIVER ON	OFF
~ V87 1	
G / (((, /	
T 55-51-5	
N 45	
REMARKS:	



65029

P.O. Box 8 • Hartford, IL 62048

CUSTOMER OR SUPPLIER

1. Trockman

DATE 3/18/98

			the state of the state of		
9 A S S S S S S S S S S S S S S S S S S	TIME	DATE	REGISTER NO	WEIGHTS	
				77564	LOT NUMBER 7 8 9 10 11
GROSS				of the material man	D 12707 FN 00 10 78
ARE				* 3198	O ARNO 01:03 PH 03 18 98
EC.				45,580	MARKED
			45		TARETRUCK
					NO.
					TRAILER OK 200
					WEATHER
					DRIVER'S SKINATURE X DOWN THOM
PODUCT					
PRODUCT_		20 /	Shredded 1	ΛΛ / _	WEIGHER X
1556.	011 934	<u> </u>	>hredded	Viotors	B972
					,
ter by					
44 b					
7					
	July Charles				

Your Orde			EVA1	NSVILLE, INDIA	1 h 7 A	3-18		0.
Shipped V	io OK Transport	Sold To	Che	emet, more	C C	<u> </u>		19 90
Car No.		_ Address	35/1	ford	em e	tco l	.ane	
F.O.B	✓ 4•	Shipped To		TOICI	<u>, - C</u>			
No. Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Tol	tal
1714	Shredded motors	78060	32340	45720				
							7	
							3	
				6	No of the second		2	
				Py.	d'	5		
	Cc 10 0 COC+ 0	5.5			2		7	
	Caution & cast? See MSDS For D	e+9:/e	190					
								_

J. Trockman & Sons, Inc.

Nº 24753

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

Your Order No. #2556 B/L 7220			EVANSVILLE, INDIANA March 18, 1998								
	ed Via		Sold To	Chemetco				_			
		#200		3576 Chemetco Lane							
			71001033	Hartford	l, IL 6204	8					
			Shipped To	0					·		
No.	Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount		Total		
1	T/L	Shredded Motors	78060	32340	45720	8½¢			\$3,886.	20	
										 	
										-	
					<u> </u>						
										<u> </u>	
										-	
										-	
										-	
				-							
									<u> </u>		

. JCKMAN & SONS INC. P.U. BOX 682 EVANSVILLE, IN 47704 0000 xxx FINAL xxx OUR LOT NUMBER 9972 OUR CONTRACT NO. 2556 9972 WE RECEIVED FROM YOU ON 3/18
SHREDDED ELECTRIC MOTORS CARRIER OK 200 45,580 GROSS WEIGHT 0 DUNNAGE NET WEIGHT 45,580 ====== MOISTURE NIL 45,580 LBS NET WT 8 8.50 CENTS PER POUND OF MATERIAL = \$ 3,874 TOTAL VALUE OF MATERIAL

TOTAL AMOUNT DUE

5 3,874

\$ 3,874 ======:

SHIPPER CAR NO.	GROSS	TARE	NET	PRICE	AMOUNT	GROSS	TARE	NET	PRICE	AMOUNT	
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	17012	7-		AMOUNT	GNUSS	IANC	145.1	/ / /	AWOUNT	
	19200	21600	48/100	1851	40883	17500	3/580	47520	St &	4073	71
	11100	71000	10100	- 01	1000-		-21300	1-1-1-00	1_0 <u>-0</u> _/_		<u></u>
					<u> </u>						
							,				
									,		
				<u></u> .							
TOTALS							·				
				!				<u> </u>		2/0-	<i>o</i>
ADVANCE		D1.D			LE	SS FREIGHT	HOT	FRT, 56	2 -	161.3	7_
W.	/				, -	<i>'</i>	3000	$\bigcirc /$			
FREIGHT PD ON 7 / W LBS CM DTD 11/9 8					Ви	NLANCE	_	20,		<u> 7000,</u>	01
240c					$ \begin{array}{cccccccccccccccccccccccccccccccccccc$						
CUST PO# ATTACHED TO INVD-					SETTLEMENT OVER \$HORT/SHIPPING TOTAL /)						
500 OFFI 5050 475 GC (1054)					DUE TO 180 LBS DEAD-FREIGHT-OFT UT SHORT						
FINAL SETTLEMENT DT		<u>v</u> — — — — — — — — — — — — — — — — — — —	W (G	DUE	10	LBS DEAD	PERLIGHT OF S	010100	-	-191	$\alpha(\cdot)$
ADJ TO SETTLEMENT O	N VOUCHED ATP						I DC OD			(1)	7
ADD TO SETTEMENT OF		LBS OR/									

24793

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

Your	Order N	lo. 2556 B/L 7267		EVANS	VILLE, INDIAN	AHard	ch 23, 1998		19
Shipp	ed Via_	OK Traaspoet	Sold To	Chemetco					
Car N	٧٥			3575 Oben	etro Lane_				
				Hantžord,	IL 62048	·	·		
				0					
No.	Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Total	
1	2/1	Sknaddea Motore	79700	31600	48100	894		\$4,000.	50
					<u> </u>				
								_	
_								_	-
			-						+
									-
						<u> </u>			+
-									1
							i		
							CA A		
- · · · · · · · · · · · · · · · · · · ·									
					-	(10			
									ļ

3.23

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

Ferrous and Non Ferrous Metals - Industrial Salvage

2556

Your Order No.

Car	No	ok Transport + 186	Address	Chemeter 3576 Chemeter Hartford, IL 62048						
Term	5		Shipped To)						
No.	Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Total		
apin Children	TIL	shredded motors	79700	31600	48100	8/24	#	4,088.50		
		Caution: Shredded	noter	Berap						
		See MSOS For D	etail =	1						
					70%.	Jata 1	-			
					is - ON NA	W Odden				

EVANSVILLE, INDIANA

J. TROCKMAN & SONS, INC.
I Charles William
MATERIAL (
CUSTOMER DATE
TRUCK NO. TRAILER /BOX NO.
DRIVER ONOFF
G 79700 T 31600 N REMARKS:
•

BY____

.

. ♥

order# 2556

Shredded motors 8/2d 16

Chemeteo 3576 Chemeteo Ln. Hartford, IL 62048

3-18-98 ITLL OK Transport 3-18-98 ITLL U.S. BUIK 3-23-98 ITLL OK Transport

7.00 / JPM

CONTRACY REVIEWED/APPROVED

.

SIGNATURE: DATE:

Nº 24768 ·

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

Your	Order N			EVANS	VILLE, INDIAN	Mar 	ch 23, 19	98		19	
Shipp	ed Via	OK Transport	Sold To	Chemetco		<u> </u>		-			
	10	64.04		3576 Chem	etco Lane						
				Hartford,	IL 62048						
				o							
No.	Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Amount Total			
1	T/L	Shredded Motors	79700	31600	48100	8½¢			\$4,088.	50	
	<u> </u>									-	
										-	
					-						
					}					 	
										1	
								-			
				·							
											



P.O. Box 8 • Hartford, IL 62048

CUSTOMER OR SUPPLIER J. Trockman

DATE 3 123/98

	TIME	DATE	REGISTER NO	WEIGHTS	LOT NUMBER
GROSS				79500	LB 13:18 28 19 24 38
ARE				31580	IR.RE 12:58 FM 03 23 98 CAR NO.
NET REC.				47,920	MARKED TARE
					TRUCK
					TRAILER OK Trans 186
					WEATHER
					DRIVER'S Michael Hand
PRODUCT	Γŧ				DRIVER'S Michael Flord WEIGHER X
2556	.611 4	18100-5	hooded n	Notors	Lot# (241
1					
	Service .				
		<u> </u>			
	7,513,911,000	The Telephone Control			

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

Your Order 1	√o. 2556		EVANSV	ILLE, INDIANA	١	<u> 3-a3</u>	<u>98</u>
Shipped Via	OK Transport	Sold To	Cher	neto	<u> </u>		
Car No	# 186	Address	357	6 Ch	emet	20	
						620	48
Terms							
No. Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Total
ITL	shredded motors	79700	31600	48100			
	Caution: Shredded	notor	scrap				
	See MSOS For D	etails)				
	Distance of the second				112		
	Chury			Micha	N. Dloge		
	3/23/98						

J. TROCKMAN & SONS INC. P.O. 80X 682 EVANSVILLE, IN 47704 0000 *** FINAL *** OUR LOT NUMBER 0241 OUR CONTRACT NO. 2556 WE RECEIVED FROM YOU ON 3/23/93 SHREDDED ELECTRIC MOTORS CARRIER OK TRANS 18 GROSS WEIGHT 47,920 DUNNAGE 0 NET WEIGHT 47,920 ====== MOISTURE NIL 47,920 Las NET NT θ 8.50 CENTS FER FOUND OF MATERIAL = \$ 4,073.20 TOTAL VALUE OF MATERIAL \$ 4,073.20

\$ 4,073.20

TOTAL AMOUNT DUE

SHIPPER CAR NO.	GROSS	TARE	NET	PRICE	AMOUNT	GROSS	TARE	NET	PRICE	AMOUNT
	108570	9-19m	1/1/12	Od.	272700	77980	31660	4/0322		
	10300	7(100	74040	84	17480	17702	77000	200		
					·			1500)	
								43826	84	3505.60
									1	,
TOTALS										
ADVANCE		_DTD			LE	ESS FREIGHT	Act 1	RA O	55X	258.47
FREIGHT PD ON 6.3	20 LBS CK#	86992	DTD 7/24	195	B/	ALANCE	<i>,</i> , , , , , , , , , , , , , , , , , ,	220	-	3247,13
CUST PO# ATTACHED TO	C_{Δ}	ME,		SET	TLEMENT OVER	SHORT SHIPPING	TOTAL 2	7"/		ACT PRICE
FINAL SETTLEMENT DT	9/1/98	Alex	lers	DUE	TO 50	DLBS DEAI	D EBEIGHT-OR	DEDUCTI	on	19100
ADJ TO SETTLEMENT O	N VOUCHER ATT'	D TO INVO		·	<i></i>		LBS OR_			624

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

		ed Via		50Id IO	Chemetco					
		lo	f130	Address		athrop L 60426				
				Shipped T	oHartî	ford				
	No.	Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Total	
	1	T/L	Shredded Motors	78560	31900	48650	8¢		\$3,732.	80
										T
le .										

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

Your	Order	No. 7361	EVANSVILLE, INDIANA JULY 20 19 19									
Shipped Via OK Transport Car No			Sold To	heme	110				_			
			Address	_ Address 16400 & Lating								
				Harvey IL 100406								
Terms			Shipped T	· Ha	rtforc	1,16			_			
No.	Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Total				
1	TIL	Shredden motors	78560	31900	46660	280.		3732	3			
	1911		, ,			1						
				305					_			
100									-			
									_			
-11												
	h 4											
		\bigcap										
		N.										
			7						_			
									_			
				1 500								
				1								

J. TROCKMAN & SONS, INC.

and the state of the same
MATERIAL
CUSTOMER DATE
TRUCK NO TRAILER /BOX NO
DRIVER ONOFF
G T N REMARKS:
NEIVIANNO.



P.O. Box 8 • Hartford, IL 62048

CUSTOMER	OR
SUPPLIER	

I. Truckman & Sons DATE 7/2488

	TIME	DATE	REGISTER NO	WEIGHTS	LOT NUMBER
ROSS		·		77980	4 33 13168 52 09 28 79
ARE				21560	R.R. 12:25 Ph 07 20 98
ET EC.				46320	MARKED TARE
					TRUCK
					TRAILER OX 180
					WEATHER
					DRIVER'S SIGNATURE X
PRODUCT		·			WEIGHER X
036	(/) ()	41 660	Stal	Eler. Mutors	Lot# I50
1 0 100	1012_	10,000	Jrir chi	CILI, INDIVID	20111 -120-
		·			
		<u> </u>			

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

Shipped Via.	1,0. # 9361 OK Transport #188	Sold To	<u>'heme</u> 16400	stco Slat	hrop		19 98
Terms	·	Shipped To	, HQ	rtford	I,IL		
No. Unit	Description	Gross Weight	1	Net Weight	Price	Amount	Tofal
- L TIL	Shredded motors	78560	31900	46660			
	Λ						
	7 / - 1 - 10 -						
	Erisly 7/20/98						

Chemetco, Inc. P.O. BOX 8 • HARTFORD, ILLINOIS 62048

	INV. NO.	INV. DATE	AMOUNT	DISC.	· NET AMOUNT	
) UR	2392	8/27/98	
TYPE P	AYMENT I		NT NO. INVOICE 61.010	NO. CAR OK 18	RIER AMOU D \$3,505	
	,					

J TROCKMAN & SONS 1017 BAYSE EVANSVILLE IN 47704 0000 *** FINAL *** OUR LOT NUMBER J503 WE RECEIVED FROM YOU ON 7/20/98 GUR CONTRACT NO. 9361 SHREDDED ELECTRIC MOTORS OK 180 CARRIER GROSS WEIGHT 46,320 2,500 DUNNAGE _____ 43,820 NET WEIGHT ====== MOISTURE NIL \$ 3,505.60 43,820 LBS NET WT & 8.00 CENTS PER POUND OF MATERIAL =

TOTAL VALUE OF MATERIAL

TOTAL AMOUNT DUE

\$ 3,505.60

=======

\$ 3,505.60

	T		G== '							, ————————————————————————————————————
SHIPPER CAR NO.	GROSS	TARE	NET	PRICE	AMOUNT	GROSS	TARE	NET	PRICE	AMOUNT
	73660	32740	40920					40980	94	3688.20
				` 						
				·						
		1,					·			
TOTALS										
ADVANCE		DTD			LE	SS FREIGHT	ACT	FRT,	384_	362.00
FREIGHT PD ON 409	LBS CK#		OTD <u>[]/5</u> [5	<u> </u>	BA	ALANCE			-	362,00
CUST PO# ATTACHED TO	10	NE	/ - /	SET	TLEMENT OVER S	HORT SHIPPING	TOTAL		f	FOT PRICE
FINAL SETTLEMENT DTD	12/8/9	6 Il	2685	DUE	ТО	LBS DEA	D FREIGHT OR			8.134
ADJ TO SETTLEMENT ON	VOUCHER ATT'	D TO INVD					LBS OR			•

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

Your	Order N	lo. 3819 Delivery App 25-0		EVAINS	VILLE, INDIAN				
Shipp	ed Via_	JES	_ Sold To	Chemetco					
	10	Trailer #50	Address	16400 S	Lathrop				
					IL 60426				
Terms			Shipped T	O Dell	LIOIU				
No.	Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Total	
1	T/L	Copper Bearing Material	73660	32740	40920	OPEN		OPEN	
					1 1				
					100				4 3 3
				/	1000				
			1	1	1				
				//					

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

Your Order No.	5819 Delivery App 29-6		EVANSVILLE, INDIANA October 28, 1998 19
Shipped Via	J&S	Sold To_	Chemetco
Car No.	Trailer #50	Address	16400 S Lathrop
F.O.B.			Harvey, IL 60426
Terms		Shippe	d ToHartford

No.	Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Total
1	T/L	Copper Bearing Material	73660	32740	40920	open		open
10000		A		0				
			.1					
			1/200	1 1				
			10	JAJI				
		V						

MATERIAL	Del Rop 29
CUSTOMER	DATE DATE
TRUCK NO.	TRAILER /BOX NO.
DRIVER ON	_ OFF
$G = \{1, 2, 3, 4, 1, 2, 4, 4, 2, 4, 4, 2, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4,$	
T. 35 57 57	/
C/097 17	
REMARKS: SC	
1. 9 30	open /
graphic the life is a	
BY	



CHICAGO WAREHOUSE

16400 S. Lathrop + Harvey, IL 60426 800/544-4345 + 708/339-5700 - 708/339-0219 (fax)

,	
TO: JEFF TROCK MAN	
COMPANY: J. TROCKMAN & SONS	
FAX NUMBER: 812.425.5277	DATE: 10-21-98
Number of Pages (including cover):	TIME
URGENTI Contact us immediately!	Proof copy attached. Please: review and call
Return: the call at your convenience:	Flease respond by FAX.
Information as requested.	Please respond by telephone.
For your information.	Na response required. 29-6
FROM: LUKE_KENNEDY	10 HM.
MESSAGE: 10-35-98	140125
BOUGHT I LOAD -	40,000 lbs. OF COPPER
BEARING MATERIAL.	ESTIMATED CU RECOVERY - 30%
9\$/16.@30%, 5\$/16 (a 20 - PRICE WILL be RERECTIVE
OF THE COPPER RECOVERY	·
DELIVERED TO HARTFORD	
CONTRACT #5819 61000	
•	THANKS JEFF
	The
DEIVENY 4-5564 800-444-5564 CONT	10/23/28

STRAIGHT BILL OF LADING

ORIGINAL - NOT NEGOTIABLE 3 A 8 37LK TWAMSPORT 65., INC. 1710 S. Co. Rd. 200 W. Rockport, Indiana 47535

Shipper No. 9213
Carrier No.
Date 10-28 98

(Name of Carrier) J. TROCKMAN FROM: TO: Chemeto Consignee EUANSUILLE IN 14 ART FOR M Street Street Origin Destination Emergency Response Phone No. Vehicle/ 150 Route Number Kind of Packaging, Description of Articles, Special Marks and Exceptions Weight (subject to correction) No. Shipping HM² **CHARGES** Rate Units 73660 CY ARING MATRIAC 32740 140920 Driver When transporting hazardous materials include that Provide emergency response phone number in case ale UN or NA number as o ned in US DOT Emergency Communication Standard (Hi-1-1260) REMIT C.O.D. FEE: C.O.D. TO: PREPAID | \$ COD ADDRESS: Amt: \$ NOTE – Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding This is to certify that the above named materials are properly classified, described, packaged, marked, and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation. Subject to Section 7 of the conditions, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement:

The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges. TOTAL \$ CHARGES: FREIGHT CHARGES: FREIGHT FREIGHT PREPAID except when box at right is checked Check box if charges are to be collect RECEIVED, subject to the classifications and lawfully filed tariffs in effect on the date of the issue of this Bill of Lading, the property described above in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned and destined as indicated above which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said property over all or any portion of said route to destination and as to each party at any time interested in all or any said property, that every service to be performed hereunder shall be subject to all the Bill of Lading terms and conditions in the governing classification on the date of shipment.

Shipper hereby certifies that he is familiar with all the Bill of Lading terms and conditions in the governing classification and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

NOTICE: Freight moving under this Bill of Lading is subject to the classifications and lawfully filed tariffs in effect on the date of this Bill of Lading. This notice supersedes and negates any claimed, alleged or asserted oral or written contract, promise, representation or understanding between the parties with respect to this freight, except to the extent of any written contract which establishes lawful contract carriage and is signed by authorized representatives of both parties to the contract. SHIPPER CARRIER J & S BULK TRANSFORT CO., MC. PER PER

DATE

"HAZARDOUS MATERIALS" MARI: WITH "X" TO DESIGNATE HAZARDOUS MATERIALS AS REFERENCED IN 490FR \$ 172,202

U. S. HIGHWAY 41 SOUTH • POST OFFICE BOX 682 • EVANSVILLE, INDIANA 47704 • PHONE 812 425-5271

Shipp Car I F.O.B.	oed Via	No. 5819,00 Delivery App 29-6 J & S Trailer #50	Address	Chemetco 16400 S L	athrop	A Octo	ober 28, 1998	1	9
Terms .			Shipped T	oHartf	ord				
No.	Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Total	
1	T/L	Copper Bearing Material	73660	32740	40920				
							<u> </u>		
			· ·		-			-	
								-	
-					-				
			:						
								2	
					<u> </u>			101	
							1	11/0	
			W A	<u> </u>	-		1 1 1		
			200				A)	\\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\	
		<u> </u>					+		

FIRST IN PEOPLE - QUALITY - SERVICE

P.O. Box 8 • Hartford, IL 62048

CUSTOMER OR SUPPLIER 1. Trockman

DATE 10 129/08

N. To All Consu	TIME	DATE	REGISTER NO	WEIGHTS	LOT NUMBER
GROSS				7512	7 8 9 10 11 0 10 10 40 10 2V Y
TARE					
				3414	CAR NO.
NET REC.				40980	MARKED TARE
					TRUCK NO
		,			TRAILER J+S 50
					DRIVER'S ALL MALL
					SIGNATURE
PRODUCT			lo a		WEIGHER X
58 19.0	12	40920	MiscFe	Brass	Lot Q 800
					4
					400
				3"	

Chemetco, Inc. P.O. BOX 8 • HARTFORD, ILLINOIS 62048

INV. NO.	INV. DATE	AMOUNT	DISC.	NET AMOUNT	
		J R	3175	12/01/98	
TYPE PAYMENT I		T NO. INVOICE ?	O. CARF	IER	

J TROCKMAN & SONS 1017 BAYSE EVANSVILLE ΙN 47704 0000 *** FINAL *** OUR LOT NUMBER 9800 WE RECEIVED FROM YOU ON 10/29/98 5319 OUR CONTRACT NO. J & S MISC. IRONY BRASS CARRIER GROSS WEIGHT 40,980 DUNNAGE 0 NET WEIGHT 40,980 ====== MOISTURE NIL 40,980 LBS NET RT & 9.00 CENTS PER POUND OF MATERIAL = \$ 3,688.20 ~~~~~~ TOTAL VALUE OF MATERIAL 3,688.20 \$

\$ 3,688.20

TOTAL AMOUNT DUE

SHIPPER CAR NO.	GROSS	TARE	NET	PRICE	AMOUNT	GROSS	TARE	NET	PRICE	AMOUNT
	75500	34100	460	50	2070.00			40240	64	2420.40
	122		11700	- 7 -	7070.5			[
TOTALS										
ADVANCE		DTB / ,	<i></i>		LE	SS FREIGHT	ACT Fr	u ,8	7	362.50
$\int f_{\sigma} d$	100	XX421	DTD 12/2/	95/				•	(2058.40
FREIGHT PD ON	<u> </u>	- , - , -	DID JAM	<u>/</u>	BA	LANCE	20	50.40	<u>. </u>	A-POCE
CUST PO# ATTACHED TO	O INVD	$\frac{1}{2}$. **	SET	TLEMENT OVER S	HORT SHIPPING	TOTAL			ma grace
FINAL SETTLEMENT DT	1/12/9	Jeil	0 3	DUE	TO VRI	LBS DEAI	D FREIGHT OR	- lou		49.74
ADJ TO SETTLEMENT OF	N VOUCHER ATTI	D TO INVD					LBS OR_			•

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

Shipp Car N		J&S Trucking 76-32		Chemetco 16400 S Harvey,	Lathrop IL 60426			8		9
No.	Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount		Total	
1	T/L	Shredder Copper Bearing	75500	34100	41400	5¢		1	\$2,070.	00
			30							
							, ,	4		
							100	1		
							1100			
							1			

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

Your Order No. 7007	EVANSVILLE, INDIANA 1 11/2 19/2
Shipped Via 15 Muchung	Sold To Mannoles
Car No. 10-52	Harvey 60426
F.O.B,	
Terms	Shipped ToHarttord, JC

No.	Unit	A Description	Gross Weight	Tare	Net Weight	Price	Amount	Total
	The	Stradely Come incline	75500	34100	41400	54	\$	2,070.00
		Control of the contro						
		ar at the second second		7-5-6				
						7.0		
		77/15/						
		find /						

TROCKMAN & SONS, INC.

MATERIAL CONTRACTOR	
CUSTOMER	DATE
TRUCK NO.	TRAILER /BOX NO.
DRIVER ON	OFF
G 35 300	
T	1
N 11140	0
REMARKS:	
Consideration of the second	
<i>d</i> /	
BY	

66755



P.O. Box 8 • Hartford, IL 62048

CUSTOMER OR SUPPLIER

Trockman

DATE 11 85/98

8 0 B 6 0 0 0

	COMESTI INNERS AND ADMINISTRA				
we in	TIME	DATE	REGISTER NO	WEIGHTS	LOT NUMBER
ROSS				76.7	7 8 9 10 11
ARE					
				1112	OO CAR NO. 12:00 PH 11 25 98
ET EC.	٠.			711)	MARKED TARE
					TRUCK
					NO
					TRAILER 145 Bull
					WEATHER
					DRIVER'S
					SIGNATURE X
RODUCT_					WEIGHER X
學別,	1,010	41400	Shredd	led Motors	101#S485
-Cited and Starte /		11100			
		· · ·			
				355	
				355	
		ř		355	·
		ř		355	
		ř		355	
		· ·		355	
				355	
		· · · · · · · · · · · · · · · · · · ·		355	

J TROCKMAN & SONS 1017 BAYSE EVANSVILLE 47704 0000

IN

*** FINAL ***

OUR LOT NUMBER

\$435 7207

WE RECEIVED FROM YOU ON 11/25/98

SHREDDED ELECTRIC MOTORS J 4 S CARRIER

GROSS WEIGHT DUNNAGE

41,340 1,000

VET WEIGHT

40,340

MOISTURE

NIL

40,340 LBS NET WT 9 6.30 CENTS PER POUND OF MATERIAL = \$ 2,423.40

TOTAL VALUE OF MATERIAL TOTAL AMOUNT DUE

\$ 2,420.40 \$ 2,420.40

-14 and 270 tris care and class past and -27 and 170 and 180 and 180 and the 280

SHIPPER CAR NO.	GROSS	TARE	NET	PRICE	AMOUNT	GROSS	TARE	NET	PRICE	TNUOMA
	73780	379100	40880	6¢	245285			40540	66	2432,40
	15.00	7000	1 - 0	<u> </u>				7000		
	_		l							
	-}									
TOTALS										
ADVANCE		DTD_	·		LE	SS FREIGHT	AcT 7	127.89	·4	3102.00
FREIGHT PD ON	(80) IBS CK#	28564	DID (2/9/9	 88		ALANCE	7,-0	, , , ,	(2070,40
v		5516	D10-((20)	49		An Por
CUST PO# ATTACHED T	O INVD-		1707		TLEMENT OVER	SHORT SHIPPING	TOTAL / ^			114 11900
FINAL SETTLEMENT DT	D 1/12F	19 J	6/09	DUE	то 340	LBS DEA	PEREIGHT OR	1 2H20	27_	5.06 C
ADJ TO SETTLEMENT C	N VOUCHER ATT	D TO INVD					LBS OR_)

STRAIGHT BILL OF LADING

ORIGINAL - NOT NEGOTIABLE

		ORIGINAL - NO	INEGUTIABLE	Suibbei	. INO	1211
		S B C BULK TRAF		Carrier	No 🖹	4546
		1710 S. Co.	Rd. 200 W.	. Carre	140	0 = 664
		Rockport, Inc	diana 47635		Date/_/	-25-98
	· · · · · · · · · · · · · · · · · · ·	(Name of				
TO: Consignee	em et	· co	Shipper Trocky	s		
Street			Street	<u></u>		
Destination			Origin		1.	
Route			Emergency Response Phone No.	, <u>.</u>	Vehic Numb	cle 76 - 32
No. Shipping HM*		Kind of Packaging, Description of Ar Special Marks and Exceptions	rticles,	Weight (subject to correction)	Rate	CHARGES
17/6	Shredder	Copper Bearing	9	75500		
			7	34100		
			R	4/400		
	}					
		1/ 1/				
When transporting hazardous m.	Driver 5-A	r chemical name for n.o.s. (not otherwise specified) or generic de-	scription of material with appropriate UN or	NA number as defined in US DOT	Emergency Com	munication Standard (HM-1280)
Provide emergency response ph	ione number in case of incident	it or accident in box above.	· · · · · · · · · · · · · · · · · · ·			
REMIT C.O.D. TO: ADDRESS:			COD / Amt: \$		C.O.D. I PREPAI COLLEC	D 🗌 🕻
NOTE – Where the rate is de are required to state specifica declared value of the property.	dly in writing the agreed or	This is to certify that the above named materials are properly classified, described, packaged, marked, and labeled and are in proper condition for transportation according to	Subject to Section 7 of the conditions, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement:			ES: \$
declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding portation.			The carrier shall not make delivery of freight and all other lawful charges.	of this shipment without payme	FREIGHT PF	hoxat — are to be
\$pe	<u> </u>	Signature		(Signature of Consig	^(nor) right is chec	ked L collect
this Bill of Lading, the prand condition of contents which said carrier (the woor corporation in possess delivery at said destination. It is mutual	roperty described above to f packages unknown), ord carrier being understo sion of the property under if on its route, otherwilly agreed as to each cally agreed as to each cally agreed.	wfully filed tariffs in effect on the date of the issue of in apparent good order, except as noted (contents marked, consigned and destined as indicated above ood throughout this contract as meaning any person er the contract) agrees to carry to its usual place of ise to deliver to another carrier on the route to said arrier of all or any of said property over all or any	Shipper hereby certifies that governing classification and the accepted for himself and his ass NOTICE: Freight moving undetariffs in effect on the gate of the gleed or asserted oral or writ	he is familiar with all the E said terms and conditions signs. If this Bill of Lading is subjustis Bill of Lading. This not ten contract, promise, represered	Bill of Lading to are hereby ag- ect to the clas- ice supersedes resentation or	greed to by the shipper an sifications and lawfully file s and negates any claimed understanding between the
portion of said route to	destination and as to ea	ach party at any time interested in all or any said under shall be subject to all the Bill of Lading terms	parties with respect to this frei	aht, except to the extent of	of any written	contract which established

Shipper No._

property, the	at every service to be performe	d hereunder shall be subject to all the Bill of	Lading terms lawful contract carryage and is signed by authorized representatives of both parties	s to the contr
SHIPPER		1 1//	CARRIED J & SEPLK TRANSPORT CO., INC.	
PER _	tasley	11/25/98	PER A	1
			DATE	
'HAZARDOUS	MATERIALS MARK COT I "X" TO D	ESIGNATE HAZARDOUS MATERIALS AS REFERENCEI	DIN 490FR X 117-202.	

800 447 55 67 4314 B/LNº 9396

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

Ferrous and Non Ferrous Metals - Industrial Salvage Your Order No. Shipped To_ Gross Weight Net Weight Amount Total

Nº 25575

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

				47 10 15	1)engan	VILLE, INDIANA	Chemeto	Sold To					
						Lathrop	16400 S	Address	#76	0	Car N		
						IL 60426	Harvev,						
						rtford, IL	. Hai						
Total	Total	Total		Amount	Price	Net Weight	Tare	Gross Weight	Description	Unit	No.		
,452.	,452.	2,452.			6¢	40880	32900	73780	Shredder Copper Bearing	T/L	1		
				15. 15.47									
			/	10	1								
	Self-	Self-		70	1//01								
			-		10								
					1	1							
						: 0							
		4	4										
			/	7 ()	100	i							

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

		10. KCCO				1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	1 bc. 1-1	1	9 10	
Shipp	ed Via_	(1)	_ Sold To	he me	100					
		76/	_ Address_10	Address 16400 5 Lathrap						
			_ H.	Horvey 11 60436						
Terms	Shipped To Head Cord, 26									
No.	Unit	Description	Gross Weight	Tare	Net Weight	Price .	Amount	Total		
P	114	Shredder Copper Dearing	73780	39900	40 880	64		2452	85	
		/								
							•			
		12 All 1								
	Part Part									

J. TROCKMAN & SONS, INC.

MATERIAL

CUSTOMER

TRUCK NO.

DRIVER ON

OFF

T

N

REMARKS:

BY

-

39 140

The Alex Brokey 64.

.

•

P.O. Box 8 • Hartford, IL 62048

CUSTOMER OR SUPPLIER 1. Trockman

DATE 12/1/98

TRAILER J 15 Bulk WEATHER DRIVER'S SIGNATURE X		TIME	DATE	REGISTER NO	WEIGHTS	LOT NUMBER
CAR NO. MARKED TAKE TRUCK NO. TRAILER J + S BULK NO. WEATHER DRIVER'S SIGNATURE X WEIGHER X LOT + S742	ROSS				74840	LB 11:18 48 119 01 98
PRODUCT WEIGHER X AMARKED TRUCK TRUCK NO. TRAILER J + S Bulk WEATHER DRIVER'S SIGNATURE X WEIGHER X Lot + S742	ARE				34300	RRE 11131 AM 12 01 98
PRODUCT WEIGHER X BOOS.010 40880 Shielded motors Lott 5742	NET REC.				40540	MARKED
PRODUCT WEIGHER X BOOS.010 40880 Shredded motors Lott 5742						TRUCK
PRODUCT WEIGHER X BOOS.010 40880 Shredded motors Lot # 5742						TRAILER JIS BULK
PRODUCT WEIGHER X 8005.010 40880 Shredded motors Lot # 5742						
8005.010 40880 Shirelded motors Lott 5742						
8005.010 40880 Shirelded motors Lott 5742	PRODUCT					WEIGHER X
			110080	Ch. Idad	A A A Trace	
A A A A A A A A A A A A A A A A A A A						
Addition of the second of the						
- All I						
CALUID'S						
7						
					JAN S Helib	
				4	AN A	

U. S. HIGHWAY 41 SOUTH • POST OFFICE BOX 682 • EVANSVILLE, INDIANA 47704 • PHONE 812 425-5271

Shipp		A 3	_ Address	heme 400 arvey	+co 9 , IL	Lathro 604	P - 26	19 98
No.	Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Total
	TIL	Shredder Copper Bearing	73780	32900	40880			
		DAM -				() Child		

STRAIGHT BILL OF LADING

ORIGINAL - NOT NEGOTIABLE

JAS BULL TRANSPORT 53., INC.

1710 S. Co. Rd. 200 V. Shipper No. Carrier No

Rockport, Indiana 47635 (Name of Carrier) TO: Consignee Chemerco FROM: Shipper Street Street EVANSVILLE Origin Destination Emergency Response Vehicle Phone No. Route Weight (subject to correction) No. Shipping Kind of Packaging, Description of Articles, HM: Rate **CHARGES** Units Special Marks and Exceptions 11/ ï 13 Driver teal name for n.o.s. (not otherwise specified) or generic description of material with appropriate UN or NA number as defined in US DOT Entergoncy Communication Standard (HM-126C), contribute of the contribute When transporting hazardous materials include the technical or of Provide amergency response phone number in case of incident or REMIT C.O.D. FEE: C.O.D. TO: PREPAID COLLECT ADDRESS: COD Amt: \$ NOTE – Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding Subject to Section 7 of the conditions, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement:

The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges. This is to certify that the above named materials are properly classified, described, packaged, marked, and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation. TOTAL CHARGES: FREIGHT CHARGES: Check box if charges are to be collect FREIGHT PREPAID except when box at right is checked and conditions in the governing classification on the date of shipment.

Shipper hereby certifies that he is familiar with all the Bill of Lading terms and conditions in the governing classification and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

NOTICE: Freight moving under this Bill of Lading is subject to the classifications and lawfully filed tariffs in effect on the date of this Bill of Lading. This notice supersedes and negates any claimed, alleged or asserted oral or written contract, promise, representation or understanding between the parties with respect to this freight, except to the extent of any written contract which establishes lawful contract carriage and is signed by authorized representatives of both parties to the contract. RECEIVED, subject to the classifications and lawfully filed tariffs in effect on the date of the issue of

RECEIVED, subject to the classifications and lawfully filed tariffs in effect on the date of the issue of this Bill of Lading, the property described above in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned and destined as indicated above which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said property over all or any portion of said route to destination and as to each party at any time interested in all or any said property, that every service to be performed hereunder shall be subject to all the Bill of Lading terms

SHIPPER	M A N.		CARBIER S & A PULK TANSES	RT CO., INC.
PER	> Low X	12/1/9/	per Kodo	57
		707	DATE	

J TROCKMAN & SONS 1017 BAYSE EVANSVILLE IN 47704 0000 *** FINAL *** OUR LOT NUMBER \$742 OUR CONTRACT NO. 8005 WE RECEIVED FROM YOU ON 12/01/93 CARRIER J & S BULK SHREDDED ELECTRIC MOTORS GROSS WEIGHT 40,540 DUNNAGE 0 MET MEIGHT 40,540 ====== MOISTURE NIL 40,540 LBS NET WT 8 6.00 CENTS PER POUND OF MATERIAL = \$ 2,432.40 TOTAL VALUE OF MATERIAL 5 2,432.40

3 2,432.40

TOTAL AMOUNT DUE

SHIPPER CAR NO.	GROSS	TARE	NET	PRICE	AMOUNT	GROSS	TARE	NET	PRICE	AMOUNT
	78880	36100	U2780	Cd.	257680			Unito		
			10 700	100	3010			42200	64	2532.02
										,
TOTALS							A			
ADVANCE		DTD	· · · · · · · · · · · · · · · · · · ·		LE	SS FREIGHT	ACT FR	24.85	4 -	362.00
FREIGHT PD ON	26D LBS CK#	88564	DTD[2/G/	28_	BA	LANCE	_	0 4	۰ ،	2470.00
CUST PO# ATTACHED T	O INVD-	5515		SET	TLEMENT OVER S	HORT SHIPPING	TOTAL 3	180		ACT PRICE
FINAL SETTLEMENT DT	0/12/9	9 -	He 70 2	<u></u>	E TO	LBS DEA	D FREIGHT OR_			5.074
ADJ TO SETTLEMENT O	N VOUCHER ATT'	D TO INVD					LBS OR_			•

≠

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

	Order Noted Via_	02420	Sold To		ILLE, INDIAN	A Decembe	27 1. 1998		_19
	Vo	ATT	Address1		Lathrop				3
F.O.B	3		n	arvey, IL	60426				
Terms	·		Shipped To	Hartfor	d, IL				
No.	Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Total	
1	T/L	Shredder Copper Bearing	78880	36100	42780	6¢		\$2,566.	80,
								78	
	-								-
		all and the second of the second		Name of the	EAL TON	T. Zing Live			
1,16		Eliza Linea de la Caracteria de la constante d							
								711	
								70	
						/	10		
	-		* 4 1 1 1 1 1			/	1		
							1		
							U		



U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

Your	Order No	. 8005		EVANS	VILLE, INDIANA	Decembe	er 1, 1998	19
Shipp	oed Via	3 & S	Sold To	Chemei	:00			
Car N		#76	Address	16400	S Lathrop			
F.O.B	3,			Harvey	, IL 60426			
Terms	s		Shipped To	o_ Hartfe	ord, IL			
No.	Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Total
J.	T/L	Shredder Copper Bearing	78886	36100	42780	64		2.566 80

No.	Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Total	
y.	T/L	Shredder Copper Bearing	78880	36100	42780	64		2.566	80
								i are	
		/	,						
		11/1/11							
		Vill til							
		14							
							The Library Co.		

; · J.	TROCKMAN & SONS, INC.
MATERIAL	horely thethe
CUSTOMER	Komerio DATE /2
(100
TRUCK NO	TRAILER /BOX NO.
DRIVER ON	OFF
G 73	2370
T26	15D
N	may (30 most)
d of	
REMARKS:	
Shredder	copper bearing
ВУ	and a second sec
DI	

CUSTOMER OR SUPPLIER J. Trockman

DATE 12/2/98


	TIME	DATE	REGISTER NO	WEIGHTS	LOT NUMBER
ROSS				78120	LB 9848 49 10 2198
ARE	•			35420	LRE 10:20 FIT 12 02 98
NET .				. 42700	MARKED TARE
					TRUCK NO
					TRAILER 1+5
					WEATHER
					DRIVER'S SIGNATURE X
PRODUCT	Г				WEIGHER X
(CAPPO)	8005010	USTRO	Shreddel	12 too	Lot# 5804
					7
				- 11 V	
			C- 4	-dlib)	
			C- f	-dillo	
			£ 4	-dillo	

B/LNº 9426

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

1 T/L Shredder Copper Bearing 78880 36100 42780	Your	Order N	lo. 8005		EVANS	VILLE, INDIANA	Decembe	r 1, 1998	19
F.O.B. Harvey, IL 60426 Terms Shipped To Hartford, IL No. Unit Description Gross Weight Tare Net Weight Price Amount Tot 1 T/L Shredder Copper Bearing 78880 36100 42780	Shipp	ed Via_	J & S	Sold To	Chemet	co			
F.O.B. Harvey, IL 60426 Terms Shipped To Hartford, IL No. Unit Description Gross Weight Tare Net Weight Price Amount Tot 1 T/L Shredder Copper Bearing 78880 36100 42780	Car N	٧٥	# 76	Address	16400	S Lathrop			
No. Unit Description Gross Weight Tare Net Weight Price Amount Tol 1 T/L Shredder Copper Bearing 78880 36100 42780					Harvey	, IL 60426			
1 T/L Shredder Copper Bearing 78880 36100 42780	Terms			Shipped To	Hartfo	ord, IL			
	No.	Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Total
	1	T/L	Shredder Copper Bearing	78880	36100	42780			
				//					
							A table		
							· ·		
			Au n//	1			*		
			10		MX	10/1	7		
			V	1 N			9.		1.13.
				10 Ora	0		,		
				No.	1/1/				

December 98"



CHICAGO WAREHOUSE

16400 S. Lathrop • Harvey, IL 60426 800/544-4345 • 708/339-5700 • 708/339-0219 (fax)

FAX NO.: 812. 425. 5277	DATE: 11-30-98
NUMBER OF PAGES(INCLUDING COVER):	/ TIME:
URGENT! Contact us immediately	Proof copy attached
Return the call at your convenience	Please respond by FAX
Information as requested	Please respond by telephon
For your information	No response required
	For 2 T/L'S P
From: LUKE KEWEDY	
Moccago:	# 8005
	Pickings @ Cof Delivered
	Oday money
45,000 lbs. speedded moor F	O Day money
	Oday money Thanks JEFF

J. TROCKMAN & SONS Order Memo

J. TROCKMAN & SONS QUALITY MANAGEMENT SYSTEM

Form 03-01 Revision 00

NEW (VERBAL) ORDER	ORDER CHANGE / UPDATE
CONSUMER IDENTIFICATION	Date: 12-01-98
Consumer Name Chemetco	
Contact:	
Address 16400 S Lathrop	
Harvey, IL 60426	
Phone	
Material Ordered	Order Change Information (Write order change information only)
Description: Shredder Copper Bearing	
Quantity: TBD	
Destination: (If other than above)	
Hartford, IL	
Price: 6¢	
Special Instructions:	
VERBAL ORDER / CHANGE REV	IEW AND APPROVAL
Cider/change approved.	Date11-30-98

STRAIGHT BILL OF LADING

ORIGINAL - NOT NEGOTIABLE

J & S BULK TRANSPORT CO., INC.
1710 S. Co. Rd. 200 W.
Rockport, Indiana 47635

Shipper No. B 9426

Date 12-2-28

(Name of Carrier) FROM: TO: Consignee Shipper Trackman & Sons Inc CheMETCO Street Street EVANSUILLE IN. Destination Origin Emergency Response Phone No. Vehicle Route No. Shipping HM Kind of Packaging, Description of Articles, Special Marks and Exceptions Weight (subject to correction) Rate CHARGES Units epper G 14 When transporting hazardous materials include the technical or chemical name for n.o.s. (not otherwise specified) or generic description of material with appropriate UN or NA number as defined in US DOT Emergency Communication Standard (HM-126C). Provide emergency response phone number in case of incident or accident in box above. REMIT C.O.D. FEE: C.O.D. TO: ADDRESS: PREPAID COLLECT COD Amt: \$ Subject to Section 7 of the conditions, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement:

The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges. NOTE – Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding This is to certify that the above named materials are properly classified, described, packaged, marked, and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation. TOTAL CHARGES: FREIGHT CHARGES:
FREIGHT PREPAID
except when box at right is checked

FREIGHT CHARGES:
Check box i
arright is checked Check box if charges are to be collect and conditions in the governing classification on the date of shipment. Shipper hereby certifies that he is familiar with all the Bill of Lading terms and conditions in the governing classification and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

NOTICE: Freight moving under this Bill of Lading is subject to the classifications and lawfully filed tariffs in effect on the date of this Bill of Lading. This notice supersedes and negates any claimed, alleged or asserted oral or written contract, promise, representation or understanding between the parties with respect to this freight, except to the extent of any written contract which establishes lawful contract carriage and is signed by authorized representatives of both parties to the contract. RECEIVED, subject to the classifications and lawfully filed tariffs in effect on the date of the issue of this Bill of Lading, the property described above in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned and destined as indicated above which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said property over all or any portion of said route to destination and as to each party at any time interested in all or any said property, that every service to be performed hereunder shall be subject to all the Bill of Lading terms CARRIER BULE TRANSPORT CO., INC. SHIPPER PER PER DATE "X" TO DESIGNATE HAZARDOUS MATERIALS AS REFERENCED IN 49CFR § 172 "HAZARDOUS MATERIALS MARK WITH

TTROCKMAN & SONS 1017 BAYSE IN EVANSVILLE 47704 0000 *** FINAL *** OUR LOT NUMBER S804
OUR CONTRACT NO. 8005 WE RECEIVED FROM YOU ON 12/02/98
CARRIER J&S SHREDDED ELECTRIC MOTORS
GROSS WEIGHT 42,700
500 NET WEIGHT 42,200

MOISTURE NIL 42,200 LBS NET WT @ 6.00 CENTS PER POUND OF MATERIAL = 8 2,532.00

TOTAL VALUE OF MATERIAL TOTAL AMOUNT DUE

\$ 2,532.00 \$ 2,532.00

SHIPPER CAR NO.	GROSS	TARE	NET .	PRICE	AMOUNT	GROSS	TARE	NET	PRICE	AMOUNT
	74588	36600	36600	27980	>			37700	24	3395 00
TOTALS										
ADVANCE		DTD			LE	ESS FREIGHT				2293 0
FREIGHT PD ON	LBS CK#		DTD		В	ALANCE			7	3393.00
CUST PO# ATTACHED	TO INVP-SAT	NE	1000	SETT	LEMENT OVER S	SHORT SHIPPING	TOTAL			terfrice
FINAL SETTLEMENT DT	10 1/13/9	9 9	640:	2. DUE	го	LBS DEAD	FREIGHT OR_			8.934
ADJ TO SETTLEMENT	ON VOUCHER ATT	D TO INVD					LBS OF			

11, 1998

J. Trockman & Sons, Inc.

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

Ferrous and Non Ferrous Metals - Industrial Salvage

Your Order No.	6361		EVANSVILLE, INDIANA No
Shipped Via	Our Truck	Sold To_	Chemetco
Car No.	71-31	Address	16400 S Lathrop
			Harvey, IL 60426

Hartford, IL Shipped To_ Terms_

No.	Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Total
1	T/L	Copper Bearing Scrap	74580	36600	37980	OPEN		OPEN
	994							
					1			
				/	11/	7/		
-				///	8/010	//		
				1	4			



F.O.B. _

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

F.O.B	No	636Lorder#	Address	H	MADING HOOS arvay	Lath IL 6	10P 0426	1/1/1998
No.	Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Total
e sympletic	TK	invillation Six	74580	Idoo	77982			
,		11/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1						
								1:
14,6				,				

J. TROCKMAN & SONS, INC.

MATERIAL

CUSTOMER

TRUCK NO.

DRIVER ON

OFF

T

N

OFF

REMARKS: / 6

J. TROCKMAN & SONS

QUALITY MANAGEMENT SYSTEM

Order Memo

Form 03-01 Revision 00

NEW WEDDALLOPDED	ORDER CHANGE / UPDATE
NEW (VERBAL) ORDER	
CONSUMER IDENTIFICATION	Date: 11~11-98
Consumer Name Chemetco	
Contact:	
Address 16400 5 Lo	throp
Harvey, IL	60426
Phone	
Material Ordered	Order Change Information (Write order change information only)
Description:	
copper bearing scrap	
J	
Quantity: \- Load	
Destination:	
(If other than above)	
Hartford, IL	
Price: open	
Special Instructions:	
VERBAL ORDER / CHANGE REVIE	W AND APPROVAL
Cider/change approved AM M/	Date 11-11-98
/: iNII (: 0	

66428



P.O. Box 8 . Hartford, IL 62048

CUSTOMER OR SUPPLIER

of Trockman

DATE 11 /11 / 98

r ne d	TIME	DATE	REGISTER NO	WEIGHTS	LOT NUMBER
GROSS				75300	1 B 12:07 FM 11 11 75
ARE				37800	RRE 12:27 PM 11 11 78
EC.				37,700	MARKED TARE
					TRUCK NO
					TRAILER Trockman
					WEATHER
					DRIVER'S SIGNATURE X
PRODUCT					WEIGHER X
6361.	olo	37980	misc 7	le Brass 1	of R505
- 11-20-20-20-20-20-20-20-20-20-20-20-20-20-					
				CW McDowell	0.

B/LNº 9312

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

Your Order N Shipped Via Car No. F.O.B. Terms	5 in Puch 1-31	Sold To Address Shipped To		Meme	iles,)	1/1/- 1998
No. Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Total
ITIC	Comper Bearing Sung	74580	36600	37982			
	0 0						
				Mul	61		
			7	11111	48		
				0 1			
			,				

J TROCKMAN & SONS 1017 BAYSE EVANSVILLE

IN

*** FINAL ***

OUR LOT NUMBER R505
OUR CONTRACT NO. 6361
CARRIER TROCKMAN

R505

WE RECEIVED FROM YOU ON 11/11/98 MISC. IRONY BRASS

47704 0000

GROSS WEIGHT

37,700

DUNNAGE

0

NET WEIGHT

37,700

MOISTURE .

NIL

37,700 LBS NET WT 8 9.00 CENTS PER POUND OF MATERIAL = \$ 3,393.00

TOTAL VALUE OF MATERIAL

\$ 3,393.00

TOTAL AMOUNT DUE

\$ 3,393.00 ========

Chemetco, Inc. P.O. BOX 8 • HARTFORD, ILLINOIS 62048

INV. NO.	INV. DA	TE A	MOUNT	DISC.	NET AMOUNT	
			M	3431	1/04/99	
TYPE PAYMENT	DUR LOT NO.	CUR CONT NO.	INVOICE N	O. CARR	IER AMOU	ΝT
FINAL	3505	6361.010	CON 1001 TOT MAD AND 100 TOT TO	TROCK	AN \$3,393	.00
FINAL	\$485	7207.010		J & S	\$2,420	40
FINAL	5742	8005.010		J & S	BULK \$2,432	. 40
FINAL	s 80 4	8005.010		J & S	\$2,532	.00

SHIPPER CAR NO.	H380	TARE	VOSY O	PRICE (SEC)	AMOUNT 277772	GROSS	TARE	37680 3000	689 639	AMOUNT 25622. 42 1890.02
ADVANCEFREIGHT PD ONCUST PO# ATTACHED TO FINAL SETTLEMENT DTD ADJ TO SETTLEMENT ON	9/2/00	DTDI	OTI)	SLT	ILI MENT OVER	SS FREIGHT LANCE HORT SHIPPING W NO LBS DEAL	TOTAL PART OR LBS OR)5880		27572,42 ALT PAICE 67.374

28310

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271

	de	Adam.
Lebel		1
-		1
	-	Track of the last

Your Order No. 5204 Shipped Via Our Truck Car No. 71-69 F.O.B.			Sold To	Sold To Chemetco Address 2684 Missouri Avenue Granite City, IL 62040							
			Address								
Terms			Shipped To								
No.	Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Total			
	T/L	#2 Gopper	74380	33540	40840	68¢		\$27.771.	20		
		B/L 15719	to the second								
.1											
									-		
			10.00								
						3	er- *****				
							· fr				
							10 9		-		
						11	1				
						1	/				
						//			-		

618-581-FAX CHEMET CO 618-451-935/

U. S. HIGHWAY 41 SOUTH · POST OFFICE BOX 682 · EVANSVILLE, INDIANA 47704 · PHONE 812 425-5271

8/1/2000 13040	Total		
Mr. 8	Amount		
Masmai	Price	p89	
EVANSPILLE, INDIANA RESCH MAN	Net Weight	33260 (4846)	
	Tare	07525	
- Sold To	Gross Weight	0.86/11	
Your Order No. 570 9 Shipped Via Car No. 7 69 F.O.B.	No. Unit Description	The Canal	



P.O. Box 8 • Hartford, IL 62048

CUSTOMER OR SUPPLIER

TRUCKMEN

DATE 08/11/00

	TIME	DATE	RÉGISTER NO	WEIGHTS	LOT NUMBER
GROSS					7 8 9 10 11
TARE					R.R. CAR NO.
NET REC.					MARKED TARE
		and the second			TRUCK 7
					TRAILER NO.
					WEATHER
					DRIVER'S SIGNATURE X CLD DA DALLE
PRODUCT_	# 2	Cu.			WEIGHER X AN WOULD
				5	
				To the state of th	
					Tirou lua areas
		kathe ka			1179 103 57735 25500 16s tare 40550 16s net
					AUSSU 102 DST

VEHICLE ======= CUSTOMERS

8/14/00

CUSTOMERS

STL

LOOSE

3000

3000

5244,013

2 LIGHT COPPER / COBRE 3

MATERIAL TOTAL

USE PHONE : 314-389-3771	TROCKMAN & SONS INC DATE	CONTRACT EROSS TARE NET WGT PACKAGING LOCATION 37680 LOOSE STL LTOTAL 37680 37680
	TROCKMAN & SONS INC.	CONTRACT ====================================
CHEMETCO ST. LOUIS WHMEHOUSE 5801 HALL STREET ST. LOUIS, MO. 63147	RECEIVING REPORT FOR: J. TROCKMAN & SONS INC.	ITEM TYPE CF MATERIAL 1 NO.2 COPPER / NO.2 TUBO MATERIAL

TOTAL RECEIVED 40680 .40680

CHEMETCO ST. LOUIS WAREHOUSE 1-(800) 444-5564

8/23/00

NO MATERIAL WT/UNT PRICE CARRIER AMOUN 6 NO.2 COPPER / NO.2 TUBO 19220# C 68.00 CUSTOMERS \$13,069.60 3 LIGHT COPPER / COBRE 3 3000# C 63.00 CUSTOMERS 1,850.00 6 NO.2 COPPER / NO.2 TUBO 18460# C 68.00 CUSTOMERS 12,552.00

ROCKMAN & SONS INC. BOX 682 SVILLE, 0000

IN

ve7, bie. - ...

SHIPPER CAR NO.	GROSS	TARE	NET	PRICE	AMOUNT	GROSS	TARE	NET	PRICE	AMOUNT
	CAILL	08965 01	40420 69	1090	2/288/2			39340	1694	39340 194 32144.60

										designation of the second seco
										and an interest of the second constitution of th
	A CONTRACTOR OF THE PARTY OF TH	The state of the s			and the second s			The same of the sa	-	
TOTALS				the second case of the second second			And the second s			
ADVANCE		_ ото			LE	LESS FREIGHT				
FREIGHT PD ON	LBS CK#		ОТО		BA	BALANCE			\	D144.60
CUST PO# ATTACHED TO INVD-	S JUNIO			SET	TLEMENT OVER (S	SETTLEMENT OVER SHORT SHIPPING TOTAL	ITAL OU	S		For Back
FINAL SETTLEMENT DTD	0923	in 97131	122	DUE	DUE TO DO	LBS BEADT	LBS DEAD-FREIGHT OR	(INSURTION)	(Na)	101161
O THEMENIT	THE GRADIEN	O TO					ao sa l		\	40110
ADS TO SETTLEMENT ON VOOCHER AT LO TO INVO	ON VOUCHER ALL	DANI OI D					LDS ON			

J. Trockman & Sons, Inc.

U. S. HIGHWAY 41 SOUTH • POST OFFICE BOX 682 • EVANSVILLE, INDIANA 47704 • PHONE 812 425-5271

Ferrous and Non Ferrous Metals - Industrial Salvage

			מולאם "יי	בייייייייייייייייייייייייייייייייייייי		5.00	
Shipped Via	Our Truck	Sold To	Chemerco				
Car No.	Trailer #69.		2684 Miss	2684 Missouri Avenue	٠		
F.O.B.			Granite City,	IL	62040		
Terms		Shipped To					
No. Unit	Description	Gross Weight	Tare	Net Weight	Price	Amount	Total
1 1/1	#2 Copper	74100	33680	40420	969		\$27,289. 80
	B/L 15920						
					(1	
						1	
				7			



J. Trockman & Sons, Inc.

U. S. HIGHWAY 41 SOUTH . POST OFFICE BOX 682 . EVANSVILLE, INDIANA 47704 . PHONE 812 425-5271 Ferrous and Non Ferrous Metals — Industrial Salvage

				3					111			¥
50			Total	688 LC								
	90		nt									
<u>m</u>	5 J		Amount									
0	Scomute Oity IL 6		Price	\$69								
EVANSVILLE, INDIANA	3084 ms_c Growte, City		Net Weight	74100 53680 46430								
EVANS\ Che	3000		Tare	23680								
Sold To	Address	Shipped To	Gross Weight	24100								
U.C.K.	f (0.7)		Description	Copper								
634C	Trailer			(C)								
Your Order No.			Unit	arminal annines					1			
Your C	Car No	Terms	No.	SECTION NO.								





J. TROCKMAN & SONS, INC.

MATERIAL TES
CUSTOMER DATE
TRUCK NO. LICE TRAILER /BOX NO.
DRIVER ON OFF
G 33680 T NOP 20 REMARKS: 2020 20 20 20 20 20 20 20 20 20 20 20 2
haston of the

Reter Bowden

69 & Del

Mary 340

429

and was a state of the





P.O. Box 8 • Hartford, IL 62048

CUSTOMER OR ST. LOUIS

DATE 09 10612000

TIME	DATE	RÉGISTER NO	WEIGHTS		LOT NUMBER
GROSS				7	8 9 10 11
ARE				R.R. CAR NO.	
ET EC.				MARKED TARE	
				TRUCK NO	
				TRAILER NO.	
				WEATHER	
				DRIVER'S SIGNATURE X_	
PRODUCT#	2 Cv.			WEIGHER X	Actorio
			4 10 10 10 10 10 10 10 10 10 10 10 10 10		

J. Trockman & Sons, Inc.

U. S. HIGHWAY 41 SOUTH · POST OFFICE BOX 682 · EVANSVILLE, INDIANA 47704 · PHONE 812 425-5271

Ferrous and Non Ferrous Metals - Industrial Salvage

207	Total												
(C2)													
	Amount												
0 3-17	٠.0												
0 0 7	Price												
EVANSVILLE, INDIANA Chemeteo 2084 missour Gronite Ofty	Net Weight	40400							. 1				
	Tare	3368C 40420		37									
Sold ToAddress	Gross Weight	14100			0						;		
			Charles		9/6/0	1 11							
CUP TOUCK. Trailer # 69	Description	Jaddo			i grat								
CUP Tou		りで出			Y)							
Your Order No. Shipped Via Car No F.O.B	Unit	iness.											
Your Order N Shipped Via Car No F.O.B	No.	and the same of th						eur ;					





* 41144 EEEE

CHEMETCO ST. LOUIS WAREHOUSE 1-(800) 444-5564


03612 9/19/00


WT/UNT PRICE CARRIER AMOU OUR CONT NO MATERIAL 6340010 NO.2 COPPER / NO.2 TUBO 5139# C 69.00 THEIR TRUCK \$3,545.: 6340010 NO.2 COPPER / NO.2 TUBO 22540# C 69.00 THEIR TRUCK 15,552. 6340010 NO.2 COPPER / NO.2 TUBO 11661# C 89.00 THEIR TRUCK 8,046.0


J. TROCKMAN & SONS INC. .P.O. BOX 682 EVANSVILLE, ムブフロム・内内内内


\$27, 144, 6,4


IN








































































































DOCUMENTS PROVIDED IN RESPONSE TO EPA'S REQUESTS NO. 10(d) & 11(a)



Scrap Specifications Circular 1997

Guidelines for Nonferrous Scrap Ferrous Scrap Glass Cullet Paper Stock Plastic Scrap

1325 G Street, N.W. Washington, D.C. 20005

ISRI SCRAP SPECIFICATIONS CIRCULAR 1997

GUIDELINES FOR:

NONFERROUS SCRAP FERROUS SCRAP GLASS CULLET PAPER STOCK PLASTIC SCRAP

Issued by:

Institute of Scrap Recycling Industries 1325 G Street, N.W. Washington, D.C. 20005

(Copyright 1997 by Institute of Scrap Recycling Industries—All rights reserved)

PREFACE

The standard specifications included in this Circular are intended to assist members in the buying and selling of their materials and products.

These specifications are derived from many sectors of the metals, paper stock, and plastics industries and are constructed to represent the quality or composition of the materials bought and sold in the industry. The specifications are internationally accepted, and are used throughout the world in metals, paper stock, and plastics trading.

Parties to a transaction may specify particular variations or additions to these specifications, as are suited for their specific transactions and for their individual convenience. Any deviation from the standard specifications, however, should be mutually agreed to, and so stipulated in writing, by the parties to the transactions.

ISRI maintains an Arbitration Service as a means of enabling members to settle differences between themselves, or between one of them and a non-member.

In addition, the "Guidelines for Metals Transactions" contain supplementary information which will aid members in completing their business transactions. It is recommended that these Guidelines be reviewed and that members employ them, in conjunction with the actual specifications, in the conduct of their business.

The specifications of scrap materials are subject to negotiation between buyer and seller. Specifications vary according to the requirements of individual consumers.

CIRCULAR 1997 BECOMES EFFECTIVE JANUARY 17, 1997, AND PREVAILS UNTIL SUPERSEDED.

ISRI

Scrap Specifications Circular 1997

TABLE OF CONTENTS

	Page
Rules Governing the Procedures for the Addition, Amendment, or Withdrawal of Specifications	IV
ISRI Arbitration Service	· VI
Nonferrous Scrap: NF-97	1
Ferrous Scrap: FS-97 Basic Oxygen, Electric Furnace, and Blast Furnace Grades Electric Furnace Casting, and Foundry Grades Specially Processed Grades Railroad Ferrous Scrap	15 16 18 19 19
Glass Cullet: GC-97	21
Paper Stock: PS-97 Domestic Transactions	27
Paper Stock: PS-97 Export Transactions	39
Plastic Scrap: P-97	51
Guidelines for Metals Transactions	63

RULES GOVERNING THE PROCEDURES FOR THE ADDITION, AMENDMENT OR WITHDRAWAL OF SPECIFICATIONS

- 1.0. Initiation of Request. Any person may file a request to add, amend or withdraw a specification by submitting such request in writing to the Executive Director.
- 2.0. The Executive Director shall refer such request to the Chairman of the Specifications Committee (the "Committee"), with copies to:
 - A. The Officers;

r · : ·

- B. The chairman of any Division and/or Committee which might be affected by the specification.
- 3.0. *Notice*. Following its receipt, notice of the request shall be inserted in the ISRI FOCUS and a daily national trade publication such as the *American Metal Market Magazine*. Such notice shall state:
 - A. The date, time and place at which the request will be considered by the Committee;
 - B. That the proceeding at which the request will be considered shall be open to the public;
- C. That interested parties may participate in the proceeding by personal appearance or by submitting written comments.
 - D. A summary of the specification and the matter to be considered at the hearing.
- 4.0 Committee Action. Following presentation by all interested parties, the Committee shall review the request and:
 - A. Act upon it immediately, as set forth in Section 4.1; or
- B. Refer it to a subcommittee for review and recommendation for action by the full Committee at its next meeting.
- 4.1. The Committee shall summarize the positions advocated by the various parties interested in the request and recommend to the Board of Directors what action should be taken.
- 5.0. Board of Directors Action. The Board of Directors, at its quarterly meeting at which the report and recommendation of the Committee has been made, shall adopt, amend or reject the recommendation or table it pending further review and recommendation by the Committee.
- 5.1. Notice of the action taken by the Board shall be given to all interested parties who actively participated in the Committee proceeding and any other persons who have requested in writing notice of the Board's action. Notice of said action also shall be inserted in the ISRI FOCUS following the Board meeting at which said action was taken.
- 6.0. Appeal. On or before thirty days after the date of the notice required in Section 5.1, any party may appeal the decision of the Board by written notice to the Executive Director. Said appeal shall state the reasons

therefor and the requested action to be taken. Notice of said appeal shall be given in accordance with Section 3.0.

- 6.1. The appeal shall be heard by the Board at its next quarterly meeting following receipt thereof.
- 6.2. The appellant and all interested parties shall be given at least twenty days notice of the date, time and place of the hearing, and like notice shall be inserted in the ISRI FOCUS at least twenty days prior to the hearing.
- 6.3. At the hearing, the appellant and any other interested party may appear either in person or by written presentation and state their reasons for the appeal.
- 6.4. The Board, following said hearing, shall review and act upon the appeal request. Notice of the Board's action shall be given in accordance with Section 5.1.
- 7.0. Records. ISRI shall maintain for not less than five years following the date of termination of the proceedings, records of the original request, summaries of the deliberations and recommendations of the Committee, action of the Board, summaries of the appeal and final decision, if any, of the Board, together with the positions of interested parties, copies of notices sent to interested parties and inserted in the ISRI FOCUS and national trade publications, written statements, and the reasons for recommendation and final action by the Committee and the Board.
- 7.1. Said records shall be available for review by the public upon reasonable notice.

ISRI ARBITRATION SERVICE

ISRI has established an arbitration service as a means to enable members to utilize arbitration to resolve disputes.

ISRI arbitration is a voluntary procedure, and must be agreed upon by both parties in the dispute. The arbitration procedure can only be initiated by a member of the Association. It is not required that both parties to the dispute be ISRI members.

The complete procedure for arbitration is set forth in ISRI's "Rules for Arbitration," which are available from Association Headquarters in Washington, DC. The rules contain the necessary form which must be completed to initiate arbitration. ISRI treats all filings, awards and proceedings as confidential.

The rules are highlighted below:

- 1. Any member of the Association may propose arbitration in a dispute with another member or non-member. Both parties must agree to the arbitration by signing a "Submission to Arbitrate" form and agreeing to abide by the applicable Arbitration Rules.
- 2. A Panel of Arbitrators has been established by the Association. The arbitrators serve without compensation, except for reasonable expenses. The arbitration parties must draw their arbitrators from this Panel. A maximum of three arbitrators issued in any proceeding; the parties are encouraged to use a single arbitrator.
- 3. There is a specific schedule of fees listed in the "Rules of Arbitration." Each party must deposit with the Association in advance \$500 plus \$500 for each arbitrator. The total deposit for *each* party thus is either \$1,000 or \$2,000, depending on whether one arbitrator is to be used or three. A portion of the fee is refundable if not required to defray arbitrators' costs. The arbitrators may require the losing party to reimburse the prevailing party for its share of these costs.
- 4. The arbitration procedure usually includes a hearing, at which time the parties involved are required to appear, present their respective cases, and be available for questioning by the arbitrators. All physical evidence (contracts, correspondence, relevant comments, etc.) may be required to be submitted in advance to the arbitrators. A party in the arbitration may be accompanied by counsel, but must inform the other party in advance and receive permission from the arbitrators. Witnesses may also be called to an arbitration hearing. There is also an optional procedure for conducting the arbitration without an oral hearing.
- 5. An award by the arbitrators will be made promptly, within twenty days after hearings have been completed or final briefs submitted. The award is made in writing, and it is certified.
- 6. The Rules state that the parties to the dispute shall be deemed to have consented that a judgment upon the award be entered in any court having jurisdiction over an action to enforce the award.

Members who wish to provide an automatic basis for the settlement of any disputes arising from a transaction are encouraged to provide in their contracts that the ISRI Arbitration Procedure shall prevail in the event of any ensuing controversy, and that each party will take all necessary steps to initiate such arbitration. Members are urged to obtain and carefully read the "Rules for Arbitration" before proceeding.

Scrap Specifications Circular 1997

Guidelines for Nonferrous Scrap: NF-97



NONFERROUS SCRAP

<u>Note:</u> When the individual scrap grades in this Circular, denoted by the various code words, are used, an agreement between parties is also bound by the terms of "Apple" as it appears below, unless the terms and conditions of a specific contract provide otherwise, in which case the specific contractual provisions shall govern.

ISRI Code

Item

Apple—Nonferrous Terms

- a. Delivery of more or less of the specified quantity up to 3 per cent is permissible.
- b. A ton shall be understood to be 2000 pounds, unless otherwise specified.
- c. If any portion of the goods covered by a contract are unshipped or undelivered within the time specified in a contract, then that portion is subject to cancellation by the buyer, and/or the buyer has the right to hold the seller responsible for substantiated damages.

If, because of embargo and/or other conditions of force majeure, a delivery or shipment cannot be made by the time specified, the contract shall remain valid and shall be completed promptly upon lifting of the embargo, and/or conditions of force majeure and the terms of said contract shall not be changed.

d. If for any portion of a contract the buyer fails in a timely manner to open a Letter of Credit, and/or fails to provide proper conveyance and/or shipping instructions as specified in the contract, then that portion is subject to cancellation by the seller and/or the seller has the right to hold the buyer responsible for substantiated damages.

If, because of embargo and/or other conditions of force majeure, a delivery or shipment cannot be made by the time specified, the contract shall remain valid and shall be completed promptly upon lifting of the embargo, and/or conditions of force majeure and the terms of said contract shall not be changed.

e. If a significant weight or quality difference is apparent, the seller should be notified promptly and, if requested, another weight or quality determination should be taken. Seller and/or buyer should be given the opportunity to appoint an independent surveyor or a representative to verify weights and/or quality.

For purposes of this section, the meaning of the word "significant" shall be determined by agree-

ISRI Code Word

ltem

ment between buyer and seller, depending on the commodities and their values.

f. If it is mutually determined that goods delivered do not conform to the description specified in the contract, then the shipment is subject to rejection or downgrade.

Disposition of, replacement of, and/or financial adjustment for rejected material shall be subjected to mutual agreement between buyer and seller. Seller is responsible for freight costs.

Buyer is expected, however, to exert every effort to limit rejections only to that portion of the shipment which is unsortable and to return the rejected portion promptly upon request, if government regulations permit.

Barley-No. 1 COPPER WIRE

Shall consist of No. 1 bare, uncoated, unalloyed copper wire, not smaller than No. 16 B & S wire gauge. Green copper wire and hydraulically compacted material to be subject to agreement between buyer and seller.

Berry-No. 1 COPPER WIRE

Shall consist of clean, untinned, uncoated, unalloyed copper wire and cable, not smaller than No. 16 B & S wire gauge, free of burnt wire which is brittle. Hydraulically briquetted copper subject to agreement.

Item

Birch-No. 2 COPPER WIRE

Shall consist of miscellaneous, unalloyed copper wire having a nominal 96% copper content (minimum 94%) as determined by electrolytic assay. Should be free of the following. Excessively leaded, tinned, soldered copper wire; brass and bronze wire; excessive oil content, iron, and non-metallics; copper wire from burning, containing insulation; hair wire; burnt wire which is brittle; and should be reasonably free of ash. Hydraulically briquetted copper subject to agreement

Candy—No. 1 HEAVY COPPER

Shall consist of clean, unalloyed, uncoated copper clippings, punchings, bus bars, commutator segments, and wire not less than ½6 of an inch thick, free of burnt wire which is brittle; but may include clean copper tubing. Hydraulically briquetted copper subject to agreement.

Cliff-No. 2 COPPER

Shall consist of miscellaneous, unalloyed copper scrap having a nominal 96% copper content (minimum 94%) as determined by electrolytic assay. Should be free of the following: Excessively leaded, tinned, soldered copper scrap; brasses and bronzes; excessive oil content, iron and non-metallics; copper tubing with other than copper connections or with sediment; copper wire from burning, containing insulation; hair wire; burnt wire which is brittle; and should be reasonably free of ash. Hydraulically briquetted copper subject to agreement.

Clove-No. 1 COPPER WIRE NODULES

Shall consist of No. 1 bare, uncoated, unalloyed copper wire scrap nodules, chopped or shredded, free of tin, lead, zinc, aluminum, iron, other metallic impurities, insulation, and other foreign contamination. Minimum copper 99%. Gauge smaller than No. 16 B & S wire and hydraulically compacted material subject to agreement between buyer and seller.

Cobra-No. 2 COPPER WIRE NODULES

Shall consist of No. 2 unalloyed copper wire scrap nodules, chopped or shredded, minimum 97% copper. Maximum metal impurities not to exceed 0.50% aluminum and 1% each of other metals or insulation. Hydraulically compacted material subject to agreement between buyer and seller.

Cocoa—COPPER WIRE NODULES

Shall consist of unalloyed copper wire scrap nodules, chopped or shredded, minimum 99% copper. Shall be free of excessive insulation and other non-metallics. Maximum metal impurities as follows:

Aluminum		.05%
Tin		.25%
Nickel	_	.05%
Antimony		.01%
Iron	_ .	05%

ISRI Code Word

ltem

Hydraulically compacted material subject to agreement between buyer and seller.

Dream—LIGHT COPPER

Shall consist of miscellaneous, unalloyed copper scrap having a nominal 92% copper content (minimum 88%) as determined by electrolytic assay and shall consist of sheet copper, gutters, downspouts, kettles, boilers, and similar scrap. Should be free of the following: Burnt hair wire; copper clad; plating racks; grindings; copper wire from burning, containing insulation; radiators, fire extinguishers; refrigerator units; electrotype shells; screening; excessively leaded, tinned, soldered scrap; brasses and bronzes; excessive oil, iron and non-metallics; and should be reasonably free of ash. Hydraulically briquetted copper subject to agreement. Any items excluded in this grade are also excluded in the higher grades above.

Drink—REFINERY BRASS

Shall contain a minimum of 61.3% copper and maximum 5% iron and to consist of brass and bronze solids and turnings, and alloyed and contaminated copper scrap. Shall be free of insulated wire, grindings, electrotype shells and non-metallics. Hydraulically briquetted material subject to agreement.

Drove-COPPER-BEARING SCRAP

Shall consist of miscellaneous copper-containing skimmings, grindings, ashes, irony brass and copper, residues and slags. Free of insulated wires; copper chlorides; unprepared tangled material; large motors; pyrophoric material; asbestos brake linings; furnace bottoms; high lead materials; graphite crucibles; and noxious and explosive materials. Fine powdered material by agreement. Hydraulically briquetted material subject to agreement.

Druid-INSULATED COPPER WIRE SCRAP

Shall consist of copper wire scrap with various types of insulation. To be sold on a sample or recovery basis, subject to agreement between buyer and seller.

Item

Ebony—COMPOSITION OR RED BRASS

Shall consist of red brass scrap, valves, machinery bearings and other machinery parts, including miscellaneous castings made of copper, tin, zinc, and/or lead. Should be free of semi-red brass castings (78% to 81% copper); railroad car boxes and other similar high-lead alloys; cocks and faucets; closed water meters; gates; pot pieces; ingots and burned brass; aluminum, silicon, and manganese bronzes; iron and non-metallics. No piece to measure more than 12" over any one part or weigh over 100 lbs.

Enery—RED BRASS COMPOSITION TURNINGS

Shall consist of turnings from red brass composition material and should be sold subject to sample or analysis.

Elder—GENUINE BABBITT-LINED BRASS BUSHINGS

Shall consist of red brass bushings and bearings from automobiles and other machinery, shall contain not less than 12% high tin base babbitt, and shall be free of iron-backed bearings.

Eland—HIGH GRADE—LOW LEAD BRONZE SOLIDS

It is recommended these materials be sold by analysis.

Elias—HIGH LEAD BRONZE SOLIDS AND BORINGS

It is recommended that these materials be sold on sample or analysis.

Engel-MACHINERY OR HARD BRASS SOLIDS

Shall have a copper content of not less than 75%, a tin content of not less than 6%, and a lead content of not less than 6%— nor more than 11%, and total impurities, exclusive of zinc, antimony, and nickel of not more than 0.75%; the antimony content not to exceed 0.50%. Shall be free of lined and unlined standard red car boxes.

Erin—MACHINERY OR HARD BRASS BORINGS

Shall have a copper content of not less than 75%, a tin content of not less than 6%, and a lead content of not less than 6%—nor more than 11%, and the total impurities, exclusive of zinc, antimony, and nickel of not more than 0.75%, the antimony content not to exceed 0.50%.

Fence—UNLINED STANDARD RED CAR BOXES (CLEAN JOURNALS)

Shall consist of standard unlined and/or sweated railroad boxes and unlined and/or sweated car journal bearings, free of yellow boxes and iron-backed boxes.

Ferry—LINED STANDARD RED CAR BOXES (LINED JOURNALS)

1- La .. -

Shall consist of standard babbitt-lined railroad boxes and/or babbitt-lined car journal bearings, free of yellow boxes and iron-backed boxes.

ISRI Code Word

Item

Grape—COCKS AND FAUCETS

Shall consist of mixed clean red and yellow brass, including chrome or nickel-plated, free of gas cocks, beer faucets, and aluminum and zinc base die cast material, and to contain a minimum of 35% semi-red.

Honey—YELLOW BRASS SCRAP

Shall consist of brass castings, rolled brass, rod brass, tubing and miscellaneous yellow brasses, including plated brass. Must be free of manganese-bronze, aluminum-bronze, unsweated radiators or radiator parts, iron, excessively dirty and corroded materials.

Ivory—YELLOW BRASS CASTINGS

Shall consist of yellow brass castings in crucible shape, no piece to measure more than 12 inches over any one part; and shall be free of brass forgings, silicon bronze, aluminum bronze and manganese bronze, and not to contain more than 15% nickel plated material.

Label—NEW BRASS CLIPPINGS

Shall consist of the cuttings of new unleaded yellow brass sheet or plate, to be clean and free from foreign substances and not to contain more than 10% of clean brass punchings under ½ inch. To be free of Muntz metal and naval brass.

Lace—BRASS SHELL CASES WITHOUT PRIMERS

Shall consist of clean fired 70/30 brass shell cases free of primers and any other foreign material.

Lady—BRASS SHELL CASES WITH PRIMERS

Shall consist of clean fired 70/30 brass shell cases containing the brass primers and which contain no other foreign material.

Lake—BRASS SMALL ARMS AND RIFLE SHELLS, CLEAN FIRED

Shall consist of clean fired 70/30 brass shells free of bullets, iron and any other foreign material.

Lamb—BRASS SMALL ARMS AND RIFLE SHELLS, CLEAN MUFFLED (POPPED)

Shall consist of clean muffled (popped) 70/30 brass shells free of bullets, iron and any other foreign material.

4

Item

Lark-YELLOW BRASS PRIMER

Shall consist of clean yellow brass primers, burnt or unburnt. Free of iron, excessive dirt, corrosion and any other foreign material.

Maize—MIXED NEW NICKEL SILVER CLIPPINGS

Shall consist of one or more nickel silver alloys and the range of nickel content to be specified, free of chrome or any other plating material. Leaded nickel silver clippings should be packed and sold separately. Not to contain more than 10% of clean punchings under ¼ inch.

Major—NEW NICKEL SILVER CLIPPINGS AND SOLIDS

Shall consist of new, clean nickel silver clippings, plate, rod and forgings, and other rolled shapes, free of chrome or any other plating material. Must be sold on nickel content specifications such as 10%—12%—15%—18%—20%. Leaded nickel silver clippings should be packed and sold separately. A description as to its physical characteristics should be made in offering all nickel silver material.

Malar—NEW SEGREGATED NICKEL SILVER CLIPPINGS

Shall consist of one specified nickel silver alloy. Not to contain more than 10% of clean punchings under ¼ inch.

Malic—OLD NICKEL SILVER

Shall consist of old nickel silver sheet, pipe, rod, tubes, wire, screen, soldered or unsoldered. Must not be trimmed seams alone and it is also to be free of foreign substances, iron rimmed material and other metals.

Melon-BRASS PIPE

Shall consist of brass pipe free of plated and soldered materials or pipes with cast brass connections. To be sound, clean pipes free of sediment and condenser tubes.

Naggy—NICKEL SILVER CASTINGS

To be packed and sold separately.

Niece- NICKEL SILVER TURNINGS

To be sold by sample or analysis.

Night-YELLOW BRASS ROD TURNINGS

Shall consist of strictly rod turnings, free of aluminium, manganese, composition, Tobin and Muntz metal turnings; not to contain over 3% free iron, oil or other moisture; to be free of grindings and babbitts; to contain not more than 0.30% tin and not more than 0.15% alloyed iron.

Noble-NEW YELLOW BRASS ROD ENDS

Shall consist of new, clean rod ends from free turning brass rods or forging rods, not to contain more than 0.30% tin and not more than 0.15% alloyed iron. To be free of Muntz metal and naval brass or any other alloys. To be in pieces not larger than 12" and free of foreign matter.

ISRI Code Word

item

Nomad--YELLOW BRASS TURNINGS

Shall consist of yellow brass turnings, free of aluminum, manganese and composition turnings, not to contain over 3% of free iron, oil or other moisture; to be free of grindings and babbitts. To avoid dispute, to be sold subject to sample or analysis.

Ocean-MIXED UNSWEATED AUTO RADIATORS

Shall consist of mixed automobile radiators, to be free of aluminum radiators, and iron finned radiators. All radiators to be subject to deduction of actual iron. The tonnage specification should cover the gross weight of the radiators, unless otherwise specified.

Pales—ADMIRALTY BRASS CONDENSER TUBES

Shall consist of clean sound Admiralty condenser tubing which may be plated or unplated, free of nickel alloy, aluminum alloy, and corroded material.

Pallu—ALUMINUM BRASS CONDENSER TUBES

Shall consist of clean sound condenser tubing which may be plated or unplated, free of nickel alloy and corroded material.

Palms—MUNTZ METAL TUBES

Shall consist of clean sound Muntz metal tubing which may be plated or unplated, free of nickel alloy, aluminum alloy, and corroded material.

Parch—MANGANESE BRONZE SOLIDS

Shall have a copper content of not less than 55%, a lead content of not more than 1%, and shall be free of aluminum bronze and silicon bronze.

Racks—SCRAP LEAD—SOFT

Shall consist of clean soft scrap lead, free of other materials such as drosses, battery plates, lead covered cable, hard lead, collapsible tubes, foil, type metals, aluminum, zinc, iron and brass fittings, dirty chemical lead and radioactive materials. Review packaging specifications and regulatory status pertaining to shipping with buyer prior to sale.

Radio-MIXED HARD/SOFT SCRAP LEAD

Shall consist of clean lead solids, free of other materials, such as drosses, battery plates, lead covered cable, collapsible tubes, type metals, aluminum, zinc, iron and brass fittings, dirty chemical lead and radioactive materials. Review packaging specifications and regulatory status pertaining to shipping with buyer prior to sale.

ltem

Rails—LEAD BATTERY PLATES

Specify whether automotive, industrial or mixed. Also whether they are groups or loose. The only other metallic that might be included could be lead connectors. To be free of non-metallics, i.e., plastic or rubber, with the exception that separators may be included. Material to be dry. May be bought on an assay basis or a flat price. Submarine plates subject to negotiation. Review packaging specifications and regulatory status pertaining to shipping with buyer prior

Rains—SCRAP DRAINED/DRY WHOLE INTACT LEAD BATTERIES

To be free of any liquid. Cases to be either plastic or rubber and be complete including caps. Non-lead (nicad, ni-fe, carbonaire, etc.) not acceptable. Industrial, steel cased, aircraft (aluminum cased) and partial, cracked or broken batteries and batteries without caps subject to special agreement. Review packaging specifications and regulatory status pertaining to shipping with buyer prior to sale.

Rakes—BATTERY LUGS

To be free of scrap lead, wheel weights, battery plates, rubber and/or plastic case material and other foreign material. A minimum of 97% metallic content is required. Review packaging specifications and regulatory status pertaining to shipping with buyer prior to sale.

Ranks—PEWTER

Shall consist of tableware and soda-fountain boxes but should contain a minimum of 84% tin. Siphon tops to be accounted for separately. Material must be free of brass, zinc, and other foreign metals.

Ranch—BLOCK TIN

Block Tin must assay minimum of 98% tin, and to be free of liquids, solder, and brass connections, pewter, pumps, pot pieces, dirt.

Raves-HIGH TIN BASE BABBITT

Shall contain a mimimum of 78% tin and be free of brassy or zincy metals.

Relay—LEAD COVERED COPPER CABLE

Free of armored covered cable, and foreign material.

Rents-LEAD DROSS

1-111-

Should be clean and reasonably free of other materials such as iron, dirt, harmful chemicals or other metals. To be free of radioactive materials, aluminum and zinc. May be bought on an assay basis or as agreed to by buyer and seller. Other metals present such as antimony, tin, etc., to be accounted for as agreed between buyer and seller. Material to be readily dumped from drums. An extra charge may be assessed if material has to be mechanically removed. Review packaging specification and regulatory status pertaining to shipping with buyer prior to sale.

ISRI Code

ltem

Rink—SCRAP WET WHOLE INTACT LEAD BATTERIES

Consisting of SLI (starting, lighting & ignition) automotive, truck, 8-D and commercial golf cart and marine-type batteries. Cases to be either plastic of rubber and to be complete. Non-lead (i.e., ni-cad, nife, carbonaire, etc.) not acceptable. Other types i.e. aircraft (aluminum) gel-cel, lawnmower, etc., and partial, cracked or broken batteries or batteries without caps and the amount of liquid content and and variations to the specification subject to special agreement. Review packaging specifications and regulatory status pertaining to shipping with buyer prioto sale.

Rono-SCRAP INDUSTRIAL INTACT LEAD CELLS

Consisting of plates enclosed by some form or complete plastic case. Partial, cracked or broken cells cells without caps and the amount of liquid conten and any variations to the specification subject to special agreement. Review packaging specifications and regulatory status pertaining to shipping with buyer prior to sale.

Roper—SCRAP WHOLE INTACT INDUSTRIAL LEAD BATTERIES

Consisting of bus, diesel, locomotive, telephone and or steel cased batteries. Submarine batteries subject to negotiation. Partial, cracked, broken or batteries without caps and the amount of liquid content and any variations to the specification subject to special agreement. Review packaging specifications and regulatory status pertaining to shipping with buyer prior to sale.

Ropes-WHEEL WEIGHTS

To consist of lead tire balances with or without iron clips. Not to include scrap lead, lugs or plates unless specifically agreed to. To be free of foreign material. Review packaging specifications and regulatory status pertaining to shipping with buyer prior to sale.

Roses—MIXED COMMON BABBITT

Shall consist of lead base bearing metal containing not less than 8% tin, free from Allens metal, ornamental, antimonial and type metal. Must be free from all zincy and excessive copper in the alloy.

Item

Saves-OLD ZINC DIE CAST SCRAP

Shall consist of miscellaneous old zinc base die castings, with or without iron and other foreign attachments. Must be free of borings, turnings, dross pieces, chunks, melted pieces and skimmings. All unmeltables, dirt, foreign attachments, and volatile substances (such as rubber, cork, plastic, grease, etc.) are deductible. Material containing in excess of 30% iron will not constitute good delivery.

Scabs-NEW ZINC DIE CAST SCRAP

Shall consist of new or unused, clean, zinc base die castings. Castings to be unplated, unpainted, and free from corrosion.

Scope—NEW PLATED ZINC DIE CAST SCRAP

Shall consist of new or unused clean, plated zinc base die castings, free from corrosion.

Scoot—ZINC DIE CAST AUTOMOTIVE GRILLES

Shall consist of clean, old or used zinc base die cast automotive grilles, free from soldered material. All foreign attachments and extraneous materials are deductible.

Score-OLD SCRAP ZINC

Shall consist of clean dry scrap zinc, such as sheets, jar lids, clean unalloyed castings and anti-corrosion plates. Borings and turnings are not acceptable. Material must not be excessively corroded or oxidized. All foreign attachments and extraneous materials are deductible.

Screen-NEW ZINC CLIPPINGS.

Shall consist of any new pure zinc sheets or stampings free from corrosion. To contain no foreign material or attachments. Printers zinc, such as engravers zinc, lithograph sheets and addressograph plates subject to special arrangements. Printers zinc to be free of routings.

Scull-ZINC DIE CAST SLABS OR PIGS

Shall consist of melted zinc base die cast materials, in smooth clean solid slabs or pigs. Material to be free from drosses and to contain a minimum zinc content of 90%. To contain a maximum of 0.1% nickel and maximum of 1% lead. Blocks are acceptable upon mutual agreement.

Scribe—CRUSHED CLEAN SORTED FRAGMENTIZERS DIE CAST SCRAP, AS PRODUCED FROM AUTOMOBILE FRAGMENTIZERS

To be clean, free of dirt, oil, glass, rubber, and trash. To contain a maximum of 5% unmeltables such as free iron, copper, aluminum and other metals.

ISRI Code Word

Item

Scroll—UNSORTED ZINC DIE CAST SCRAP

Produced from automobile fragmentizers. Material to contain about 55% zinc-bearing scrap. Other nonferrous metals such as aluminum, stainless steel, red metal, etc., to be about 40%. Insulated copper wire about 1%. Trash, dirt, glass, rubber, oil, iron, not to exceed 5%. Any variations to be sold by special arrangement between buyer and seller.

Scrub—HOT DIP GALVANIZERS SLAB ZINC DROSS (Batch Process)

Shall consist only of galvanizers unsweated zinc dross in slab form from hot dip galvanizing (Batch Process) with a minimum zinc content of 92% and shall be free of skimmings and tramp iron. Broken pieces under 2" in diameter shall not exceed 10% of the weight of each shipment. Slabs shall not weigh over 100 pounds each. Heavier pieces acceptable upon mutual agreement between buyer and seller. Material from continuous galvanizing operation is not acceptable. Blocks are acceptable upon mutual agreement.

Seal—CONTINUOUS LINE GALVANIZING SLAB ZINC TOP DROSS

Shall consist of unsweated zinc dross removed from the top of a continuous line galvanizing bath, in slab form not weighing in excess of 100 pounds each, with a minimum zinc content of 90%. Heavier pieces acceptable upon mutual agreement between buyer and seller. Shall be free of skimmings. Broken pieces under 2" in diameter shall not exceed 10% of the weight of each shipment.

Seam—CONTINUOUS LINE GALVANIZING SLAB ZINC BOTTOM DROSS

Shall consist of unsweated zinc dross removed from the bottom of a continuous line galvanizing bath, in slab form not weighing in excess of 100 pounds each, with a minimum zinc content of 92%. Heavier pieces acceptable upon mutual agreement between buyer and seller. Shall be free of skimmings. Broken pieces under 2" in diameter shall not exceed 10% of the weight of each shipment.

ISRI Code

ltem

Shelf-PRIME ZINC DIE CAST DROSS

Shall consist of metal skimmed from the top of pot of molten zinc die cast metal. Must be unsweated, unfluxed, shiny, smooth, metallic and free from corrosion or oxidation. Should be poured in molds or in small mounds weighing not over 75 pounds each. Zinc shall be minimum of 85%.

Tablet--CLEAN ALUMINUM LITHOGRAPHIC SHEETS

To consist of alloys 1100 and/or 3003, to be free of paper, plastic, excessively inked sheets and any other contaminants. Minimum of three inches in any direction.

Tabloid—NEW, CLEAN ALUMINUM LITHOGRAPHIC SHEETS

To consist of alloys 1100 and/or 3003, uncoated, unpainted, to be free of paper, plastic, ink, and any other contaminants. Minimum of three inches in any direction.

Taboo-MIXED LOW COPPER ALUMINUM CLIPPINGS AND SOLIDS

Shall consist of new, clean, uncoated and unpainted low copper aluminum scrap of two or more alloys and to be free of 7000 series, foil, hair wire, wire screen, dirt, and other foreign substances. Grease and oil not to total more than 1%. Also free from punchings less than ½" in size. New can stock subject to arrangement between buyer and seller.

Taint/Tabor—CLEAN MIXED OLD ALLOY SHEET ALUMINUM

Shall consist of clean old alloy aluminum sheet and sheet utensil scrap of two or more alloys, free of 7000 alloy series, foil, venetian blinds, castings, hair wire, screen wire, food or beverage containers, pie plates, hub caps, radiator shells, airplane sheet foil, oil cans, bottle caps, plastic, dirt, and other foreign substances. Oil and grease not to total more than 1%. Up to 10% painted sheet, siding, and awnings permitted.

Take-NEW ALUMINUM CAN STOCK

Shall consist new low copper aluminum can stock and clippings, clean, lithographed or not lithographed, and coated with clear lacquer but free of lids with sealers, iron, dirt and other foreign contamination. Oil not to exceed 1%.

Talap-OLD CAN STOCK

L ...

Shall consist of clean old aluminum cans, decorated or clear, free of iron, dirt, liquid and/or other foreign contamination.

ISRI Code Word

Item

Talcred—SHREDDED ALUMINUM USED BEVERAGE CAN (UBC) SCRAP

Shall have a density of 12 to 17 pounds per cubic foot. Material should contain maximum 5% fines less than 4 mesh (U.S. standard screen size) and no more than 2.5% fines less than 12 mesh (U.S. standard screen size). Must be magnetically separated material and free of steel, lead, bottle caps, plastic cans and other plastics, glass, wood, dirt, grease, trash, and other foreign substances. Any free lead is basis for rejection. Any and all aluminum items, other than used beverage cans, are not acceptable. Items not covered in the specification, including moisture, are subject to special arrangement between buyer and seller.

Taldack—DENSIFIED ALUMINUM USED BEVERAGE CAN (UBC) SCRAP

Shall have a biscuit density of 35 to 45 pounds per cubic foot. Each biscuit not to exceed 60 pounds. Nominal biscuit size range from 10" to 13" \times 101/4" to 20" \times 61/4" to 9". Shall have banding slots in both directions to facilitate bundle banding. All biscuits comprising a bundle must be of uniform size. Size: Bundle range dimensions acceptable are 41" to 44" imes 51" to 54" imes 54" to 56" (height). The only acceptable tieing method shall be as follows: Using minimum %" wide by .020" thick steel straps the bundles are to be banded with one vertical band per row and a minimum of two girth (horizontal) bands per bundle. Use of skids and/or support sheets of any material is not acceptable. Must be magnetically separated material and free of steel, lead, bottle caps, plastic cans and other plastic, glass, wood, dirt, grease, trash, and other foreign substances. Any free lead is basis for rejection. Any and all aluminum items, other than used beverage cans, are not acceptable. Items not covered in the specification, including moisture, and any variations in the specification are subject to special arrangement between buyer and seller.

Item

Taldon—BALED ALUMINUM USED BEVERAGE CAN (UBC) SCRAP

Shall have a minimum density of 14 lbs. per cubic foot, and a maximum density of 17 lbs. per cubic foot for unflattened UBC and 22 lbs. per cubic foot for flattened UBC. Size: minimum 30 cubic feet, with bale range dimensions of 24" to 40" by 30" to 52" by 40" to 84". The only acceptable tieing method shall be as follows: four to six %" × .020" steel bands, or six to ten #13 gauge steel wires (aluminum bands or wires are acceptable in equivalent strength and number). Use of skids and/or support sheets of any material are not acceptable. Must be magnetically separated material and free of steel, lead, bottle caps, plastic cans and other plastics, glass, wood, dirt, grease, trash and other foreign substances. Any free lead is basis for rejection. Any and all aluminum items, other than used beverage cans, are not acceptable. Items not covered in the specification are subject to special arrangement between buyer and seller.

Taldork—BRIQUETTED ALUMINUM USED BEVERAGE CAN (UBC) SCRAP

Shall have a briquette density of 50 pounds per cubic foot minimum. Nominal briquette size shall range from 12 to 24 inches x 12 to 24 inches in uniform profile with a variable length of 8 inches minimum and 48 inches maximum. Briquettes shall be bundled or stacked on skids and secured with a minimum of one vertical band per row and a minimum of one girth band per horizontal layer. Briquettes not to overhang pallet. Total package height shall be 48 inches maximum. Banding shall be at least 5/8" wide by .020" thick steel strapping or equivalent strength. The weight of any bundle shall not exceed 4000 pounds. Material must be magnetically separated and free of steel, plastic, glass, dirt and all other foreign substances. Any and all aluminum items, other than UBC are unacceptable. Any free lead is a basis for rejection. Items not covered in the specification, including moisture, and any variation in the specification are subject to special arrangement between buyer and seller.

Tale—PAINTED SIDING

Shall consist of clean, low copper aluminum siding scrap, painted one or two sides, free of iron, dirt, corrosion, fiber backing or other types of foreign contamination.

Talent—COATED SCRAP

Shall consist of awnings, venetian blinds, vinyl, plastic, etc. Shall be subject to special arrangements between buyers and sellers.

Talk-ALUMINUM COPPER RADIATORS

Shall consist of clean aluminum and copper radiators, and/or aluminum fins on copper tubing, free of brass tubing, iron and other foreign contamination.

ISRI Code Word

Item

Tall-E.C. ALUMINUM NODULES

Shall consist of clean E.C. aluminum, chopped or shredded, free of screening, hair-wire, iron, insulation, copper and other foreign contamination. Must be free of minus 20 mesh material. Must contain 99.45% aluminum content.

Talon—NEW PURE ALUMINUM WIRE AND CABLE

Shall consist of new, clean, unalloyed aluminum wire or cable free from hair wire, wire screen, iron, insulation and any other foreign substance.

Tann—NEW MIXED ALUMINUM WIRE AND CABLE

Shall consist of new, clean unalloyed aluminum wire or cable which may contain up to 10% 6000 series wire and cable free from hair wire, wire screen, iron, insulation and any other foreign substance.

Taste-OLD PURE ALUMINUM WIRE AND CABLE

Shall consist of old, unalloyed aluminum wire and cable containing not over 1% free oxide or dirt and free from hair wire, wire screen, iron, insulation and any other foreign substance.

Tassel—OLD MIXED ALUMINUM WIRE AND CABLE

Shall consist of old, unalloyed aluminum wire and cable which may contain up to 10% 6000 series wire and cable with not over 1% free oxide or dirt and free from hair wire, wire screen, iron, insulation and any other foreign substance.

Tarry—ALUMINUM PISTONS

(a) Clean Aluminum Pistons

Shall consist of clean aluminum pistons to be free from struts, bushings, shafts, iron rings and any other foreign materials. Oil and grease not to exceed 2%. (b) Aluminum Pistons with Struts

Shall consist of clean whole aluminum pistons with struts to be free from bushings, shafts, iron rings and

any other foreign materials. Oil and grease not to exceed 2%.

(c) Irony Aluminum Pistons

Should be sold on recovery basis, or by special arrangements with purchaser.

Item

Teens—SEGREGATED ALUMINUM BORINGS AND TURNINGS

Shall consist of clean, uncorroded aluminum borings and turnings of one specified alloy only and subject to deductions for fines in excess of 3% through a 20 mesh screen and dirt, free iron, oil, moisture and all other foreign materials. Material containing iron in excess of 10% and/or free magnesium or stainless steel or containing highly flammable cutting compounds will not constitute good delivery.

Telic-MIXED ALUMINUM BORINGS AND TURNINGS

Shall consist of clean, uncorroded aluminum borings and turnings of two or more alloys and subject to deductions for fines in excess of 3% through a 20 mesh screen and dirt, free iron, oil, moisture and all other foreign materials. Material containing iron in excess of 10% and/or free magnesium or stainless steel or containing highly flammable cutting compounds will not constitute good delivery. To avoid dispute should be sold on basis of definite maximum zinc, tin and magnesium content.

Tense-MIXED ALUMINUM CASTINGS

Shall consist of all clean aluminum castings which may contain auto and airplane castings but no ingots, and to be free of iron, dirt, brass, babbitt and any other foreign materials. Oil and grease not to total more than 2%.

Tepid—WRECKED AIRPLANE SHEET ALUMINUM

Should be sold on recovery basis or by special arrangements with purchaser.

Terse—NEW ALUMINUM FOIL

Shall consist of clean, new, pure, uncoated, unalloyed aluminum foil, free from anodized foil, radar foil and chaff, paper, plastics, or any other foreign materials. Hydraulically briquetted material by arrangement only.

Testy—OLD ALUMINUM FOIL

Shall consist of clean, old, pure, uncoated, unalloyed aluminum foil, free from anodized foil, radar foil and chaff, paper, plastics, or any other foreign materials. Hydraulically briquetted material by arrangement only.

Thigh-ALUMINUM GRINDINGS

Should be sold on recovery basis or by special arrangements with purchaser.

Thirl—ALUMINUM DROSSES, SPATTERS, SPILLINGS, SKIMMINGS AND SWEEPINGS

Should be sold on recovery basis or by special arrangements with purchaser.

ISRI Code Word

ltem

Throb—SWEATED ALUMINUM

Shall consist of aluminum scrap which has been sweated or melted into a form or shape such as an ingot, pig or slab for convenience in shipping; to be free from corrosion, drosses or any foreign materials. Should be sold subject to sample or analysis.

Tooth—SEGREGATED NEW ALUMINUM ALLOY CLIPPINGS AND SOLIDS

Shall consist of new, clean, uncoated and unpainted aluminum scrap of one specified aluminum alloy only and to be free of foil, hair, wire, wire screen, dirt, and other foreign substances. Oil and grease not to total more than 1%. Also free from punchings less than ½" in size. New can stock subject to arrangement between buyer and seller.

Tough—MIXED NEW ALUMINUM ALLOY CLIPPINGS AND SOLIDS

Shall consist of new, clean, uncoated and unpainted aluminum scrap of two or more alloys free of 7000 series and to be free of foil, hair wire, wire screen, dirt, and other foreign substances. Oil and grease not to total more than 1%. Also free from punchings less than ½" in size. New can stock subject to arrangement between buyer and seller.

Tread—SEGREGATED NEW ALUMINUM CASTINGS, FORGINGS AND EXTRUSIONS

Shall consist of new, clean, uncoated aluminum castings, forgings, and extrusions of one specified alloy only and to be free from sawings, stainless steel, zinc iron, dirt, oil, grease and other foreign substances.

Trump-ALUMINUM AUTO CASTINGS

Shall consist of all clean automobile aluminum castings of sufficient size to be readily identified and to be free from iron, dirt, brass, babbitt bushings, brass bushings, and any other foreign materials. Oil and grease not to total more than 2%.

Twang—INSULATED ALUMINUM WIRE SCRAP

Shall consist of aluminum wire scrap with various types of insulation. To be sold on a sample or recovery basis subject to agreement between buyer and seller.

Item

Twist—ALUMINUM AIRPLANE CASTINGS

Shall consist of clean aluminum castings from airplanes and to be free from iron, dirt, brass, babbitt bushings, brass bushings, and any other foreign materials. Oil and grease not to total more than 2%.

Twitch—FRAGMENTIZER ALUMINUM SCRAP (From Automobile Shredders)

The material, as received, must be dry and not to contain more than 3% maximum free zinc, 1% maximum free magnesium, and 1.5% maximum free iron and stainless. Not to contain more than a total 5% maximum of non-metallics, of which no more than 1% shall be rubber and plastics. To be free of excessively oxidized material. Any variations to be sold by special arrangement between buyer and seller.

Wafer—MAGNESIUM CLIPS

Shall consist of clean magnesium clips in crucible size, free of copper, aluminum, and zinc flashings and excessive oil and grease. To be free of all foreign attachments.

Walnut—MAGNESIUM SCRAP

Shall consist of magnesium castings, magnesium engine blocks and transmission casings, bomber and car wheels, extrusions, and sheet. Material to be free from brass and copper inserts and all foreign attachments. To be free of anodes, hollow castings and explosives. Percentages of and penalties for dirt, oil, grease, and iron to be subject to agreement between buyer and seller. Excessively large pieces to be negotiated between buyer and seller.

Wine-MAGNESIUM ENGRAVER PLATES

To be free of copper, aluminum, zinc, and electrotype plates. To be clean and free of all foreign attachments. Magnesium plates shipped loose by agreement between buyer and seller.

Wood-MAGNESIUM DOCKBOARDS

Shall consist of clean magnesium dockboard cut or broken to size agreed upon by buyer and seller. To be free of all foreign attachments.

World-MAGNESIUM TURNINGS

It is recommended that these materials be sold by special arrangement between buyer and seller.

ISRI Code Word

ltem

ZORBA—RECYCLABLE CONCENTRATES OF SHREDDED MIXED NONFERROUS SCRAP METAL IN PIECES— DERIVED FROM FRAGMENTIZERS FOR FURTHER SEPARATION OF CONTAINED MATERIALS

Shall be made up of a combination of the nonferrous metals: aluminum, copper, lead, magnesium, stainless steel, nickel, tin, and zinc, in elemental or alloyed (solid) form. The percentage of each of these metals within the nonferrous concentrate shall be subject to agreement between buyer and seller, may vary from shredder to shredder and may, in some cases, be zero for a particular metal. Shall be obtained by air separation, flotation, screening, eddy current, other segregation technique(s) or a combination of the same. Shall have passed one or more magnets to reduce or eliminate free iron and/or iron attachments. Shall be free of radioactive material, dross or ash. May be screened to permit description by specific size ranges. May contain high density non-metallics such as rock, glass, rubber, plastic and wood. Items of exclusion, inclusion or limitation not set out in the above specifications, such as moisture and free iron and/or attachments or the presence or absence of other metals, are subject to agreement between buyer and seller. Material to be traded under this guideline shall be identified as ZORBA with a number to follow indicating the estimated percentage nonferrous metal content of the material (e.g. ZORBA 63 - means the material contains approximately 63% nonferrous metal content).

Aroma—NEW NICKEL SCRAP

Shall consist of clean new sheet, plate, bar, tube, and any other wrought nickel scrap solids. Nickel minimum 99%; Cobalt maximum 0.25%; Copper maximum 0.50%. Free of castings, as well as any foreign attachments or other contamination.

Burly—OLD NICKEL SCRAP

Shall consist of old and/or new sheet, plate, bar, tube, and any other wrought nickel scrap solids. Material to contain a minimum of 98% nickel; Copper maximum 0.50%. This grade to be free of castings, soldered, brazed, sweated, or painted material, other metallic coating, foreign attachments, and any other contamination.

Dandy-NEW CUPRO NICKEL CLIPS AND SOLIDS

Shall consist of clean, new, segregated (normally accepted analysis grades) either 70/30, 80/20, or 90/10 cupro nickel tube, pipe, sheet, plate, or other wrought solid forms. Must be free of foreign attachments or any other contamination.

Item

Daunt-CUPRO NICKEL SOLIDS

Shall consist of old, and/or new, segregated (normally accepted analysis grades either 70/30, 80/20, 90,10 cupro nickel tube, pipe, sheet, plate, or other wrought solid forms. Maximum 2% sediment allowable. Any other forms of cupro nickel solids such as castings, gates, risers, spills, etc., packaged separately, may or may not be included, only upon agreement between buyer and seller. Must be free of foreign attachments and all other contamination. Other particulars concerning physical description, analysis and packaging to be agreed upon between buyer and seller.

Delta-SOLDERED CUPRO NICKEL SOLIDS

Shall consist of segregated (normally accepted analysis grades) either 70/30, 80/20, 90/10 cupro nickel solids, soldered, brazed, or sweated, must be free of trimmed seams and edges and all other contamination

Decoy—CURPO NICKEL SPINNINGS, TURNINGS, BORINGS

Shall consist of clean segregated (normally accepted analysis grades) either 70/30, 80/20, 90/10 cupro nickel spinnings, turnings, or borings. Particulars concerning physical description, analysis, packaging, to be agreed upon between buyer and seller.

Depth—MISCELLANEOUS NICKEL-COPPER AND NICKEL-COPPER IRON

Shall consist of miscellaneous scrap in which the basic elements, by weight, are nickel and copper, such as copper nickel peelings, plating racks, and hangers, and all nickel and copper in attached or combined form. In all cases, miscellaneous nickel copper scrap should be sold by description and analysis.

Hitch-NEW R-MONEL CLIPPINGS AND SOLIDS

Shall consist of clean, new, R-Monel sheet, plate, bar, rod, tube, pipe, or any other wrought scrap, free of any foreign attachments or any other contamination.

House—NEW MIXED MONEL SOLIDS AND CLIPPINGS

Shall consist of new, clean R and K-Monel solids and clippings. Free of cast material, foreign attachments and all other contamination.

Ideal—OLD MONEL SHEET AND SOLIDS

Shall consist of clean R and K-Monel solids such as sheet, plate, pipe, rods, forgings, screen and wire cloth. Must be free of soldered, brazed, welded, or sweated material, cast material, foreign attachments, and all other contamination.

Indian-K-MONEL SOLIDS

Shall consist of clean K-Monel solids.

SRI Code Word

Item

Junto-SOLDERED MONEL SHEET AND SOLIDS

Shall consist of soldered and/or brazed miscellaneous grades of Monel alloys in either wrought or cast form. Must be free of trimmed seams and edges, non-metallic filling, foreign attachments, and all other contamination. Particulars concerning physical description, assay, and packaging to be agreed upon between buyer and seller.

Lemon—MONEL CASTINGS

Shall consist of various types of clean Monel castings, assaying minimum 60% nickel. Must be free of foreign attachments or any other contamination.

Lemur—MONEL TURNINGS

Shall consist of mixed Monel turnings and borings containing a minimum of 60% nickel content, on a dry basis.

Pekoe-200 SERIES STAINLESS STEEL SCRAP SOLIDS

Shall consist of all types of clean AISI Series Stainless Steel Scrap Solids, which contain a maximum of .5% copper, free of foreign attachments and other contamination.

Sabot—STAINLESS STEEL SCRAP

Shall consist of clean 18-8 type stainless steel clips and solids containing a minimum 7% nickel, 16% chrome, and have a maximum of .50% molybdenum, .50% copper, .045% phosphorous, and .03% sulfur, and otherwise free of harmful contaminants. Particulars concerning physical description, grading, additional analysis, and preparation to be agreed upon between buyer and seller.

Ultra—STAINLESS STEEL TURNINGS

Shall consist of clean 18-8 type stainless steel turnings containing a minimum 7% nickel and 16% chrome, and to be free of nonferrous metals, nonmetallics, excessive iron, oil and other contaminants. Particulars concerning physical description, assay, packaging to be agreed upon between buyer and seller.

Vaunt-EDISON BATTERIES

Nickel-iron batteries to be sold free of crates, copper terminal connectors, and excess liquid. Free of nickel cadmium batteries.

IDENTIFICATION CHECK LIST FOR PRECIOUS METALS

This Identification Check List for Precious Metals sets up a general basis for identifying types and grades of precious metals scrap by the scrap processor which will be familiar both to the precious metal refiner and to the plants generating precious metal scrap.

By checking this identification list, the scrap processor gives the refiner a fairly accurate conception of the material he has on hand and offers a basis for the refiner to quote an estimated price for the material.

Due to the high values and the constantly changing character of precious metal scrap, it is often the practice in the industry to require a sample to be submitted before giving refining schedules.

I. SCRAP SOURCES REFINED SILVER METAL—99.9 MIN. PERCENT

SILVER BEARING MATERIALS:

Anodes

Assemblies-Electrical

Batteries

Silver/Copper Silver/Cadmium

Silver/Zinc Silver/Magnesium

Blanking Scrap—Punchings

Brazing Alloys

Brushes-Electric Motors

Bullion

Chemical Salts

Clad Bi-Metal Parts

Coin Silver

Contacts

Dental Amalgam

Film

Industrial X-Ray Medical X-Ray

Lithographic

Photographic Negatives

Filters—Plating
Flake—From Hypo Solution Recovery Systems

Hooks-Plating-Nodules

REFINED GOLDMETAL-99.5 MIN. PERCENT REFINED GOLD SPONGE—99.5 MIN. PERCENT

GOLD BEARING MATERIALS:

Brazing Alloys

Dental Alloys

Grindings

Filled Scrap

Punchouts

Relays—Electrical

Plated Wire

Resins

Jewelry Sweeps

Paper-Reproduction

Plated Serving Pieces

Powders-Granulated

Plated Parts-Electrical-

Paints-Paste

Electronic

Plated Utensils

Silver Lined Bearings-Diesel Locomotives

and Aircraft

Sludges---Plating and

Precipitates

Solutions—Plating

Sterling Silver

Tin Lead Alloys-Contaminated

Turnings

Wave Guides Wiping Rags

Cladmetal Parts

Contacts

Dental Scrap

Dental Sweeps and

Diodes

Filters-Plating

Flakes

Flashings

Foil

Hooks-Plating-Nodules Jewelry Scrap

Jewelry Sweeps and

Grindings Paints and Paste

Peelings

Placer Gold

Plated Parts-Electrical

Plated Wire

Powders Printed Circuit Boards

Printed Circuit Boards

with Components

Punchouts

Resins—Plating

Salts—Chemical

Sludges-Plating

Solutions

Sponge

Tin Lead Alloys-

Contaminated

Transistors

Wiping Rags

Wire

Wire

REFINED PALLADIUM METAL-99.9 MIN. PERCENT REFINED PALLADIUM SPONGES—99.9 MIN. PERCENT

PALLADIUM BEARING MATERIALS:

Catalysts Plated Parts Clad Materials Powders

Contact Points Relays-Electrical **Dental Alloys** Salts—Chemical

Dental Scraps Sludges **Dental Sweeps** Solutions Jewelry Scrap (Sweeps)

Paste

REFINED PLATINUM METAL—99.9 MIN. PERCENT REFINED PLATINUM SPONGE—99.9 MIN. PERCENT

PLATINUM BEARING MATERIALS:

Catalysts
Chemicals
Clad Materials
Contacts
Dental Alloys
Dental Scrap
Dental Sweeps, Grindings

Jewelry Sweeps
Laboratory Ware
Magneto Points
Powders and Paste
Solutions—Plating
Spark Plugs—Aircraft
Thermocouple Wire

Jewelry Scrap

SCRAP CONTAINING COMBINATIONS OF PRECIOUS METALS (GOLD, SILVER, PLATINUM AND PALLADIUM)

Assemblies—Components .
Bullion
Carbon
Catalysts
Chemicals
Chips
Drillings
Electronic Scrap
High Temperature
Resistant Alloys

Paints

Paste

Powders
Relays—Electrical
Resins
Ribbons
Rings
Salts
Solutions

Sweeps Telephone Switching Scrap

Thick Film Wire

II. SCRAP CATEGORIES

A. Solution

1. Acid

2. Basic

3. Matrix if known

B. Resin

C. Sludges

D. Burnable Material

1. Carbon

2. Filters

3. Film

4. Papers

5. Unprepared Sweeps

6. Others

E. Sweeps (Prepared)

F. Printed Circuit Board

1. Punch Outs

2. Non Assembled

3. Assembled

4. Other

G. Glass to metal Tubes, etc.

 Solid Precious Metal Parts

2. Alloyed Metal Parts

3. Plated Metal Parts

4. Ceramics

5. Thick Film

6. Other

H. Metal Scrap

I. Non Magnetic

1. Impure Gold

2. Impure Silver

3. Copper Base

4. Aluminum Base

5. Brass Base

6. Bronze Base

7. Molybdenum Base

8. Beryllium Base

9. Lead Base

10. Tin Base

11. Other

II. Magnetic

1. Kovar Base

2. Stainless Steel Base

3. Iron Base

4. Nickel Base 5. Other

I. Catalyst

1. Carbon

2. Alumina

3. Rare Earth

4. Silica

5. Other . . .

Scrap Specifications Circular 1997

Guidelines for Ferrous Scrap: FS-97



FERROUS SCRAP

GENERAL INFORMATION

- a. Cleanness. All grades shall be free of dirt, nonferrous metals, or foreign material of any kind, and excessive rust and corrosion. However, the terms "free of dirt, nonferrous metals, or foreign material of any kind" are not intended to preclude the accidental inclusion of negligible amounts where it can be shown that this amount is unavoidable in the customary preparation and handling of the particular grade involved.
- b. Off-grade material. The inclusion in a shipment of a particular grade of iron and steel scrap of a negligible amount of metallic material which exceeds to a minor extent the applicable size limitations, or which fails to a minor extent to meet the applicable requirements as to quality or kind of material, shall not change the classification of the shipment, provided it can be shown that the inclusion of such off-grade material is unavoidable in the customary preparation and handling of the grade involved.
- c. Residual alloys. Wherever the term "free of alloys" is used in the classifications given herein, it shall mean that any alloys contained in the steel are residual and have not been added for the purpose of making an alloy steel. Steel scraps shall be considered free of alloys when the residual alloying elements do not exceed the following percentages:

	percent
Nickel	0.45
Chromium	
Molybdenum	0.10
Manganese	1.65

The combined residuals other than manganese shall not exceed a total of 0.60 percent.

d. Deviations. Any deviations from the general classifications of iron and steel scrap may be consummated by mutual agreement between buyer and seller.

ISRI Code Item NO.

- 200 No. 1 heavy melting steel. Wrought iron and/or steel scrap ¼ inch and over in thickness. Individual pieces not over 60 × 24 inches (charging box size) prepared in a manner to insure compact charging.
- 201 No. 1 heavy melting steel 3 feet × 18 inches. Wrought iron and/or steel scrap ¼ inch and over in thickness. Individual pieces not over 36 inches × 18 inches (charging box size) prepared in a manner to insure compact charging.
- 202 No. 1 heavy melting steel 5 feet × 18 inches. Wrought iron and/or steel scrap ¼ inch and over in thickness. Individual pieces not over 60 inches × 18 inches (charging box size) prepared in a manner to insure compact charging.
- 203 No. 2 heavy melting steel.* Wrought iron and steel scrap, black and galvanized, 1/2 inch and over in thickness, charging box size to include material not suitable as No. 1 heavy melting steel. Prepared in a manner to insure compact charging.

ISRI Code Ite

NO.

- 204 No. 2 heavy melting steel.* Wrought iron and steel scrap, black and galvanized, maximum size 36 × 18 inches. May include all automobile scrap properly prepared.
- No. 2 heavy melting steel 3 feet × 18 inches. Wrought iron and steel scrap, black and galvanized, maximum size 36 × 18 inches. May include automobile scrap, properly prepared, however, to be free of sheet iron or thin gauged material.
- 206 No. 2 heavy melting steel 5 feet × 18 inches. Wrought iron and steel scrap, black and galvanized, maximum size 60 × 18 inches. May include automobile scrap, properly prepared, however, to be free of sheet iron or thin gauged material.

ISRI Code NO.

Item

- 207 No. 1 busheling. Clean steel scrap, not exceeding 12 inches in any dimensions, including new factory busheling (for example, sheet clippings, stampings, etc.). May not include old auto body and fender stock. Free of metal coated, limed, vitreous enameled, and electrical sheet containing over 0.5 percent silicon.
- 207A New Black Sheet Clippings. For direct charging, maximum size 8 feet by 18 inches, free of old automobile body and fender stock, metal coated, lined, vitreous enameled and electrical sheet containing over 0.5 percent silicon, must lay reasonably flat in car.
- 208 No. 1 bundles. New black steel sheet scrap, clippings or skeleton scrap, compressed or hand bundled, to charging box size, and weighing not less than 75 pounds per cubic foot. (Hand bundles are tightly secured for handling with a magnet.) May include Stanley balls or mandrel wound bundles or skeleton reels, tightly secured. May include chemically detinned material. May not include old auto body or fender stock. Free of metal coated, limed, vitreous enameled, and electrical sheet containing over 0.5 percent silicon.
- 209 No. 2 bundles. Old black and galvanized steel sheet scrap, hydraulically compressed to charging box size and weighing not less than 75 pounds per cubic foot. May not include tin or lead-coated material or vitreous enameled material.
- 210 Shredded Scrap. Homogeneous iron and steel scrap, magnetically separated, originating from automobiles, unprepared No. 1 and No. 2 steel, miscellaneous baling and sheet scrap. Average density 50 pounds per cubic foot.
- 211 Shredded Scrap. Homogeneous iron and steel scrap magnetically separated, originating from automobiles, unprepared No. 1 and No. 2 steel, miscellaneous baling and sheet scrap. Average density 70 pounds per cubic foot.
- 212 Shredded Clippings. Shredded 1000 series carbon steel clippings or sheets. Material should have an average density of 60 pounds per cubic foot.
- 213 Steel Can Bundles. Steel can scrap compressed to charging box size and weighing not less than 75 pounds per cubic foot. Cans may be baled without removal of paper labels, but free of other non-metallics. May include up to 5 gallon tin coated containers.
- 214 No. 3 bundles. Old sheet steel, compressed to charging box size and weighing not less than 75 pounds per cubic foot. May include all coated ferrous scrap not suitable for inclusion in No. 2 bundles.
- 215 Incinerator bundles. Tin can scrap, compressed to charging box size and weighing not less than 75 pounds per cubic foot. Processed through a recognized garbage incinerator.

ISRI Code NO.

Iter

- 216 Terne plate bundles. New terne plate sheet scrap, clippings or skeleton scrap, compressed or hand bundled, to charging box size, and weighing not less than 75 pounds per cubic foot. (Hand bundles are tightly secured for handling with a magnet.) May include Stanley balls or mandrel wound bundles or skeleton reels, tightly secured.
- 217 Bundled No. 1 steel. Wrought iron and/or steel scrap 1/8 inch or over in thickness, compressed to charging box size and weighing not less than 75 pounds per cubic foot. Free of all metal coated material.
- 218 Bundled No. 2 steel. Wrought iron or steel scrap, black or galvanized, 1/2 inch and over in thickness, compressed to charging box size and weighing not less than 75 pounds per cubic foot. Auto body and fender stock, burnt or hand stripped, may constitute a maximum of 60 percent by weight. (This percent based on makeup of auto body, chassis, driveshafts, and bumpers.) Free of all coated material, except as found on automobiles.
- 219 Machine shop turnings. Clean steel or wrought iron turnings, free of iron borings, nonferrous metals in a free state, scale, or excessive oil. May not include badly rusted or corroded stock.
- **220** Machine shop turnings and iron borings. Same as machine shop turnings but including iron borings.
- 221 Shoveling turnings. Clean short steel or wrought iron turnings, drillings, or screw cuttings. May include any such material whether resulting from crushing, raking, or other processes. Free of springy, bushy, tangled or matted material, lumps, iron borings, nonferrous metals in a free state, grindings, or excessive oil.
- **222** Shoveling turnings and iron borings. Same as shoveling turnings, but including iron borings.
- 223 Iron borings. Clean cast iron or malleable iron borings and drillings, free of steel turnings, scale, lumps and excessive oil.
- 224 Auto slabs. Clean automobile slabs, cut 3 feet \times 18 inches and under.
- **225 Auto slabs.** Clean automobile slabs, cut 2 feet × 18 inches and under.
- **226 Briquetted iron borings.** Analysis and density to consumer's specifications.
- 227 Briquetted steel turnings. Analysis and density to consumer's specifications.
- **228 Mill scale.** Dark colored, ranging from blue to black, ferro-magnetic iron oxide forming on the surface of steel articles during heating and working.
- *The identical designations given for these two classifications are in accordance with established industry practices in specifying the materials desired.

ISRI Code NO.

ltem

Electric Furnace Casting, and Foundry Grades

- **229** Billet, bloom and forge crops. Billet, bloom, axle, slab, heavy plate and heavy forge crops, containing not over 0.05 percent phosphorus or sulphur and not over 0.5 percent silicon, free from alloys. Dimensions not less than 2 inches in thickness, not over 18 inches in width, and not over 36 inches in length.
- 230 Bar crops and plate scrap. Bar crops, plate scrap, forgings, bits, jars, and tool joints, containing not over 0.05 percent phosphorus or sulphur, not over 0.5 percent silicon, free from alloys. Dimensions not less than ½ inch in thickness, not over 18 inches in width, and not over 36 inches in length.
- 231 Plate and structural steel, 5 feet and under. Cut structural and plate scrap, 5 feet and under. Clean open hearth steel plates, structural shapes, crop ends, shearings, or broken steel tires. Dimensions not less than ¼ inch thickness, not over 5 feet in length and 18 inches in width. Phosphorus or sulphur not over 0.05 percent.
- Plate and structural steel, 5 feet and under. Cut structural and plate scrap, 5 feet and under. Clean open hearth steel plates, structural shapes, crop ends, shearings, or broken steel tires. Dimensions not less than ¼ inch thickness, not over 5 feet in length and 24 inches in width. Phosphorus or sulphur not over 0.05 percent.
- 233 Cast steel. Steel castings not over 48 inches long or 18 inches wide, and ¼ inch and over in thickness, containing not over 0.05 percent phosphorus or sulphur, free from alloys and attachments. May include heads, gates, and risers.
- 234 Punchings and plate scrap. Punchings or stampings, plate scrap, and bar crops containing not over 0.05 percent phosphorous or sulphur and not over 0.5 percent silicon, free from alloys. All materials cut 12 inches and under, and with the exception of punchings or stampings, at least ½ inch in thickness. Punchings or stampings under 6 inches in diameter may be any gauge.
- 235 Electric furnace bundles. New black steel sheet scrap hydraulically compressed into bundles of size and weight as specified by consumer.
- 236 Cut structural and plate scrap, 3 feet and under. Clean open hearth steel plates, structural shapes, crop ends, shearings, or broken steel tires. Dimensions not less than ¼ inch in thickness, not over 3 feet in length and 18 inches in width. Phosphorus or sulphur not over 0.05 percent.
- 237 Cut structural and plate scrap, 2 feet and under. Same as cut structural and plate scrap, 3 feet and under, except for length.
- 238 Cut structural and plate scrap, 1 foot and under. Same as cut structural and plate scrap, 3 feet and under, except for length.

ISRI Code NO.

ltem

- 239 Silicon busheling. Clean silicon bearing steel scrap, not exceeding 12 inches in any dimensions, including new factory busheling (for example, sheet clippings, stampings, etc.), having a silicon content of 0.05 percent to 5.0 percent.
- 240 Silicon Clippings. Clean steel scrap, including new factory busheling (for example, sheet clippings, stampings, etc.), may not include old auto body and fender stock. Free of metal coated, limed, vitreous enameled, and electrical sheet containing minimum one percent silicon
- 241 Chargeable ingots and ingot butts. Chargeable ingots and ingot butts for material to be suitable and acceptable to the consumer containing not over 0.05 percent phosphorus or sulphur and not over 0.05 percent silicon free of alloys.
- 242 Foundry steel, 2 feet and under. Steel scrap 1/2 inch and over in thickness, not over 2 feet in length or 18 inches in width. Individual pieces free from attachments. May not include nonferrous metals, cast or malleable iron, cable, vitreous enameled, or metal coated material.
- **243** Foundry steel, 1 foot and under. Same specifications as 2-foot material, except for length.
- **244 Springs and crankshafts.** Clean automotive springs and crankshafts, either new or used.
- 245 Alloy free turnings. Clean shoveling steel turnings free from lumps, tangled or matted material, iron borings, or excessive oil containing not more than 0.05 percent phosphorus or sulphur, and free of alloys.
- Alloy free short shoveling steel turnings. Clean shoveling steel turnings, free of lumps, tangled or matted material, iron borings, or excessive oil, containing not more than 0.05 percent phosphorus or sulphur, and free of alloys.
- 247 Alloy free machine shop turnings. Clean steel turnings, free of iron borings or excessive oil, containing not more than 0.05 percent phosphorus or sulphur, and free of alloys. May not include badly rusted or corroded stock.
- 248 Hard steel cut 30 inches and under. Automotive steel consisting of rear ends, crankshafts, driveshafts, front axles, springs, and gears prepared 30 inches and under. May not include miscellaneous small shoveling steel or any pieces too bulky for gray iron foundry use.
- 249 Chargeable slab crops. Chargeable slab crops for material to be suitable and acceptable to the consumer containing not over 0.05 percent phosphorus and 0.05 percent sulphur and not over 0.05 percent silicon; free of alloys.

ISRI Code NO.

lteπ

- 250 Silicon bundles. Silicon sheet scrap, clippings or skeleton scrap, compressed or hand bundled, to charging box size, and weighing not less than 75 pounds per cubic foot, having a silicon content of 0.50 percent to 5.0 percent.
- 251 Heavy tumings. Short, heavy steel turnings, containing not over 0.05 percent phosphorus or sulphur and free of alloys. May include rail chips. May not include machine shop or other light turnings and must weigh not less than 75 pounds per cubic foot in the original state of production.

Specially Processed Grades to Meet Consumer Requirements

Grades of scrap prepared especially to meet with steel mill or foundry requirements, individual specifications to be agreed on between consumer and supplier.

Cast Iron Grades

- 252 Cupola cast. Clean cast iron scrap such as columns, pipes, plates, and castings of a miscellaneous nature, including automobile blocks and cast iron parts of agricultural and other machinery. Free from stove plate, burnt iron, brake shoes or foreign material. Cupola size, not over 24 inches × 30 inches, and no piece over 150 pounds in weight.
- 253 Charging box cast. Clean cast iron scrap in sizes not over 60 inches in length or 30 inches in width, suitable for charging into an open hearth furnace without further preparation. Free from burnt iron, brake shoes, or stove plate.
- 254 Heavy breakable cast. Cast iron scrap over charging box size or weighing more than 500 pounds. May include cylinders and driving wheel centers. May include steel which does not exceed 10 percent of the casting by weight.
- 255 Hammer block or bases. Cast iron hammer blocks or bases
- 256 Burnt iron. Burnt cast iron scrap, such as stove parts, grate bars, and miscellaneous burnt iron. May include sash weights or window weights.
- **257 Mixed cast.** May include all grades of cast iron except burnt iron. Dimensions not over 24 inches × 30 inches and no piece over 150 pounds in weight.
- 258 Stove plate, clean cast iron stove. Free from malleable and steel parts, window weights, plow points, or burnt cast iron.
- 259 Clean auto cast. Clean auto blocks; free of all steel parts except camshafts, valves, valve springs, and studs. Free of nonferrous and non-metallic parts.
- 260 Unstripped motor blocks. Automobile or truck motors from which steel and nonferrous fittings may or may not have been removed. Free from driveshafts and all parts of frames.
- 261 Drop broken machinery cast. Clean heavy cast iron machinery scrap that has been broken under a drop. All pieces must be of cupola size, not over 24 inches × 30 inches, and no piece over 150 pounds in weight.

ISRI Code NO.

ltem

- 262 Clean auto cast, broken, not degreased. Clean auto blocks, free of all steel parts except camshafts, valves, valve springs and studs. Free of nonferrous and nonmetallic parts, and must be broken to cupola size, 150 pounds or less.
- 263 Clean auto cast, degreased. Free of all steel parts except camshafts, valves, valve springs, and studs. Free of nonferrous and non-metallic parts, and must be broken into cupola size, 150 pounds or less.
- 264 Malleable. Malleable parts of automobiles, railroad cars, locomotives, or miscellaneous malleable iron castings. Free from cast iron and steel parts and other foreign material.
- **Broken ingot molds and stools.** Broken ingot molds and stools, cast iron, maximum size 2 feet × 3 feet × 5 feet.
- **266** Unbroken ingot molds and stools. Unbroken ingot molds and stools, cast iron.

Special Boring Grades

- 267 No. 1 chemical borings. New clean cast or malleable iron borings and drillings containing not more than 1 percent oil, free from steel turnings, or chips, lumps, scale, corroded or rusty material.
- 268 Briquetted cast iron borings, hot process. Cast iron borings, heated, briquetted, to a density of approximately 85 percent, oil and water content under one percent.
- 269 Briquetted cast iron borings, cold process. Cast iron boring briquettes, free of steel and nonferrous material, hydraulically compressed into a cohesive solid, reasonably free of oil, and having a density of not less than 60 percent.
- 270 Malleable borings. Clean malleable iron borings and drillings, free of steel turnings, scale, lumps and excessive oil.
- 271 No. 2 chemical borings. New clean cast or malleable iron borings and drillings, containing not more than 1.5 percent oil, free from steel turnings, or chips, lumps, scale, corroded or rusty material.

Railroad Ferrous Scrap*

Specifications of Association of American Railroads Promulgated by its Purchases and Materials Management Division (Revised 1973)

- (2) Axles, Steel. Solid car and/or locomotive friction bearing, 8 inch diameter and under (free of axles with key-way between wheel seats, no axles of shorter lengths than distance between wheel seats to be included).
- (2A) Axles, Steel. Solid car and/or locomotive friction bearing over 8 inch diameter (free of axles with key-way between wheel seats, no axles of shorter length than distance between wheel seats to be included).

ISRI Code Item NO.

- (3) Axles, Steel. Roller bearing 8 inch diameter and under (no axles of shorter lengths than distance between wheel seats to be included).
- (3A) Axles, Steel. Roller bearing over 8 inch diameter (no axles of shorter length than distance between wheel seats to be included)
- (4) Spikes, Track Bolts and Nuts, and Lock Washers, may include Rail Anchors.
- (5) Tie Plates. Steel.
- (6) Rail Joints, Angle and/or Splice Bars. Steel.
- (9) Bolsters and/or Truck Sides, Frames: Uncut. Cast steel.
- (11) Cast Steel, No. 2. Steel castings, over 18 inches wide and/or over 5 feet long.
- (11A) Cast Steel, No. 1. Steel castings, 18 inches and under, not over 5 feet long, including cut truck side frames and bolsters.
- (12) Cast Iron, No. 1. Cast iron scrap, such as columns, pipes, plates, and/or castings of miscellaneous nature, but free from stove plates, brake shoes, and burnt scrap. Must be cupola size, not over 24 inches \times 30 inches in dimensions and no piece to weigh over 150 pounds. Must be free from foreign material.
- (13) Cast Iron, No. 2. Pieces weighing over 150 pounds, but not more than 500 pounds. Free from burnt cast.
- (14) Cast Iron, No. 3. Pieces weighing over 500 pounds; includes cylinders, driving wheel centers and/or all other castings. (Free from hammer blocks or bases.)
- (15) Cast Iron, No. 4. Burnt cast iron scrap, such as grate bars, stove parts and/or miscellaneous burnt scrap.
- (16) Cast Iron Brake Shoes. Brakes shoes of all types except composition-filled shoes.
- (17) Couplers and/or Knuckles. Railroad car and/or locomotive steel couplers, knuckles and/or locks stripped clean of all other attachments.
- (18) Frogs and/or Switches, uncut. Steel frogs and switches that have not been cut apart, exclusive of manganese.
- (18A) Railbound Manganese Frogs and Switch Points with manganese inserts that have not been cut apart.
- (23) Malleable. Malleable parts of automobiles, railroad cars, locomotive and/or miscellaneous malleable castings.
- (24) Melting Steel, Railroad No. 1. Clean wrot iron or steel scrap, $\frac{1}{2}$ inch and over in thickness, not over 18 inches in width, and not over 5 feet in length. May include pipe ends and material $\frac{1}{2}$ inch to $\frac{1}{2}$ inch in thickness, not over 15 inches \times 15 inches. Individual pieces cut so as to lie reasonably flat in charging box.
- (27) Rail, Steel No. 1. Standard section tee rails, original weight 50 pounds per yard or heavier, 10 feet long and over. Suitable for rerolling into bars and shapes. Free from bent and twisted rails, frog, switch, and guard rails, or rails with split heads and broken flanges. Continuous welded rail may be included provided no weld is over 9 inches from the end of the piece of rail.
- (28A) Rail, Steel No. 2 Cropped Rail Ends. Standard section, original weight of 50 pounds per yard and over, 18 inches long and under.
- (28B) Rail, Steel No. 2 Cropped Rail Ends. Standard section, original weight of 50 pounds per yard and over, 2 feet long and under.
- (28C) Rail, Steel No. 2 Cropped Rail Ends. Standard section, original weight 50 pounds per yard and over, 3 feet long and under.

ISRI Code Item

- (29) Rail, Steel No. 3. Standard section tee, girder, and/or guard rails, to be free from frog and switch rails not cut apart, and contain no manganese, cast, welds, or attachments of any kind except angle bars. Free from concrete, dirt, and foreign material of any kind.
- (30) Sheet Scrap, No. 1. Under %6 inch thick, may include hoops, band iron and/or steel, scoops and/or shovels (free of wood). Must be free from burnt or metal coated material, cushion, or other similar springs.
- (31) Sheet Scrap, No. 2. Galvanized or tinned material and/or gas retorts, and/or any other iron or steel material not otherwise classified.
- (32) Steel, Tool. (Specify kind in offering.)
- (33) Steel, Manganese. All kinds of manganese, rail, guard rails, frogs and/or switch points, cut or uncut.
- (34) Steel, Spring. Coil and/or elliptical, minimum thickness 1/4 inch may be assembled or cut apart.
- (34A) Steel, Spring. Coil only.
- (35) Structural, Wrot Iron and/or Steel Uncut. All steel or steel mixed with iron from bridges, structures and/or equipment that has not been cut apart, may include uncut bolsters, brakebeams, steel trucks, underframes, channel bars, steel bridge plates, frog and/or crossing plates and/or other steel of similar character.
- (36) Tires. All locomotive, not cut to specified lengths.
- (38) Turnings. No. 1. Heavy turnings from wrot iron and/or steel railroad axles or heavy forgings and/or rail chips, to weigh not less than 75 pounds per cubic foot. Free from dirt or other foreign material of any kind. Alloy steel scrap may be excluded from these specifications by mutual agreement between buyer and seller.
- (38A) Turnings, Drillings and/or Borings. No. 2. Cast, wrot, steel and/or malleable iron borings, turnings and/or drillings mixed with other metals.
- (40) Wheels, No. 1. Cast iron car wheels.
- (42) Wheels, No. 3. Solid cast steel, forged, pressed and/or rolled steel car and/or locomotive wheels, not over 42 inches diameter. (Specify kind in offering.)
- (45) Destroyed Steel Cars. Bodies of steel cars cut apart sufficiently to load. (Specify kind.)
- **(45A)** Destroyed Steel Car Sides and Box Car Roofs. Cut to a maximum length of . . . and a maximum width of . . . suitable for use in super presses and shears without additional preparation.

*Specifications in force as of publication date.

Scrap Specifications Circular 1997

Guidelines for Glass Cullet: GC-97



CONTAINER GLASS CULLET SPECIFICATIONS

PREAMBLE

These standards and practices apply to container glass cullet for purchase or sale in the United States and Canada. Transactions covering shipments to or from other countries may also be in accordance with these standards and practices and may be modified by mutual agreement between buyer and seller. These specifications are guidelines for buying and selling container glass cullet and always subject to the buyer and seller's agreement.

SCRAP GLASS DEFINITIONS

Container Glass Cullet: crushed or whole scrap soda-lime-silica container glass

Unprocessed Container Glass Cullet: broken or whole scrap glass containers which complies with the proper ISRI glass specifications.

Processed (Furnace Ready) Container Glass Cullet: crushed and whole contaminate-free scrap container glass which complies with the proper ISRI glass specifications.

Organic Matter: consists of organic materials that are non-container glass items for example, paper labels and should not exceed .2%.

Ferrous Materials: are magnetic metals, i.e. steel, iron, etc., and therefore, must be removed during scrap glass processing.

Non-ferrous Materials: are non-magnetic metals, i.e. aluminum, lead, copper, etc., and therefore, must be removed during glass processing.

The Purchase Agreement

Each transaction covering the purchase or sale of container glass cullet should be confirmed in writing and include agreement on the following items:

1. Product

Where possible each container glass cullet grade shall be specified in accordance with the grade as defined.

2. Quantity

Where possible, the quantity shall always be specified in terms of a definite number of tons of 2,000 pounds each.

- A. If the quantity is specified in tons, the order shall be considered completed when aggregate shipments are 5% under or over the quantity ordered.
- B. If the quantity is specified in carloads or truckloads, a "load" shall be defined as a truck, trailer, or railroad car loaded to full visible capacity not to exceed established legal weight limits.

3. Packaging

Whether shipped units are to be in boxes, or in bulk by railroad car, truck, or trailer should be stated. Where possible, approximate weights should be specified.

4. Price Units

The price agreed upon shall be clearly stated in US dollars and cents per 2,000 pounds or in US dollars and cents per hundredweight.

5. Terms

Terms shall be "net cash 30 days after date of shipment" unless otherwise agreed upon.

Arbitration

In the event of a total disagreement between buyer and seller, the dispute should be submitted to ISRI arbitration.

In all cases, the cost of arbitration shall be borne by the party found to be at fault, or split in the event of compromise, as determined by the arbitrators.

UNPROCESSED CONTAINER GLASS CULLET SPECIFICATIONS

UNPROCESSED FLINT CONTAINER GLASS CULLET SPECIFICATIONS

Composition: soda-lime-silica beverage or food container class

Cullet Colors Segregation:

Flint Cullet 95–100% Flint 0–5% Amber 0–5% Green 0–5% Other Colors

Size: Cullet may be broken but not pulverized.

Moisture: Cullet should be free of excess moisture.

Contaminant Listings:

Outthrow Materials: Normal container labels; ring and metal closures where processing capabilities permit.

Prohibitive Materials: Non-acceptable items include non-container glass (vision ware, light bulbs, crystal, windows, mirrors, drinking glasses, ceramic, milk glass, etc.) metals, ores, minerals, bricks, clay, grinding and refractory materials, rocks, clay and ceramic closures.

General: The quality of the unprocessed flint container glass cullet must be such that after beneficiation with a conventional container glass cullet processor it will be suitable for the production of glass containers.

UNPROCESSED AMBER CONTAINER GLASS CULLET SPECIFICATIONS

Composition: soda-lime-silica beverage or food container glass

Cullet Colors Segregation:

Amber Cullet 90-100% Amber 0-5% Flint 0-5% Green 0-5% Other Colors

Size: Cullet may be broken but not pulverized.

Moisture: Cullet should be free of excess moisture.

Contaminant Listings:

Outthrow Materials: Normal container labels; ring and metal closures where processing capabilities permit.

Prohibitive Materials: Non-acceptable items include non-container glass (vision ware, light bulbs, crystal, windows, mirrors, drinking glasses, ceramic, milk glass, etc.) metals, ores, minerals, bricks, clay, grinding and refractory materials, rocks, clay and ceramic closures.

General: The quality of the unprocessed amber container glass cullet must be such that after beneficiation with a conventional container glass cullet processor it will be suitable for the production of glass containers.

UNPROCESSED GREEN CONTAINER GLASS CULLET SPECIFICATIONS

Composition: soda-lime-silica beverage or food container

glass

Cullet Colors Segregation:

Green Cullet
90–100% Green
0–10% Flint
0–10% Amber
0–5% Other Colors

Size: Cullet may be broken but not pulverized.

Moisture: Cullet should be free of excess moisture.

Contaminant Listings:

Outthrow Materials: Normal container labels; ring and metal closures where processing capabilities permit.

Prohibitive Materials: Non-acceptable items include non-container glass (vision ware, light bulbs, crystal, windows, mirrors, drinking glasses, ceramic, milk glass, etc.) metals, ores, minerals, bricks, clay, grinding and refractory materials, rocks, clay and ceramic closures.

General: The quality of the unprocessed green container glass cullet must be such that after beneficiation with a conventional container glass cullet processor it will be suitable for the production of glass containers.

PROCESSED (FURNACE READY) CONTAINER **GLASS CULLET SPECIFICATIONS**

PROCESSED (FURNACE READY) FLINT CONTAINER GLASS CULLET SPECIFICATIONS

Composition: soda-lime-silica container glass

Container Glass Cullet Colors Segregation:

Flint Cullet 95-100%

Flint

0-5%

Amber

0-1%

Green Other Colors

0-.5% Total NON-Flint Cullet = <5%

Size: Various sizes from whole glass containers to -100 Mesh. However, the ideal material size is 3/8"-to-3/4" with a 10% minimum of fine particles. Material size is based upon buyer and seller's agreement.

Contaminant Listings:

Outthrow Materials: Organic Matter, allowable percentage based upon buyer and seller's agreement.

Prohibitive Materials:

Ferrous Metals

Nonferrous Metals

Ceramics (such as cups, saucers, dinnerware, pottery, etc.)

Other Glass (for example, plate window glass, heat-resistant glass-such as Pyrex-and leadbased glass—such as crystal ware, television tubes, vision ware, etc.)

Other Materials (such as bricks, rocks, etc.)

PROCESSED (FURNACE READY) AMBER CONTAINER GLASS CULLET SPECIFICATIONS

Composition: soda-lime-silica container glass

Container Glass Cullet Colors Segregation:

Amber Cullet

90-100%

Amber

0-10%

Flint

0-10%

Green

0 - 5%

Other Colors

Total NON-Amber Cullet = <10%

Size: Various sizes from whole glass containers to -100 Mesh. However, the ideal material size is 3/8"-to-3/4" with a 10% minimum of fine particles. Material size is based upon buyer and seller's agreement.

Contaminant Listings:

Outthrow Materials: Organic Matter, allowable percentage based upon buyer and seller's agreement.

Prohibitive Materials:

Ferrous Metals

Nonferrous Metals

Ceramics (such as cups, saucers, dinnerware, pottery, etc.)

Other Glass (for example, plate window glass, heat-resistant glass-such as Pyrex-and leadbased glass-such as crystal ware, television tubes, vision ware, etc.)

Other Materials (such as bricks, rocks, etc.)

PROCESSED (FURNACE READY) GREEN CONTAINER GLASS CULLET SPECIFICATIONS

Composition: soda-lime-silica container glass

Container Glass Cullet Colors Segregation:

Green Cullet

70-100%

Green Flint

0-15% 0-15%

Amber

0 - 10%

Other Colors

Total NON-Green Cullet = <30%

The color green typically consists of a variety of shades, for example: emerald green or lime green.

Size: Various sizes from whole glass containers to -100 Mesh. However, the ideal material size is 3/8"-to-3/4" with a 10% minimum of fine particles. Material size is based upon buyer and seller's agreement.

Contaminant Listings:

Outthrow Materials: Organic Matter, allowable percentage based upon buyer and seller's agreement.

Prohibitive Materials:

Ferrous Metals

Nonferrous Metals

Ceramics (such as cups, saucers, dinnerware, pottery, etc.)

Other Glass (for example, plate window glass, heat-resistant glass-such as Pyrex-and leadbased glass-such as crystal ware, television tubes, vision ware, etc.)

Other Materials (such as bricks, rocks, etc.)

Scrap Specifications Circular 1997

Guidelines for Paper Stock: PS-97 Domestic Transactions



Paper Stock Industries

A National Chapter of Institute of Scrap Recycling Industries, Inc.

PAPER STOCK: DOMESTIC TRANSACTIONS

PREAMBLE

These standards and practices apply to paper stock for repulping only and are for use in the United States and Canada. Transactions covering shipments to or from other countries may also be in accordance with these standards and practices and may be modified by mutual agreement between buyer and seller.

Basic to the success of any buyer-seller relationship is an atmosphere of "good faith."

In keeping with this, the following underlying principles have been accepted as necessary to the maintenance of amicable dealings:

- 1. Seller must use due diligence to ascertain that shipments consist of properly packed paper stock and that shipment is made during the period specified.
- 2. Arbitrary rejections, deductions and cancellations by the buyer are counter to acceptable good trade practice.
- 3. Seller shall deliver the quality of paper stock agreed upon but shall not be responsible for its use or the paper or paperboard manufactured therefrom.

I. The Purchase Agreement

Each transaction covering the purchase or sale of paper stock should be confirmed in writing and include agreement on the following items:

1. Quantity

Where possible, the quantity shall always be specified in terms of a definite number of tons of 2,000 lbs. each.

- a. If the quantity is specified in tons, the order shall be considered completed when aggregate shipments are 5% under or over the quantity ordered.
- b. If the quantity is specified in carloads or truckloads, a "load" shall be defined as a truck, trailer or railcar loaded to full visible capacity not to exceed established legal weight limits.

2. Grades

Where possible each grade purchased shall be specified in accordance with the grade as defined in SECTION VI hereof.

3. Packing

Whether units are to be bales, skids, rolls, pallets, boxes, or bundles should be stated. Where possible, approximate sizes or weights should be specified.

4. Price Units

The price agreed upon shall be clearly stated in dollars and cents per 2,000 lbs. or in dollars and cents per hundredweight.

5. Transportation Charge

This shall be clearly indicated with the use of the phrases "f.o.b. shipping point" or "delivered destination" or "f.o.b. shipping point—(\$\$\$) freight allowed."

6. Shipping Instructions

Shipping instructions should clearly specify shipping schedule, route, delivery carrier and destination.

7. Shipping Period

The shipping period shall be understood to be within 30 days of date of order unless otherwise specified.

8. Terms

Terms shall be "net cash 30 days after date of shipment" unless otherwise agreed upon.

9. Method of Invoicing

Invoicing instructions shall be clearly stated.

II. Fulfillment by the Seller

Practices of the seller shall be in accordance with the following:

1. Acceptance

An order is confirmed if verbal or written agreement or initial shipment is received by the buyer.

2. Grading

Paper stock which is sold under the grade names appearing in SECTION VI shall be warranted to conform to those grading definitions.

3. Baling

Each bale must be secured with a sufficient number of bale ties drawn tight to insure a satisfactory delivery.

4. Tare

Sides and headers must be adequate to make a satisfactory delivery of the packing but must not be excessive, nor can they consist of prohibitive materials. The weight of skids or iron cores should be deducted from a gross invoice weight.

5. Identification

The shipper should mark each individual bale as to weight and grade when possible.

6. Loading

Paper stock shall be loaded as follows:

- a. Before they are loaded, cars and trucks shall be free from objectionable materials, odors, and have sound floors.
- b. Grades should be loaded in straight loads unless otherwise agreed to. When two or more grades are included in the same shipment, units of each grade should be kept together in a separate part of the car or truck.
- c. Paper stock must be loaded in a manner that will minimize shifting and breakage. Excessive breakage due to improper loading shall be cause for rejection.

7. Shipping Notice

A shipping notice or an invoice showing the date of shipment, car number and contents shall be mailed or faxed to the buyer within 24 hours of shipment. On request, a bill of lading should also be furnished.

8. Invoicing

Invoicing should conform to instructions on the order and include the following data:

- a. Date of Shipment
- b. Car or Truck Number
- c. Customer's Order Number
- d. Shipper's Invoice Number
- e. F.O.B. Point
- f. Number of Bales, Rolls, etc.
- g. Quantity and Grade
- h. Price and Extension
- i. Terms

9. Rejection

When a seller has been notified of a rejection, he must within two business days advise the buyer as to which of the following procedures he has decided upon:

- a. Order reshipment of the material.
- b. Require the opportunity to inspect the quality of the rejected material within three business days and during such period give buyer final disposition.

- c. Agree with the buyer to a compromise acceptance and settlement.
- d. Request the buyer agree to submit the rejected shipment to arbitration.

III. Fulfillment by the Buyer

The practice of the buyer shall be in accordance with the following:

1. Unloading

After arrival of the shipment, the buyer is to inspect the contents so far as possible while it is still loaded.

If the shipment appears to be in accordance with the order and shipping notice, the buyer shall proceed with the unloading.

Where the bales are tagged or labeled, the buyer shall keep an accurate tally by identifying each bale by number, grade and weight.

If the shipment does not appear to be in accordance with the order and shipping notices, or if the quality of the stock is not in accordance with specifications as agreed, the buyer shall immediately notify the seller of such rejection before unloading.

If during the process of unloading, any portion of the shipment not visible in the original inspection is not in accordance with specifications, shipping notice and order, that portion shall be set aside and the seller immediately notified of its rejection.

If at any time within 21 days after receipt of shipment the buyer, upon opening the bales, finds objectionable materials heretofore not visible, he shall have the right to reject the paper stock and shall immediately notify the seller.

In the event of any rejection, the buyer shall use due diligence to protect all controversial paper stock from external deterioration or contamination.

2. Settlement

In the event that the buyer does not intend to make settlement in accordance with the seller's shipping notice or invoice for reasons OTHER THAN QUALITY.

The buyer shall, within 48 hours or two business days of unloading, notify the seller of any necessary changes and shall furnish detailed information with regard to these changes.

3. Rejection

In the event of a rejection, the buyer shall be responsible for any paper stock used by the buyer and the freight thereon, other than such quantity as may be considered reasonable for laboratory sampling or testing purposes.

IV. Miscellaneous Practices

1. Ownership

- a. If the shipment is purchased "f.o.b. shipping point" and is in accordance with the agreement covering the transaction, it becomes the property of the buyer when loaded on the transportation vehicle.
- b. If the shipment is purchased on a "delivered destination" basis and is in accordance with the agreement covering the transaction, it remains the property of the seller until it is delivered to the buyer by carrier.
- c. If the shipment is purchased on an "f.o.b. shipping point-specified freight allowed" basis and is in accordance with the agreement covering the transaction, it becomes the property of the buyer when loaded on the transportation vehicle.

2. Demurrage Charges

- a. Any demurrage accrued on a shipment due to the failure of the seller to ship in accordance with the order, except with respect to quality, is the liability of the seller.
- b. In the event that a rejection for quality stands, any demurrage accruing on the shipment prior to notification to the seller shall be the buyer's liability.
- c. In the event that negotiation of a substantiated rejection for quality results in agreement by the buyer to accept the shipment, then only the demurrage, following notification of rejection—and including 24 hours after the agreement—becomes the liability of the seller. Demurrage accruing prior to and including the day of notification becomes the liability of the buyer.

3. Carrier Selection

- a. F.O.B. Shipping Point. Selection of the carrier is at the discretion of the buyer unless otherwise agreed.
- b. F.O.B. Delivered. Selection of the carrier is at the discretion of the seller unless otherwise agreed. Should the buyer specify a carrier or routing which results in a freight cost higher than would have occurred had the seller selected the carrier or routing, the difference shall be charged to the buyer.
- c. Any extra switching or excess freight charges accruing on a shipment due to the failure to the seller to protect the agreed upon minimum rail rate or to ship in accordance with the agreement, is the liability of the seller.

4. Weight Discrepancies

No debits, credits or adjustments shall be issued on any shipment of paper stock when the weight variation is 1% or less.

In the event that a discrepancy exceeds those mentioned above as "allowable," the buyer and seller shall exchange copies of unloading and loading records showing individual bale weights. In the event that both parties have such records, and errors cannot be determined, it is recommended that the weight closest to the public carrier's scale weight be assumed to be correct. In the absence of such records on the part of one of the parties, the records of the other party shall govern.

5. Moisture Content

a. All paper must be packed air dry.

Where excess moisture is present in the shipment, the buyer has the right to request an adjustment and if a settlement cannot be reached, the buyer has the right to reject the shipment.

6. Replacement of Shipment

a. In the event that any shipment is rejected due to quality:

Whether or not the shipment is to be replaced is to be decided by mutual agreement between buyer and seller.

7. Promptness of Shipment

In the event that shipments are postponed:

- a. On instructions of the BUYER, the seller shall have the option of extending the time limit of the order by the same number of days of the postponement, or of cancelling that portion of the order on which shipment was postponed. Seller shall promptly notify buyer of option selected.
- b. On the instructions of the SELLER, the buyer shall have the option of extending the time limit of the order by the same number of days of the postponement, or of cancelling that portion of the order on which shipment was postponed. Buyer shall promptly notify seller of option selected.

V. Arbitration

- 1. In the event of a total disagreement between buyer and seller, the dispute should be submitted to ISRI arbitration.
- 2. In all cases, the cost of arbitration shall be borne by the party found to be at fault, or split in the event of compromise, as determined by the arbitrators.

VI. Grade Definitions

The definitions which follow describe grades as they should be sorted and packed. CONSIDERATION SHOULD BE GIVEN TO THE FACT THAT PAPER STOCK AS SUCH IS A SECONDARY MATERIAL PRODUCED MANUALLY AND MAY NOT BE TECHNICALLY PERFECT. Definitions may not specifically address all types of processes used in the manufacture of, or recycling of, paper products. Specific requirements should be discussed between buyer and seller during negotiations.

Outthrows

The term "Outthrows" as used throughout this section is defined as "all papers that are so manufactured or treated or are in such a form as to be unsuitable for consumption as the grade specified."

Prohibitive Materials

The term "Prohibitive Materials" as used throughout this section is defined as:

a. Any materials which by their presence in a packing of paper stock, in excess of the amount allowed, will make the packaging unusable as the grade specified.

b. Any materials that may be damaging to equipment.

Note: The maximum quantity of "Outthrows" indicated in connection with the following grade definitions is understood to be the TOTAL of "Outthrows" and "Prohibitive Materials."

A material can be classified as an "Outthrow" in one grade and as a "Prohibitive Material" in another grade. Carbon paper, for instance, is "UNSUITABLE" in Mixed Paper and is, therefore, classified as an "Outthrow"; whereas it is "UNUSABLE" in White Ledger and in this case classified as a "Prohibitive Material."

(1) Mixed Paper

Consists of a mixture of various qualities of paper not limited as to type of baling or fiber content.

Prohibitive materials may not exceed	. 2%
Total Outthrows may not exceed	10%

(2) (Grade not currently in use)

(3) Super Mixed Paper

Consists of a baled clean, sorted mixture of various qualities of paper containing less than 10% of groundwood content.

Prohibitive materials may not exceed ½ c	f 1%	,
Total Outthrows may not exceed	. 3%	,

(4) Boxboard Cuttings

Consists of baled new cuttings of paperboard used in the manufacture of folding cartons, set-up boxes and similar boxboard products.

Prohibitive materials may not exceed	/2 01	1%
Total Outthrows may not exceed		2%

(5) Mill Wrappers

Consists of baled paper used as outside wrap for rolls, bundles, or skids of finished paper.

Prohibitive materials may not exceed ½ of	1%
Total Outthrows may not exceed	3%

(6) News

Consists of baled newspaper as typically generated from newsdrives and curbside collections.

Prohibitive materials may not exceed	1%
Total Outthrows may not exceed	5%

(7) Special News

Consists of baled sorted, fresh newspapers, not sunburned, containing not more than the normal percentage of rotogravure and colored sections.

Prohibitive materials None p	ermitted
Total Outthrows may not exceed	2%

(8) Special News De-ink Quality

Consists of baled sorted, fresh newspapers, not sunburned, free from magazines, white blank, pressroom over-issues, and paper other than news, containing not more than the normal percentage of rotogravure and colored sections. This grade must be tare-free.

Prohibitive materials	None permitted
Total Outthrows may not exceed	¼ of 1%

(9) Over-Issue News

Consists of unused, overrun newspapers printed on newsprint, baled or securely tied in bundles, containing not more than the normal percentage of rotogravure and colored sections.

Prohibitive materials	None permitted
Total Outthrows	None permitted

(10) Magazines

Consists of balled coated magazines, catalogues, and similar printed materials. May contain a small percentage of uncoated news-type paper.

Prohibitive materials may not exceed	1%
Total Outtrows may not exceed	3%

(11) Corrugated Containers

Consists of baled corrugated containers having liners of either test liner, jute or kraft.

Prohibitive materials may not exceed	1%
Total Outthrows may not exceed	5%

(12) Double Sorted Corrugated

Consists of baled, double sorted corrugated containers, generated from supermarkets and/or industrial or commercial facilities, having liners or test liner, jute, or kraft. Material has been specially sorted to be free of boxboard, off-shore corrugated, plastic, and wax.

Prohibitive materials may not exceed $\frac{1}{2}$ o	f 1 %
Total Outthrows may not exceed	2%

(13) New Double-Lined Kraft Corrugated Cuttings	(21) New Brown Kraft Envelope Cuttings
Consists of baled new corrugated cuttings having liners of either test liner, jute, or kraft. Treated medium or liners, insoluable	Consists of baled new unprinted brown kraft envelopes, cuttings or sheets.
adhesives, but rolls, slabbed or hogged medium, are not acceptable in this grade.	Prohibitive materials None permitted
Prohibitive materials None permitted	Total Outthrows may not exceed
Total Outthrows may not exceed	(22) Mixed Groundwood Shavings
(14) (Grade not currently in use)	Consists of baled trim of magazines, catalogs and similar printed matter, not limited with respect to groundwood or coated stock,
(15) Used Brown Kraft	and may contain the bleed of cover and insert stock as well as beater-dyed paper and solid color printing.
Consists of baled brown kraft bags free of objectionable liners and original contents.	Prohibitive materials None permitted
Prohibitive materials None permitted	Total Outthrows may not exceed
Total Outthrows may not exceed	(23) Telephone Directories
(16) Mixed Kraft Cuttings	Consists of clean telephone directories printed for or by telephone directory publishers.
Consists of baled new brown kraft cuttings, sheets and bag scrap free of stitched paper.	Prohibitive materials None permitted
Prohibitive materials None permitted	Total Outthrows may not exceed ½ of 1%
Total Outthrows may not exceed	(24) White Blank News
(17) Carrier Stock	Consists of baled unprinted cuttings and sheets of white newsprint or other uncoated white groundwood paper of similar qual-
Consists of baled printed or unprinted, unbleached new beverage carrier sheets and cuttings. May contain wet strength additives.	ity. Prohibitive materials None permitted
Prohibitive materials None permitted	Total Outthrows may not exceed
Total Outthrows may not exceed	(25) Groundwood Computer Printout
(18) New Colored Kraft	Consists of groundwood papers which are used in forms manu-
Consists of baled new colored kraft cuttings, sheets and bag scrap, free of stitched papers.	factured for use in data processing machines. This grade may contain colored stripes and impact or nonimpact (e.g., laser) computer printing.
Prohibitive materials None permitted	Prohibitive materials None permitted
Total Outthrows may not exceed 1%	Total Outthrows may not exceed
(19) Grocery Bag Scrap	(26) Publication Blanks
Consists of baled, new brown kraft bag cuttings, sheets and misprint bags.	Consists of baled unprinted cuttings or sheets of white coated or filled groundwood content paper.
Prohibitive materials None permitted	Prohibitive materials None permitted
Total Outthrows may not exceed 1%	Total Outthrows may not exceed 1%
(20) Kraft Multi-Wall Bag Scrap	(27) Flyleaf Shavings
Consists of new brown kraft multi-wall bag cuttings, sheets, and misprint bags, free of stitched papers. Prohibitive materials	Consists of baled trim from magazines, catalogs and similar printed matter. May contain the bleed of cover and insert stock to a maximum of 10% dark colors. Beater-dyed paper may not exceed 2%. Shavings of novel news or newsprint grades may not be included in this grade.
-	Prohibitive materials None permitted
	Total Outthrows may not exceed 1%

(28) Coated Soft White Shavings

Consists of baled unprinted, coated, and uncoated shavings and sheets of white groundwood free printing paper. May contain a small percentage of groundwood.

Prohibitive materials	None permitted
Total Outthrows may not exceed	1%

(29) (Grade not currently in use)

(30) Hard White Shavings

Consists of baled shavings or sheets of unprinted, untreated white groundwood free paper.

Prohibitive materials	None permitted
Total Outthrows may not exceed	

(31) Hard White Envelope Cuttings

Consists of baled groundwood free cuttings, shavings, or sheets of unprinted, untreated, and uncoated white envelope paper.

Prohibitive materials	None permitted
Total Outthrows may not exceed	½ of 1%

(32) (Grade not currently in use)

(33) New Colored Envelope Cuttings

Consists of baled groundwood free cuttings, shavings, or sheets of untreated, uncoated bleachable colored envelope paper.

Prohibitive materials	None permitted
Total Outthrows may not exceed	2%

(34) (Grade not currently in use)

(35) Semi Bleached Cuttings

Consists of baled sheets and cuttings of unprinted, untreated, groundwood free paper such as file folder stock, manila tabulating card trim, untreated milk carton stock, or manila tag.

Prohibitive materials Nor	e permitted
Total Outthrows may not exceed	2%

(36) Manila Tabulating Cards

Consists of printed groundwood free, bleachable manila-colored cards which have been manufactured for use in tabulating machines. This grade may contain manila-colored tabulating cards with tinted margins.

Prohibitive materials	None permitted
Total Outthrows may not exceed	1%

(37) Sorted Office Paper

Consists of baled paper, as typically generated by offices, containing primarily white and colored groundwood free paper, free ofunbleached fiber. May include a small percentage of groundwood computer printout and facsimile paper.

Prohibitive materials may not exceed	2%
Total Outthrows may not exceed	5%

(38) Sorted Colored Ledger

Consists of printed or unprinted sheets, shavings, and cuttings of colored or white groundwood free ledger, bond, writing, and other paper which has a similar fiber and filler content. This grade must be free of treated, coated, padded or heavily printed stock.

		•			
Prohibitive mate	erials ma	y not exceed	 1/2	of	1%
Total Outthrows	s may not	exceed	 		2%

(39) Manifold Colored Ledger

Consists of sheets and trim of new (industrially generated) printed or unprinted colored or white groundwood free paper used in the manufacture of manifold forms, continuous forms, data forms, and other printed pieces such as sales literature and catalogs. All stock must be uncoated and free of nonimpact printing. A percentage of carbonless paper is allowable.

Prohibitive materials may not exceed	1%
Total Outthrows may not exceed	2%

(40) Sorted White Ledger

Consists of printed or unprinted sheets, shavings, guillotined books, and cuttings of white groundwood free ledger, bond, writing, and all other papers which have a similar fiber and filler content. This grade must be free of treated, coated, padded, or heavily printed stock.

Prohibitive materials may not exceed ½ o	of	1%
Total Outthrows may not exceed		2%

(41) Manifold White Ledger.

Consists of sheets and trim of new (industrially generated) printed or unprinted white groundwood free paper used in the manufacturing of manifold forms, continuous forms, data forms, and other printed pieces such as sales literature and catalogs. All stock must be uncoated and free of nonimpact printing. A percentage of carbonless paper is allowable.

Prohibitive materials may not exceed ½	of 1%	
Total Outthrows may not exceed	2%	

(42) Computer Printout

Consists of white groundwood free paper in forms manufactured for use in data processing machines. This grade may contain colored stripes and impact or non-impact (e.g. laser) computer printing, and may contain no more than 5% groundwood in the pack. All stock must be untreated and uncoated.

Prohibitive materials	None permitted
Total Outthrows may not exceed	2%

(43) Coated Book Stock

Consists of coated groundwood free paper, printed or unprinted in sheets, shavings, guillotined books and cuttings. A reasonable percentage of paper containing fine groundwood may be included.

Pronibitive materials	None permitted
Total Outthrows may not exceed	2%

(44) Coated Groundwood Sections

Consists of printed, coated groundwood paper in sheets, sections, shavings or guillotined books. This grade may not include news quality groundwood paper.

Prohibitive materials	. None permitted
Total Outthrows may not exceed	2%

(45) Printed Bleached Board Cuttings

Consists of groundwood free printed bleached board cuttings, free from misprint sheets, cartons, wax, greaseproof lamination, gilt, and inks, adhesives or coatings that are insoluble.

Prohibitive materials may not exceed ½ of 1%	6
Total Outthrows may not exceed	6

(46) Misprinted Bleached Board

Consists of groundwood free misprint sheets and cartons of bleached board, free from wax, greaseproof lamination, gilt, and inks, adhesives or coatings that are insoluble.

Prohibitive materials may not exceed	1%
Total Outthrows may not exceed	2%

(47) Unprinted Bleached Board

Consists of groundwood free unprinted, untreated bleached board cuttings, sheets or rolls, free from wax, greaseproof lamination and adhesives or coatings that are insoluble.

Prohibitive materials None permi	tted
Total Outthrows may not exceed	1%

(48) #1 Bleached Cup Stock

Consists of baled, untreated cuttings or sheets of coated or uncoated cup base stock. Cuttings with slight bleed may be included. Must be free of wax, poly, and other coatings that are insoluble.

Prohibitive materials	None permitted
Total Outthrows may not exceed	½ of 1%

(49) #2 Printed Bleached Cup Stock

Consists of baled printed, untreated formed cups, cup die cuts, and misprint sheets of coated or uncoated cup base stock. Glues must be water soluble. Must be free of wax, poly, and other coatings that are insoluble.

Prohibitive materials	None permitted
Total Outthrows may not exceed	1%

(50) Unprinted Bleached Plate Stock

Consists of baled groundwood free bleached coated or uncoated, untreated and unprinted plate cuttings and sheets.

Prohibitive materials None pe	ermitted
Total Outthrows may not exceed	∕₂ of 1%

(51) Printed Bleached Plate Stock

Consists of baled groundwood free bleached coated or uncoated, untreated printed plates and sheets. Must be free of coatings or inks that are insoluble.

Prohibitive materials None perm	itted
Total Outthrows may not exceed	1%

SPECIALTY GRADES

The grades listed at right are produced and traded in carload and truckload quantities throughout the United States, and because of certain characteristics (i.e., the presence of wet strength, polycoatings, plastic, foil, carbon paper, hot melt glue), are not included in the regular grades of paper stock. However, it is recognized that many mills have special equipment and are able to utilize large quantities of these grades. Since many paper mills around the world do use these specialty grades, they are being listed with appropriate grade numbers for easy refer-

The Paper Stock Industries Chapter of ISRI is not establishing specific specifications, which would refer to such factors as the type of wet strength agent use, the percentage of wax, the amount of polycoating, whether it is on top of or under the printing, etc. The specification for each grade should be determined between buyer and seller, and it is recommended that purchase be made based on sample.

These specialty grades are as follows:

- 1—S White Waxed Cup Cuttings
- 2-S Printed Waxed Cup Cuttings
- 3-S Plastic Coated Cups
- 4-S Polycoated Bleached Kraft-Unprinted
- 5-S Polycoated Bleached Kraft-Printed
- 6-S Polycoated Milk Carton Stock
- 7-S Polycoated Diaper Stock
- -S Polycoated Boxboard Cuttings
- 9-S Waxed Boxboard Cuttings
- 10-S Printed and/or Unprinted Bleached Sulphate Containina Foil
- 11—S Waxed Corrugated Cuttings
- 12—S Wet Strength Corrugated Cuttings
- 13—S Asphalt Laminated Corrugated Cuttings
- 14-S Beer Carton Scrap
- 15-S Contaminated Bag Scrap
- 16-S Insoluble Glued Free Sheet Paper and/or Board
- 17-S White Wet Strength Scrap
- 18-S Brown Wet Strength Scrap
- 19-S Printed and/or Colored Wet Strength Scrap
- 20-S File Stock
- 21-S New Computer Print Out (C.P.O.)
- 22-S Ruled White
- 23-S Flyleaf Shavings Containing Hot Melt Glue
- 24-S Carbon Mix
- 25-S Books with Covers
- 26—S Unsorted Tabulating Cards
- 27—S Colored Tabulating Cards
- 28—S Carboniess Treated Ledger (N.C.R.)
- 29-S (Not currently in use)
- 30-S Plastic Windowed Envelopes
- 31-S Textile Boxes
- 32-S Printed TMP
- 33-S Unprinted TMP

Scrap Specifications Circular 1997

Guidelines for Paper Stock: PS-97 Export Transactions



Paper Stock Industries

A National Chapter of Institute of Scrap Recycling Industries, Inc.

PAPER STOCK: EXPORT TRANSACTIONS

PREAMBLE

These Guidelines apply to paper stock for repulping only and are for use in export transactions from the U.S. and Canada.

Basic to the success of any buyer-seller relationship is an atmosphere of "good faith."

In keeping with this, the following underlying principles have been accepted as necessary to the maintenance of amicable international dealings:

- Seller must use due diligence to ascertain that shipments consist of properly packed paper stock and that shipment is made during the period specified.
- 2. Arbitrary rejections, deductions and cancellations by the buyer are counter to acceptable good trade practice.
- 3. Seller shall deliver the quality of paper stock agreed upon but shall not be responsible for its use or the paper or paperboard manufactured therefrom.
- 4. Unless otherwise mutually agreed to by both buyer-seller, all transactions shall conform to the trade practice outlined in these Guidelines and the grade descriptions shown in the PSI Standards and Practices Circular.

I. The Purchase Agreement

Each transaction covering the purchase or sale of paper stock should be confirmed in writing and include agreement on the following items:

1. Quantity

Where possible, the quantity shall always be specified in terms of a definite number of metric tons of 2204.6 pounds each, or short tons of 2,000 pounds each.

- a. If the quantity is specified in tons, the order shall be considered completed when aggregate shipments are 5% under or over the quantity ordered (unless Letter of Credit restrictions apply).
- b. If the quantity is specified in truckload and/or container load, this is defined as full visible capacity but not in excess of legal or freight line limits.

2. Grades

Where possible, each grade purchased shall be specified in accordance with the grade as defined in the latest Paper Stock Industries Chapter Standards and Practices Circular. Any deviation from the grades listed in the Paper Stock Industries Chapter Standards and Practices Circular should be specified and agreed to by both parties.

3. Packing

Whether units are to be bales, skids, rolls, pallets, boxes, or bundles should be stated. Where possible, approximate sizes or weights should be specified.

4. Price

The price agreed upon shall be clearly stated in U.S. dollars and cents.

5. Transportation Charges

These shall be clearly indicated with the use of the following phrases such as: "F.A.S. harbor," or "C&F," "C.I.F.," or "container yard" (CY), "ex-ship," "ex-frontier."

6. Shipping

- a. Instructions—Should be provided by buyer at time of order. Information should include: consignee; party to be notified; identification marks; insurance information; and freight payment information.
- b. Time Frame—Shipment to be completed within 30 days of receipt of order, Letter of Credit and instruction information, unless otherwise specified.

7. Terms

Payment shall be made in U.S. dollars by means of an irrevocable Letter of Credit confirmed by a U.S. bank.

8. Method of Invoicing

Invoicing instructions shall be clearly stated in Letter of Credit.

II. Fulfillment by the Seller

Practices of the seller shall be in accordance with the following:

1. Acceptance

All orders shall be confirmed in writing.

2. Grading

Paper stock which is sold under the grade names appearing in the PSI Standards and Practices Circular shall be warranted to conform to those grading definitions.

3. Baling

Each bale must be secured with a sufficient number of bale ties drawn tight to insure a satisfactory delivery.

4. Tare

Sides and headers must be adequate to make a satisfactory delivery of the bale but must not be excessive. The weight of skids or iron cores should be deducted from a gross invoice weight.

5. Loading

Paper stock shall be loaded as follows:

- a. Before they are loaded, cars, trucks, and containers shall be in sound condition and free from odors and objectionable materials.
- b. Grades should be loaded in straight loads unless otherwise agreed to. When two or more grades are included in the same shipment, units of each grade should be kept together in a separate part of the container.
- c. Paper stock must be loaded in a manner that will minimize shifting and breakage. Excessive breakage prior to unloading may be cause for a claim.

6. Shipping Notice

A shipping notice or an invoice showing the date of shipment, container number and net weight of contents shall be mailed or telexed to the buyer within 72 hours of shipment. On request, a bill of lading shall be furnished.

7. Invoicing

Invoicing should conform to instructions on the order and include the following data:

- a. Date of Shipment
- b. Container Number
- c. Ship Name
- d. Bill of Lading Number
- e. Customer's Order Number
- f. Shipper's Invoice Number
- g. Number of Bales, Rolls, etc.
- h. Quantity and Grade
- i. Price and Extension
- j. Terms

8. Claims

When a seller has been notified of a claim, he must within five business days advise the buyer as to which of the following procedures he has decided upon:

- a. Require the opportunity to inspect the quality of the material in question within five business days and during such period give buyer final disposition.
- b. Agree with the buyer to a compromise acceptance and settlement.
- c. Request the buyer agree to submit the claim to arbitration.

III. Fulfillment by the Buyer

The practice of the buyer shall be in accordance with the following:

1. Unloading

After arrival of the shipment, the buyer is to inspect the contents so far as possible while it is still loaded.

If the shipment appears to be in accordance with the order and shipping notice, the buyer shall proceed with the unloading.

If the shipment does not appear to be in accordance with the order and shipping notices, or if the quality of the stock is not in accordance with specifications agreed to, the buyer shall immediately notify the seller before unloading.

If during the process of unloading, any portion of the shipment not visible in the original inspection is not in accordance with specifications, shipping notice and order, that portion shall be set aside and the seller immediately notified.

If at any time within 21 days after receipt of shipment, the buyer, upon opening the bales finds objectionable materials heretofore not visible, he shall immediately notify the seller.

In the event of any claim, the buyer shall use due diligence to protect all controversial paper stock from external deterioration or contamination.

2. Claims Other Than Quality

The buyer shall within 10 days of unloading notify the seller of any necessary changes and shall furnish detailed information with regard to these changes.

3. Rejection

In the event of a rejection, the buyer shall be responsible for any paper stock used by the buyer and the freight thereon, other than such quantity as may be considered reasonable for laboratory sampling or testing purposes. The buyers must protect the shipment from weather or any other elements until the claim is settled.

IV. Miscellaneous Practices

1. Ownership

If the shipment is purchased on a "delivered destination" basis, and is in accordance with the agreement covering the transaction, it remains the property of the seller until it is delivered to the buyer by carrier.

2. Demurrage Charges

- a. Any demurrage accrued on a shipment due to the failure of the seller to ship in accordance with the order, except with respect to quality, is the liability of the seller.
- b. In the event that a rejection for quality stands, any demurrage accruing on the shipment prior to notification to the seller shall be the buyer's liability.

c. In the event that negotiation of substantiated rejection for quality results in agreement by the buyer to accept the shipment, then only the demurrage, following notification of the rejection—and including 24 hours after the agreement—becomes the liability of the seller. Demurrage accruing prior to and including the day of notification becomes the liability of the buyer.

3. Switching and Freight Charges

Any extra switching or excess freight charges accruing on a shipment due to the failure of the seller to protect the agreed upon minimum rate or to ship in accordance with the agreement is the liability of the seller.

4. Weight Discrepancies

No debits, credits or adjustments shall be issued on any shipment of paper stock when the weight variation is 2% or less.

In the event that a discrepancy exceeds those mentioned above as "allowable," the buyer and seller shall exchange copies of certified weight in containers. In the event that both parties have such records, and errors cannot be determined, it is recommended that the weight closest to the public carrier's scale weight shall be assumed to be correct, buyer and seller should agree on the location of the public carrier's scale prior to shipment. In the absence of such records on the part of one of the parties, the records of the other party shall govern.

5. Moisture Content

All paper stock must be packed air dry. A moisture content of 12% is deemed to be air dry.

Where excess moisture is present in the shipment, the buyer has the right to request an adjustment.

6. Replacement of shipment

In the event that any shipment is rejected due to quality:

Whether or not the shipment is to be replaced is to be decided by mutual agreement between buyer and seller.

7. Promptness of Shipment

a. In the event that buyer causes shipment to be postponed.

On instructions of the buyer, the seller shall have the option of extending the time limit of the order by the same number of days of the postponement, or of cancelling that portion of the order on which shipment was postponed. Seller shall promptly notify buyer of option selected.

b. In the event that seller causes shipment to be postponed:

On instructions of the seller, the buyer shall have the option of extending the time limit of the order by the same number of days of the postponement, or of cancelling that portion of the order on which shipment was postponed. Buyer shall promptly notify seller of option selected.

8. Outthrows

Outthrows shall be understood to be all papers that are so manufactured or treated or are in such form as to be unsuitable for consumption as the grade specified.

9. Prohibitive Materials

a. Any materials, which by their presence in a packing of paper stock, in excess of the amount allowed, make the packing unusable as the grade specified.

b. Any materials, which by their presence in a package of paper stock, pose a risk of damage to the equipment.

Note: In connection with Items 8 and 9, a material can be classified as an "Outthrow" in one grade and as a "Prohibitive Material" in another grade. Carbon paper, for instance, is "UNSUITABLE" in Mixed Paper and is, therefore, classified as an "Outthrow"; whereas it is "UNUSABLE" in White Ledger and in this case classified as a "Prohibitive Material."

V. Arbitration

In the event of a total disagreement between buyer and seller, the dispute should be submitted to ISRI arbitration.

In all cases, the cost of arbitration shall be borne by the party found to be at fault, or split in the event of compromise, as determined by the arbitrators.

VI. Grade Definitions

The definitions which follow describe grades as they should be sorted and packed. CONSIDERATION SHOULD BE GIVEN TO THE FACT THAT PAPER STOCK AS SUCH IS A SECONDARY MATERIAL PRODUCED MANUALLY AND MAY NOT BE TECHNICALLY PERFECT. Definitions may not specifically address all types of processes used in the manufacture of, or recycling of, paper products. Specific requirements should be discussed between buyer and seller during negotiations.

Outthrows

The term "Outthrows" as used throughout this section is defined as "all papers that are so manufactured or treated or are in such a form as to be unsuitable for consumption as the grade specified."

Prohibitive Materials

The term "Prohibitive Materials" as used throughout this section is defined as:

- a. Any materials which by their presence in a packing of paper stock, in excess of the amount allowed, will make the packaging unusable as the grade specified.
- b. Any materials that may be damaging to equipment.

Note: The maximum quantity of "Outthrows" indicated in connection with the following grade definitions is understood to be the TOTAL of "Outthrows" and "Prohibitive Materials."

A material can be classified as an "Outthrow" in one grade and as a "Prohibitive Material" in another grade. Carbon paper, for instance, is "UNSUITABLE" in Mixed Paper and is, therefore, classified as an "Outthrow"; whereas it is "UNUSABLE" in White Ledger and in this case classified as a "Prohibitive Material."

(1) Mixed Paper Consists of a mixture of various qualities of paper not limited as to type of baling or fiber content. Prohibitive materials may not exceed 2% Total Outthrows may not exceed 10% (2) (Grade not currently in use) (3) Super Mixed Paper Consists of a baled, clean, sorted mixture of various qualities of paper containing less than 10% of groundwood content. Prohibitive materials may not exceed ½ of 1% (4) Boxboard Cuttings Consists of baled new cuttings of paperboard used in the manufacture of folding cartons, set-up boxes, and similar boxboard products. Prohibitive materials may not exceed ½ of 1% Total Outthrows may not exceed 2% (5) Mill Wrappers Consists of baled paper used as outside wrap for rolls, bundles, or skids of finished paper. Prohibitive materials may not exceed ½ of 1% (6) News Consists of baled newspaper as typically generated from newsdrives and curbside collections. Prohibitive materials may not exceed 1% Total Outthrows may not exceed 5% (7) Special News Consists of baled, sorted, fresh newspapers, not sunburned, containing not more than the normal percentage of rotogravure and colored sections. Prohibitive materials None permitted (8) Special News De-ink Quality Consists of baled, sorted, fresh newspapers, not sunburned, free from magazines, white blank, pressroom over-issues, and paper other than news, containing not more than the normal percentage of rotogravure and colored sections. This grade must be tare-free. Prohibitive materials None permitted Total Outthrows may not exceed ¼ of 1%

(9) Over-Issue News

Consists of unused, overrun newspapers printed on newsprint, baled or securely tied in bundles, containing not more than the normal percentage of rotogravure and colored sections.

Prohibitive materials	None permitted
Total Outthrows	None permitted

(10) Magazines

Consists of baled coated magazines, catalogues, and similar printed materials. May contain a small percentage of uncoated news-type paper.

Prohibitive materials may not exceed	1%
Total Outtrows may not exceed	3%

(11) Corrugated Containers

Consists of baled corrugated containers having liners of either test liner, jute, or kraft.

Prohibitive materials may not exceed	1%
Total Outthrows may not exceed	5%

(12) Double Sorted Corrugated

Consists of baled, double sorted corrugated containers, generated from supermarkets and/or industrial or commercial facilities, having liners of test liner, jute, or kraft. Material has been specially sorted to be free of boxboard, off-shore corrugated, plastic, and wax.

Prohibitive materials may not exceed 1/2	₂ of	1%
Total Outthrows may not exceed		2%

(13) New Double-Lined Kraft Corrugated Cuttings

Consists of baled new corrugated cuttings having liners of either test liner, jute, or kraft. Treated medium or liners, insoluable adhesives, butt rolls, slabbed or hogged medium, are not acceptable in this grade.

Prohibitive materials	None permitte	d
Total Outthrows may not exceed	29	%

(14) (Grade not currently in use)

(15) Used Brown Kraft

Consists of baled used brown kraft bags free of objectionable liners and original contents.

Prohibitive materials None p	ermitted
Total Outthrows may not exceed	½ of 1%

(16) Mixed Kraft Cuttings

Consists of baled new brown kraft cuttings, sheets and bag scrap free of stitched paper.

Prohibitive materials	None permit	ted
Total Outthrows may not exceed		1%

(17) Carrier Stock	(24) White Blank News
Consists of baled printed or unprinted, unbleached new beverage carrier sheets and cuttings. May contain wet strength additives.	Consists of baled unprinted cuttings and sheets of white news- print or other uncoated white groundwood paper of similar qual- ity.
Prohibitive materials None permitted	Prohibitive materials None permitted
Total Outthrows may not exceed 1%	Total Outthrows may not exceed
(18) New Colored Kraft.	(25) Groundwood Computer Printout
Consists of baled new colored kraft cuttings, sheets and bag scrap, free of stitched papers.	Consists of groundwood papers which are used in forms manufactured for use in data processing machines. This grade may
Prohibitive materials None permitted	contain colored stripes and impact or nonimpact (e.g., laser) computer printing.
Total Outthrows may not exceed 1%	Prohibitive materials None permitted
(19) Grocery Bag Scrap	Total Outthrows may not exceed
Consists of baled, new brown kraft bag cuttings, sheets and misprint bags.	(26) Publication Blanks
Prohibitive materials None permitted	Consists of baled unprinted cuttings or sheets of white coated or filled groundwood content paper.
Total Outthrows may not exceed	Prohibitive materials None permitted
(20) Kraft Multi-Wall Bag Scrap	Total Outthrows may not exceed
Consists of new brown kraft multi-wall bag cuttings, sheets, and misprint bags, free of stitched papers.	(27) Flyleaf Shavings
Prohibitive materials Non permitted	Consists of baled trim from magazines, catalogs and similar printed matter. May contain the bleed of cover and insert stock
Total Outthrows may not exceed 1%	to a maximum of 10% dark colors. Beater-dyed paper may not exceed 2%. Shavings of novel news or newsprint grades may
(21) New Brown Kraft Envelope Cuttings	not be included in this grade.
Consists of baled new unprinted brown kraft envelopes, cuttings	Prohibitive materials None permitted
or sheets.	Total Outthrows may not exceed
Prohibitive materials	(28) Coated Soft White Shavings
Total Outthrows may not exceed 1%	Consists of baled unprinted, coated, and uncoated, shavings
(22) Mixed Groundwood Shavings	and sheets of white groundwood free printing paper. May contain a small percentage of groundwood.
Consists of baled trim of magazines, catalogs and similar printed matter, not limited with respect to groundwood or coated stock,	Prohibitive materials
and may contain the bleed of cover and insert stock as well as beater-dyed paper and solid color printing.	Total Outthrows may not exceed
Prohibitive materials None permitted	(29) (Grade not currently in use)
Total Outthrows may not exceed	(30) Hard White Shavings
(23) Telephone Directories	Consists of baled shavings or sheets of unprinted, untreated white groundwood free paper.
Consists of clean telephone directories printed for or by tele- phone directory publishers.	Prohibitive materials None permitted
Prohibitive materials None permitted	Total Outthrows may not exceed ½ of 1%

Total Outthrows may not exceed ½ of 1%

(31) Hard White Envelope Cuttings

Consists of baled groundwood free cuttings, shavings or sheets of unprinted, untreated and uncoated white envelope paper.

Prohibitive materials Non-	e permitted
Total Outthrows may not exceed	½ of 1%

(32) (Grade not currently in use)

(33) New Colored Envelope Cuttings

Consists of baled groundwood free cuttings, shavings, or sheets of untreated, uncoated bleachable colored envelope paper.

Prohibitive materials	None permitted
Total Outthrows may not exceed	2%

(34) (Grade not currently in use)

(35) Semi Bleached Cuttings

Consists of baled sheets and cuttings of unprinted, untreated, groundwood free paper such as file folder stock, manila tabulating card trim, untreated milk carton stock, or manila tag.

Prohibitive materials	. None permitted
Total Outthrows may not exceed	2%

(36) Manila Tabulating Cards

Consists of printed groundwood free, bleachable manila-colored cards which have been manufactured for use in tabulating machines. This grade may contain manila-colored tabulating cards with tinted margins.

Prohibitive materials None permitte	ed
Total Outthrows may not exceed 1	%

(37) Sorted Office Paper

Consists of baled paper, as typically generated by offices, containing primarily white and colored groundwood free paper, free of unbleached fiber. May include a small percentage of groundwood computer printout and facsimile paper.

Prohibitive materials may not exceed	2%
Total Outthrows may not exceed	5%

(38) Sorted Colored Ledger

Consists of printed or unprinted sheets, shavings, and cuttings of colored or white groundwood free ledger, bond, writing, and other paper which has a similar fiber and filler content. This grade must be free of treated, coated, padded or heavily printed stock.

Prohibitive materials may not exceed ½ o	f	1%
Total Outthrows may not exceed		2%

(39) Manifold Colored Ledger

Consists of sheets and trim of new (industrially generated) printed or unprinted colored or white groundwood free paper used in the manufacture of manifold forms, continuous forms, data forms, and other printed pieces such as sales literature and catalogs. All stock must be uncoated and free of nonimpact printing. A percentage of carbonless paper is allowable.

Prohibitive materials may not exceed	½ of	1%
Total Outthrows may not exceed		2%

(40) Sorted White Ledger

Consists of printed or unprinted sheets, shavings, guillotined books, and cuttings of white groundwood free ledger, bond, writing, and all other papers which have a similar fiber and filler content. This grade must be free of treated, coated, padded, or heavily printed stock.

Prohibitive materials may not exceed $\frac{1}{2}$ of	1%
Total Outthrows may not exceed	2%

(41) Manifold White Ledger

Consists of sheets and trim of new (industrially generated) printed or unprinted white groundwood free paper used in the manufacturing of manifold forms, continuous forms, data forms, and other printed pieces such as sales literature and catalogs. All stock must be uncoated and free of nonimpact printing. A percentage of carbonless paper is allowable.

Prohibitive materials may not exceed ½ of	1%
Total Outthrows may not exceed	2%

(42) Computer Printout

Consists of white groundwood free paper in forms manufactured for use in data processing machines. This grade may contain colored stripes and impact or non-impact (e.g. laser) computer printing, and may contain no more than 5% groundwood in the pack. All stock must be untreated and uncoated.

Prohibitive materials None perma	itted
Total Outthrows may not exceed	2%

(43) Coated Book Stock

Consists of coated groundwood free paper, printed or unprinted in sheets, shavings, guillotined books and cuttings. A reasonable percentage of paper containing fine groundwood may be included.

Prohibitive materials	None permitted
Total Outthrows may not exceed	2%

(44) Coated Groundwood Sections

Consists of printed, coated groundwood paper in sheets, sections, shavings or guillotined books. This grade may not include news quality groundwood paper.

Prohibitive materials	None permitted
Total Outthrows may not exceed	2%

(45) Printed Bleached Board Cuttings

Consists of groundwood free printed bleached board cuttings, free from misprint sheets, cartons, wax, greaseproof lamination, gilt, and inks, adhesives or coatings that are insoluble.

Prohibitive materials may not exceed	½ of	1%
Total Outthrows may not exceed		2%

(46) Misprinted Bleached Board

Consists of groundwood free misprint sheets and cartons of bleached board, free from wax, greaseproof lamination, gilt, and inks, adhesives or coatings that are insoluble.

Prohibitive materials may not exceed	1%
Total Outthrows may not exceed	2%

(47) Unprinted Bleached Board

Consists of groundwood free unprinted, untreated bleached board cuttings, sheets or rolls, free from wax, greaseproof lamination and adhesives or coatings that are insoluble.

Prohibitive materials None pe	ermitted
Total Outthrows may not exceed	1%

(48) #1 Bleached Cup Stock

Consists of baled, untreated cuttings or sheets of coated or uncoated cup base stock. Cuttings with slight bleed may be included. Must be free of wax, poly, and other coatings that are insoluble.

Prohibitive materials	None permitted
Total Outthrows may not exceed	½ of 1%

(49) #2 Printed Bleached Cup Stock

Consists of baled printed, untreated formed cups, cup die cuts, and misprint sheets of coated or uncoated cup base stock. Glues must be water soluble. Must be free of wax, poly, and other coatings that are insoluble.

Prohibitive materials None perm	itted
Total Outthrows may not exceed	. 1%

(50) Unprinted Bleached Plate Stock

Consists of baled groundwood free bleached coated or uncoated, untreated and unprinted plate cuttings and sheets.

Prohibitive materials	None permitted
Total Outthrows may not exceed	

(51) Printed Bleached Plate Stock

Consists of baled groundwood free bleached coated or uncoated, untreated printed plates and sheets. Must be free of coatings or inks that are insoluble.

Prohibitive materials None perm	itted
Total Outthrows may not exceed	. 1%

SPECIALTY GRADES

The grades listed at right are produced and traded in carload and truckload quantities throughout the United States, and because of certain characteristics (i.e., the presence of wet strength, polycoatings, plastic, foil, carbon paper, hot melt glue), are not included in the regular grades of paper stock. However, it is recognized that many mills have special equipment and are able to utilize large quantities of these grades. Since many paper mills around the world do use these specialty grades, they are being listed with appropriate grade numbers for easy reference.

The Paper Stock Industries Chapter of ISRI is not establishing specific specifications, which would refer to such factors as the type of wet strength agent use, the percentage of wax, the amount of polycoating, whether it is on top of or under the printing, etc. The specification for each grade should be determined between buyer and seller, and it is recommended that purchase be made based on sample.

These specialty grades are as follows:

- 1—S White Waxed Cup Cuttings
- 2-S Printed Waxed Cup Cuttings
- 3-S Plastic Coated Cups
- 4-S Polycoated Bleached Kraft-Unprinted
- 5-S Polycoated Bleached Kraft-Printed
- 6—S Polycoated Milk Carton Stock
- 7—S Polycoated Diaper Stock
- 8—S Polycoated Boxboard Cuttings
- 9—S Waxed Boxboard Cuttings
- 10—S Printed and/or Unprinted Bleached Sulphate Containing Foil
- 11—S Waxed Corrugated Cuttings
- 12—S Wet Strength Corrugated Cuttings
- 13—S Asphalt Laminated Corrugated Cuttings
- 14—S Beer Carton Scrap
- 15—S Contaminated Bag Scrap
- 16—S Insoluble Glued Free Sheet Paper and/or Board
- 17—S White Wet Strength Scrap
- 18-S Brown Wet Strength Scrap
- 19—S Printed and/or Colored Wet Strength Scrap
- 20-S File Stock
- 21-S New Computer Print Out (C.P.O.)
- 22—S Ruled White
- 23—S Flyleaf Shavings Containing Hot Melt Glue
- 24—S Carbon Mix
- 25—S Books with Covers
- 26-S Unsorted Tabulating Cards
- 27—S Colored Tabulating Cards
- 28-S Carbonless Treated Ledger (N.C.R.)
- 29—S (Not currently in use)
- 30—S Plastic Windowed Envelopes
- 31-S Textile Boxes
- 32-S Printed TMP
- 33-S Unprinted TMP

Scrap Specifications Circular 1997

Guidelines for Plastic Scrap: P-97



PLASTIC SCRAP

BALED RECYCLED PLASTIC SCRAP COMMERCIAL GUIDELINES

GENERAL INFORMATION

Commercial Guidelines for Baled Recycled Plastic Scrap were developed to provide industry wide quality standards. These standards will facilitate commodity trading of these materials. They will also focus suppliers of such material on the quality requirements of their customers.

Product

These guidelines are designed with the potential for dealing with all recycled plastic in bale form. Initial specifications refer only to bottles. The code framework allows for generation of guidelines for all types of plastic packaging materials (including rigids and flexibles) with room for expansion to other plastic products and resins including those which are used to produce durable goods. Guidelines for those products may be added at a later date.

Codes

Codes for baled recycled plastics consist of a prefix letter, three digits and two suffix letters. The prefix letter "P" precedes all codes and designates "plastic" material. The first digit corresponds to the SPI resin identification code system and designates the primary plastic material. The second digit describes the plastic product category. The third digit defines the color/appearance of the product. The first suffix letter indicates the type of recycled plastic. The second suffix indicates the source of the recycled plastic product. (See Table 1.)

Bale Density

Bales shall be compressed to a minimum density of 10 pounds per cubic foot and a maximum density to be determined by individual contract between buyer and seller. Increased density may improve transportation efficiency, but over-compression may adversely effect the ability of a buyer to separate, sort, and reprocess the material.

Bale Tying Material

Bale wires, ties, or straps shall be made of non-rusting or corroding material.

Bale Integrity

Bale integrity must be maintained through loading, shipping, handling, and storage. Distorted or broken bales are difficult to handle. They are unacceptable and may result in downgrading, rejection, or charge back.

Allowable Contamination

Unspecified materials must not exceed 2% of total bale weight. Bales which contain over 2% will be subjected to reduction in the contracted price of the material as well as charges for disposal of the contaminants. The reduced percentage will vary depending upon the amount and type of contamination. Quality of the baled plastic is the primary factor which determines the value.

Prohibited Material

Certain materials are understood to be specified as "prohibited." Such materials will render the bale "non-specification" and may cause some customers to reject the entire shipment. These may include plastic materials which have a deleterious effect on each other when reprocessed, and materials such as agricultural chemicals, hazardous materials, flammable liquids and/or their containers, and medical waste.

Liquids

Plastic containers/materials should be empty and dry when baled. The bale should be free of any free flowing liquid of any type.

General

Shipments should be essentially free of dirt, mud, stones, grease, glass, and paper. The plastic must not have been damaged by ultraviolet exposure. Every effort should be made to store the material above ground and under cover. A good faith effort on the part of the supplier will be made to include only rinsed bottles which have closures removed.

DEFINITIONS FOR PLASTIC MATERIALS

Rigid Plastic Container

A package (formed or molded container) which maintains its shape when empty and unsupported.

Plastic Bottle

A rigid container which is designed with a neck that is smaller than the body. Normally used to hold liquids and emptied by pouring.

Plastic Film

A thin flexible sheet which does not hold a particular shape when unsupported.

Recycled Plastic

Plastics composed of either post consumer or recovered material or both.

Recovered Plastic

Plastic materials which have been recovered or diverted from the solid waste stream. Does not include materials generated from and commonly reused within an original manufacturing process.

Post Consumer

Products generated by a business or consumer that have served its intended end use and has been separated or diverted from the solid waste stream for the purpose of recycling.

BALED RECYCLED PLASTIC COMMERCIAL GUIDELINES CODING SYSTEM

P000XX

The coding system for baled recycled plastic consists of a three digit number with a prefix letter "P" and a two letter suffix.

The prefix "P" designates the category of Plastics and differentiates the code from similar codes for metals and other materials.

The first digit corresponds to the SPI resin identification code system and designates the primary plastic material.

The second digit describes the plastic/product category.

The third digit defines the color/appearance of the products.

The first suffix indicates the type of recycled plastic.

The second suffix indicates the source of the recycled plastic products.

CODING KEY:

Р	0	0	0	x	×
Plastic	Resin Code	Product	Color	Type	Source
	0 Mixed Resins (1-7)				
	1 PET	0—Bottles	0—Mixture	P—Post Consumer	MMunicipal
	2 HDPE	1—Rigids	1—Natural		
	3 PVC			R—Recovered	l-Industrial
	4 LDPE	2—Films	2—Pigmented/Dyed		
	5 PP				C—Commercial
	6 PS	3-9 to be assigned	3–9 Designated within each category		S—Institutional
	7 Other				
	8 to be assigned				
	9 to be assigned				

BALED PLASTIC MATERIAL IDENTIFICATION CODES

Series	Code	Resin	Categories
P-100 Series—PET	P-100	PET	Mixed Bottles
	P-101	PET	Clear Soda Bottles
	P-102	PET	Green Soda Bottles
	P-103	PET	Mixed Clear & Green Soda Bottles
	P-104	PET	Custom Bottles
	P-110	PET	Mixed Rigid Containers
P-200 Series—HDPE	P-200	HDPE	Mixed Bottles
	P-201	HDPE	Natural Bottles
	P-202	HDPE	Pigmented Bottles
P-300 Series—PVC	P-300	PVC	Mixed Bottles
	P-301	PVC	Natural Bottles
	P-302	PVC	Pigmented Bottles
P-400 Series—LDPE	P-400	LDPE	Mixed Bottles
	P-401	LDPE	Natural Bottles
	P-402	LDPE	Pigmented Bottles
P-500 Series—PP	P-500	PP	Mixed Bottles
	P-501	PP	Natural Bottles
	P-502	PP	Pigmented Bottles
P-600 Series—PS	P-600	PS	Mixed Bottles
	P-601	PS	Natural Bottles
	P-602	PS	Pigmented Bottles
P-700 Series Other/Code 7	P-700	OTHER	Mixed Bottles
	P-701	OTHER	Natural Bottles
	P-702	OTHER	Pigmented Bottles
P-000 Series—Mixed resins (Codes 1–7)	P-000 P-001 P-002	MIXED MIXED MIXED	Mixed Bottles Natural Bottles Pigmented Bottles

NOTE: The existence of a code category does not imply the existence of a market for the material. These are representative code categories. Other categories may be developed as the need arises.

COMMERCIAL GUIDELINE BALED RECYCLED PLASTIC STANDARD P-100

RESIN: PET MIXED PRODUCT: Bottles Only

CATEGORY: Mixed soft drink, liquor, edible oil, etc. bottles

TYPE:

SOURCE: BALE

PROPERTIES: Dimension: 72" maximum

> Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained through shipping,

unloading & storage

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or

non-plastic material

Dirt: Essentially free of dirt,

mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

STORAGE: Outdoor storage: <6 months unless

> covered with UV protective materials

GENERAL: Good faith effort to rinse bottles and remove

closures

COMMERCIAL GUIDELINE BALED RECYCLED COMMERCIAL GUIDELINE BALED RECYCLED **PLASTIC STANDARD P-101**

RESIN: PET CLEAR PRODUCT: Bottles Only

CATEGORY: Beverage containers only (1, 2, 3 liter, 16 oz.

soft drink bottles)

TYPE: SOURCE:

BALE

PROPERTIES: Dimension: 72" maximum

> Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained through shipping,

unloading & storage

CONTAMINATION: Total allowable: 2%

> Type: Non specified plastic or non-plastic material

Dirt: Essentially free of dirt, mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

STORAGE: Outdoor storage: <6 months unless

> covered with UV protective materials

GENERAL: Good faith effort to rinse bottles and remove

closures

COMMERCIAL GUIDELINE BALED RECYCLED PLASTIC STANDARD P-102

RESIN: PET GREEN PRODUCT: Bottles Only

CATEGORY: Beverage containers only (1, 2, 3 liter, 16 oz.

soft drink bottles)

TYPE: SOURCE: BALE

PROPERTIES: Dimension: 72" maximum

> Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained through shipping,

unloading & storage

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or

non-plastic material Dirt: Essentially free of dirt,

mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

Outdoor storage: <6 months unless STORAGE:

covered with UV

protective materials

GENERAL: Good faith effort to rinse bottles

PLASTIC STANDARD P-103

RESIN: PET CLEAR and GREEN

PRODUCT: Bottles Only

CATEGORY: Beverage containers only (1, 2, 3 liter, 16 oz.

soft drink bottles)

TYPE: SOURCE: BALE

PROPERTIES: Dimension: 72" maximum

> Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained through shipping,

unloading & storage

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or non-plastic material

Dirt: Essentially free of dirt,

mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

STORAGE: Outdoor storage: <6 months unless

> covered with UV protective materials

GENERAL: Good faith effort to rinse bottles and remove

closures

RESIN: PET CUSTOM
PRODUCT: Bottles and Jars Only

CATEGORY: Mixed liquor, edible oil, peanut butter, etc.

bottles/jars

TYPE:

SOURCE: BALE

PROPERTIES:

Dimension: 72" maximum

Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained

through shipping, unloading & storage

CONTAMINATION:

Total allowable: 2%

Type: Non specified plastic or

non-plastic material

Dirt: Essentially free of dirt,

mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

STORAGE: Outdoor storage: <6 months unless

covered with UV protective materials

GENERAL: Good faith effort to rinse bottles and remove

closures

with UV protective materials **GENERAL:** Good faith effort to rinse bottles and remove

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

COMMERCIAL GUIDELINE BALED RECYCLED

CATEGORY: Mixed household HDPE bottles (detergent,

Total allowable: 2%

shampoo, household products, milk, etc.)

Dimension: 72" maximum

Bulk Density: 10 lbs/cu.ft. minimum

Strapping: Non-rusting material Integrity: Must be maintained

through shipping,

Type: Non specified plastic or

Dirt: Essentially free of dirt,

mud & stones

Outdoor storage: <1 month unless covered

unloading & storage

non-plastic material

PLASTIC STANDARD P-200

TYPE:

BALE

SOURCE:

PROPERTIES:

CONTAMINATION:

HAZARDOUS

STORAGE:

PRODUCT: Bottles Only

RESIN: HDPE MIXED

GENERAL. GOOD TAILT ENOUGH TO THISE DOLLIES AND TETHOVE

COMMERCIAL GUIDELINE BALED RECYCLED PLASTIC STANDARD P-110

RESIN: PET MIXED PRODUCT: Rigid Containers

CATEGORY: Mixed bottles, jars, tubs, trays, etc.

TYPE:

SOURCE:

BALE

PROPERTIES: Dimension: 72" maximum

Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material

Integrity: Must be maintained through shipping,

unloading & storage

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or

non-plastic material
Dirt: Essentially free of dirt,

mud & stones

HAZARDOUS

MATERIALS: Non hazardous or medical waste

MOISTURE: No free flowing liquid

STORAGE: Outdoor storage: <6 months unless

covered with UV protective materials

GENERAL: Good faith effort to rinse bottles and remove

closures

COMMERCIAL GUIDELINE BALED RECYCLED

RESIN: HDPE NATURAL PRODUCT: Bottles Only

PLASTIC STANDARD P-201

CATEGORY: Milk, water, and juice (quart, ½ gallon, and

1 gallon bottles)

TYPE: SOURCE: BALE

PROPERTIES: Dimension: 72" maximum

Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained through shipping.

unloading & storage

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or non-plastic material

Dirt: Essentially free of dirt,

mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

STORAGE: Outdoor storage: <1 month unless covered

with UV protective

materials

GENERAL: Good faith effort to rinse bottles and remove

RESIN: HDPE PIGMENTED PRODUCT: Bottles Only

CATEGORY: Mixed pigmented household HDPE bottles

(detergent, shampoo, household products, etc.)

TYPE: SOURCE:

BALE

PROPERTIES: Dimension: 72" maximum

Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained

through shipping.

unloading & storage

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or

non-plastic material Dirt: Essentially free of dirt,

mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

Outdoor storage: <1 month unless covered STORAGE:

with UV protective

materials

GENERAL: Good faith effort to rinse bottles and remove

closures

COMMERCIAL GUIDELINE BALED RECYCLED PLASTIC STANDARD P-300

RESIN: PVC MIXED PRODUCT: Bottles Only

CATEGORY: Mixed clear and pigmented bottles

TYPE: SOURCE:

BALE

PROPERTIES: Dimension: 72" maximum

Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained

through shipping.

unloading & storage

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or

non-plastic material Dirt: Essentially free of dirt.

mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

STORAGE: Outdoor storage: <6 months unless covered

with UV protective

materials

GENERAL: Good faith effort to rinse bottles and remove

closures

COMMERCIAL GUIDELINE BALED RECYCLED PLASTIC STANDARD P-301

RESIN: PVC NATURAL PRODUCT: Bottles Only CATEGORY: Clear Bottles

TYPE: SOURCE: BALE

PROPERTIES: Dimension: 72" maximum

Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained

through shipping, unloading & storage

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or

non-plastic material Dirt: Essentially free of dirt.

mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

STORAGE: Outdoor storage: <6 months unless covered

> with UV protective materials

GENERAL: Good faith effort to rinse bottles and remove

closures

COMMERCIAL GUIDELINE BALED RECYCLED **PLASTIC STANDARD P-302**

RESIN: PVC PIGMENTED PRODUCT: Bottles Only CATEGORY: Pigmented Bottles

> TYPE: SOURCE: BALE

PROPERTIES: Dimension: 72" maximum

> Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained through shipping,

unloading & storage

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or non-plastic material

Dirt: Essentially free of dirt.

mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

STORAGE: Outdoor storage: <6 months unless covered

with UV protective

materials

GENERAL: Good faith effort to rinse bottles and remove

RESIN: LDPE MIXED **PRODUCT**: Bottles Only

CATEGORY: Mixed natural and pigmented bottles

TYPE: SOURCE: BALE

PROPERTIES: Dimension: 72" maximum

Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained

through shipping,

unloading & storage

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or

non-plastic material

Dirt: Essentially free of dirt,

mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

STORAGE: Outdoor storage: <1 month unless covered

with UV protective

materials

GENERAL: Good faith effort to rinse bottles and remove

closures

COMMERCIAL GUIDELINE BALED RECYCLED PLASTIC STANDARD P-402

RESIN: LDPE PIGMENTED PRODUCT: Bottles Only

CATEGORY: Pigmented Bottles
TYPE:
SOURCE:

BALE PROPERTIES:

ERTIES: Dimension: 72" maximum

Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained

through shipping,

unloading & storage

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or

non-plastic material
Dirt: Essentially free of dirt,

mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

STORAGE: Outdoor storage: <1 month unless covered

with UV protective

materials

GENERAL: Good faith effort to rinse bottles and remove

closures

COMMERCIAL GUIDELINE BALED RECYCLED PLASTIC STANDARD P-401

RESIN: LDPE MIXED PRODUCT: Bottles Only CATEGORY: Natural Bottles

TYPE: SOURCE: BALE

PROPERTIES: Dimension: 72" maximum

Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained through shipping,

unloading & storage

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or

non-plastic material
Dirt: Essentially free of dirt,

mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

STORAGE: Outdoor storage: <1 month unless covered

with UV protective

materials

GENERAL: Good faith effort to rinse bottles and remove

closures

COMMERCIAL GUIDELINE BALED RECYCLED PLASTIC STANDARD P-500

RESIN: PP MIXED PRODUCT: Bottles Only

CATEGORY: Mixed natural and pigmented bottles

TYPE: SOURCE: BALE

PROPERTIES: Dimension: 72" maximum

Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained through shipping, unloading & storage

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or non-plastic material Dirt: Essentially free of dirt,

mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

STORAGE: Outdoor storage: <1 month unless covered

with UV protective

materials

GENERAL: Good faith effort to rinse bottles and remove

RESIN: PP NATURAL PRODUCT: Bottles Only CATEGORY: Natural Bottles

TYPE: SOURCE:

BALE

PROPERTIES: Dimension: 72" maximum

Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained through shipping,

unloading & storage

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or non-plastic material

Dirt: Essentially free of dirt,

mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

STORAGE: Outdoor storage: <1 month unless covered

with UV protective

materials

GENERAL: Good faith effort to rinse bottles and remove

closures

COMMERCIAL GUIDELINE BALED RECYCLED PLASTIC STANDARD P-600

RESIN: PS MIXED PRODUCT: Bottles Only

CATEGORY: Mixed clear and pigmented bottles

TYPE: SOURCE: BALE

PROPERTIES: Dimension: 72" maximum

Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained

through shipping, unloading & storage

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or non-plastic material Dirt: Essentially free of dirt,

mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

STORAGE: Outdoor storage: <6 months unless covered

with UV protective

materials

GENERAL: Good faith effort to rinse bottles and remove

closures

COMMERCIAL GUIDELINE BALED RECYCLED PLASTIC STANDARD P-502

RESIN: PP PIGMENTED PRODUCT: Bottles Only CATEGORY: Pigmented Bottles

TYPE: SOURCE: BALE

HAZARDOUS

PROPERTIES: Dimension: 72" maximum

Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained

through shipping, unloading & storage

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or non-plastic material

Dirt: Essentially free of dirt, mud & stones

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

STORAGE: Outdoor storage: <1 month unless covered

with UV protective

materials

GENERAL: Good faith effort to rinse bottles and remove

closures

COMMERCIAL GUIDELINE BALED RECYCLED PLASTIC STANDARD P-601

RESIN: PS NATURAL PRODUCT: Bottles Only CATEGORY: Clear Bottles

TYPE: SOURCE: BALE

PROPERTIES: Dimension: 72" maximum

Bulk Density: 10 lbs/cu.ft. minimum
Strapping: Non-rusting material
Integrity: Must be maintained
through shipping,

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or non-plastic material

unloading & storage

Dirt: Essentially free of dirt, mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

STORAGE: Outdoor storage: <6 months unless covered

with UV protective

materials

GENERAL: Good faith effort to rinse bottles and remove

RESIN: PS PIGMENTED PRODUCT: Bottles Only CATEGORY: Pigmented Bottles

TYPE: SOURCE: BALE

PROPERTIES: Dimension: 72" maximum

Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained through shipping,

unloading & storage

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or

non-plastic material
Dirt: Essentially free of dirt,

mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

STORAGE: Outdoor storage: <6 months unless covered

with UV protective materials

GENERAL: Good faith effort to rinse bottles and remove

closures

COMMERCIAL GUIDELINE BALED RECYCLED PLASTIC STANDARD P-701

RESIN: CODE #7-OTHER NATURAL

PRODUCT: Bottles Only CATEGORY: Natural bottles

TYPE: SOURCE: BALE

PROPERTIES: Dimension: 72" maximum

Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained through shipping,

unloading & storage

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or

non-plastic material
Dirt: Essentially free of dirt,

mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

STORAGE: Outdoor storage: <1 month unless covered

with UV protective

materials

GENERAL: Good faith effort to rinse bottles and remove

closures

COMMERCIAL GUIDELINE BALED RECYCLED PLASTIC STANDARD P-700

RESIN: CODE #7-OTHER MIXED

PRODUCT: Bottles Only

CATEGORY: Mixed natural and pigmented bottles

TYPE: SOURCE: BALE

PROPERTIES: Dimension: 72" maximum

Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained

through shipping, unloading & storage

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or non-plastic material

Dirt: Essentially free of dirt,

mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

STORAGE: Outdoor storage: <1 month unless covered

with UV protective

materials

GENERAL: Good faith effort to rinse bottles and remove

closures

COMMERCIAL GUIDELINE BALED RECYCLED PLASTIC STANDARD P-702

RESIN: CODE #7—OTHER PIGMENTED

PRODUCT: Bottles Only **CATEGORY:** Pigmented Bottles

TYPE: SOURCE: BALE

PROPERTIES: Dimension: 72" maximum

Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained through shipping,

unloading & storage

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or non-plastic material Dirt: Essentially free of dirt,

mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

STORAGE: Outdoor storage: <1 month unless covered

with UV protective

materials

GENERAL: Good faith effort to rinse bottles and remove

RESIN: MIXED RESINS (Coded 1 through 7)-

MIXED COLOR

PRODUCT: Bottles Only

CATEGORY: Natural and pigmented bottles

TYPE:

SOURCE:

BALE

PROPERTIES: Dimension: 72" maximum

Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained

through shipping, unloading & storage

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or

non-plastic material Dirt: Essentially free of dirt.

mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

STORAGE: Outdoor storage: <1 month unless covered

with UV protective

materials

GENERAL: Good faith effort to rinse bottles and remove

closures

COMMERCIAL GUIDELINE BALED RECYCLED PLASTIC STANDARD P-002

RESIN: MIXED RESINS (Coded 1 through 7)-

PIGMENTED

PRODUCT: Bottles Only CATEGORY: Pigmented bottles

TYPE: SOURCE:

BALE PROPERTIES:

Dimension: 72" maximum

Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained through shipping,

unloading & storage

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or

non-plastic material Dirt: Essentially free of dirt, mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

Outdoor storage: <1month unless covered STORAGE:

with UV protective

materials

GENERAL: Good faith effort to rinse bottles and remove

closures

COMMERCIAL GUIDELINE BALED RECYCLED **PLASTIC STANDARD P-001**

RESIN: MIXED RESINS (Coded 1 through 7)-

NATURAL

PRODUCT: Bottles Only CATEGORY: Natural bottles

TYPE: SOURCE: BALE

PROPERTIES: Dimension: 72" maximum

> Bulk Density: 10 lbs/cu.ft. minimum Strapping: Non-rusting material Integrity: Must be maintained through shipping,

unloading & storage

CONTAMINATION: Total allowable: 2%

Type: Non specified plastic or non-plastic material Dirt: Essentially free of dirt,

mud & stones

HAZARDOUS

MATERIALS: No hazardous or medical waste

MOISTURE: No free flowing liquid

STORAGE:

Outdoor storage: 1< month unless covered

with UV protective

materials

GENERAL: Good faith effort to rinse bottles and remove

Scrap Specifications Circular 1997

Guidelines for Metals Transactions



GUIDELINES FOR METALS TRANSACTIONS

These Guidelines are intended as a reference to assist members in carrying out their business obligations in a manner consistent with accepted industry practices. While the Guidelines are not obligatory, it is suggested that potential problems and misunderstandings may often be avoided by following these recommended procedures, in conjunction with ISRI's scrap descriptions.

At times, the respective parties to a transaction may be unaware of the differences in trading practices of the other party. This diversity of interpretation often leads to misunderstandings, disputes, and in some instances expensive lawsuits. It is with the objective of providing members the means of avoiding such friction that ISRI has published these Guidelines, which are based on those practices most common and current in the industry.

On these points where it is impractical to provide recommendations, it is advised that the points be mutually agreed upon by the parties involved.

PART I

GUIDELINES FOR CONTRACTS

A contract is an agreement between two or more parties to perform a legally enforceable act.

Therefore, all contracts should be in writing and set forth in **specific** terms. Before signing a contract, one should carefully read and understand all terms of it. No discrepancies or ambiguities should exist at the time the contract is executed. If you receive a contract with terms that are objectionable, you should immediately notify the other party in writing of your objections. An attorney should be consulted when legal advice is needed.

It should be kept in mind that if a dispute arises under a contract, and a court is called in to interpret its terms, certain general rules will be applied. First of all, contracts will be construed as a "whole," and specific clauses will be subordinated to the contract's general intent. Secondly, courts will construe words according to their "ordinary" meaning unless it is clearly shown that they were meant to be used in a technical sense. Also, where provisions appear to be inconsistent, the courts will determine whether some of the provisions are printed (indicating a form contract), as compared to others which are written or typed. The latter kinds of provisions will prevail.

It should be remembered that where you and a buyer (or seller) have reached verbal agreement on a transaction, your failure to sign and return a contract which is sent to you in confirmation of that verbal agreement may not relieve you of the obligations of the terms and conditions enumerated in that contract.

This Guideline was developed to cover routine transactions. It is essential that any unusual arrangements must be completely spelled out in a contract. With these factors in mind, the following list of items is enumerated as a **Checklist** for you to follow, either in the construction of a contract, or for the review of another party's contract proposal. We cannot overemphasize the need for accuracy and specificity.

Checklist Items (Be specific at all times)

I. Parties to Agreement:

Indicate full name and address of buyer and seller. Include name of individual person or persons involved. Buyer's and seller's signatures are fundamental.

II. Date of Contract:

- (a) Give date the initial agreement was reached.
- (b) Give Contract Number.

III. Description of Material:

Use NF code names or clearly describe what is being traded. Any allowable quality variation to be so stated. Ex: "X percent moisture allowed" or "Minimum CU content to be X percent" or "X percent Painted Material allowed."

IV. Quantity:

State exact quantity expected and indicate allowable tolerances or minimum/maximum limitations. Ex: "40,000 lbs. (5% More/Less allowed)" or "38,000 to 42,000 lbs."

V. Packing:

State type of packing allowable and restrictions if such are required. Ex: "Bales not to exceed 60 inches"; "Bales not to exceed 3,500 lbs."

VI. Delivery:

Show complete address of shipping or delivery point, including where applicable, specific rail siding or junction, forwarding warehouse, and party to be notified. Ex: "FOB (Actual Point of Shipment) Chicago, Ill."; "FOB (Actual Point of Delivery) St. Louis, Mo."; "FAS Baltimore Container Yard"; "C & F Tokyo, Japan." If these details cannot be furnished at the time of writing of contract, it should state "shipping/delivery instructions to follow." State means of conveyance to be employed. State size and type of truck, rail car, container or number of shipments expected or permitted.

VII. Shipment:

Time allowed for shipment or delivery should be clearly stated. Ex: "Shipment by Jan. 15, 1989 LATEST"; or "delivery by Jan. 15, 1989." Indicate at whose option, buyer's or seller's, shipment shall be made in time period stated.

VIII. Price:

State price per unit. Ex: "\$20.00/CWT"; "20.00 Cents/Pound"; "\$400.00/Net Ton"; "\$440.92/Metric Ton," and indicate where appropriate "Clean and Dry"; "Full Copper Content." If applicable, state exact processing, smelting, refining charge, or unit deductions for impurities. (Avoid the use of the word "penalties.")

IX. Payment:

Terms of payment should be explicit. Ex: "Net 30 days after shipment"; "Net 15 days after mill receipt." Avoid phrases such as "usual," "Net 30," "Net Cash." Documents required to effect payment to be clearly stated. Ex: "Bill of Lading, Invoice, Weight Certificate." State how payment shall be made. If there is discussion of compensation for delayed payments, it should be included in the contract. If Letter of Credit is called for as a means of payment, it would be advisable that the terms to be included in the Letter of Credit also be stated in the

contract. When applicable, contract should state whether buyer or seller is responsible for payment of taxes, duties, or any other levies to which a shipment could be subjected. Contract should state whether the seller's or buyer's weights shall govern the basis of settlement.

X. Assignment:

The contract may state whether the buyer and/or the seller has the right to assign the contract. If it does, it should emphasize that the obligation arising under the contract shall be equally binding on his assignee.

XI. Notice:

The seller should specify how notice to be given under the contract should be received—i.e. by hand, by telegram, by certified or registered mail. One should also specify when notice is deemed to be received by the party to whom it is given.

XII. Disclaimer of Warranties:

Depending on the type of transaction, or the metal involved, the seller may want to limit his liability by disclaiming any warranties of merchantability or of fitness for a particular purpose.

XIII. Default:

The contract should contain a provision setting forth the events which would result in a default of the contract. This provision might also contain a clause stipulating damages and/or setting forth available remedies (i.e. specific performance) in the event a default does, in fact, occur.

XIV. Force Majeure:

This item is related to the item of default, as indicated in paragraph XIII. Seller or buyer may enumerate, either generally or specifically, what events (i.e. strikes, fires, accidents) constitute circumstances beyond its control and thereby absolve him of any liability for damages or delay.

XV. Non-Waiver:

The seller or buyer should state in the contract that his failure to insist upon strict performance in any given instance shall not be construed as a waiver or relinquishment for the future of any of the terms, covenants and conditions contained therein.

XVI. Claims:

The seller may specify that any claims involved in a metals transaction for contaminated materials, weight shortage, or for any other cause is waived by the buyer unless brought to the seller's attention within a certain number of days after delivery.

XVII. Arbitration and Applicable Law:

The contract should set forth which state's or country's law will apply in the event of a legal dispute under the contract. It should also provide for arbitration procedure. (If ISRI Arbitration is desired, the contract should so stipulate.)

XVIII. Benefit:

The contract should stipulate on whom it is binding. For instance, the seller or buyer may want to specify that the contract inures to the benefit of the parties, their legal representatives, successors and assigns.

XIX. Entire Agreement:

This provision is especially important in the area of metals transactions, which frequently involve extensive preliminary negotiations. A clause may be inserted into the contract stating that the contract constitutes the parties' entire agreement and supersedes all prior agreements and understandings with respect to the subject matter of the contract.

ten instrument signed by the parties or their respective agents. This insures that the parties' informal discussions will not later be construed as effecting an alteration of the contract.

XX. Modification:

A clause may be included in the contract stating that the contract's requirements can only be modified by a writ-

PART II

PACKING, WEIGHING, SHIPPING AND RECEIVING

It is recommended that strict adherence to contract terms will minimize many of the potential problems in this area. If there is a question about any item, one should communicate with his buyer/seller and clarify the situation prior to shipping. Listed below are some specific guidelines to be used in avoiding the most frequently reported problems.

PACKING (ALL SHIPMENTS)

Seller's Responsibility:

- Pack in the manner and form agreed. Example: In sound bales, briquettes, boxes, pallets, drums, loose, etc.
- Be sure that buyer agrees with your definition of words and phrases, i.e. Bale, Briquette, Coil, etc. as well as allowed dimensions and weights of such.
- Material and packages should be securely tied or supported so that packages will hold in transit and normal handling.

Buyer's Responsibility:

- Advise seller of any specific prohibitions, i.e. type or method of packing, size or weight of pieces, units or packages, etc.
- Be sure that seller agrees with your definition of words and phrases, i.e. Bale, Briquette, Coil, etc., as well as allowed dimensions and weights of such.

WEIGHING, SHIPPING AND RECEIVING (TRUCK SHIPMENT) Seller's Responsibility:

- a. Each package should be individually weighed and the entire truckload should be checkweighted for comparison. Reconcile or explain any differences. If truck is weighed during inclement weather or wind, make note of this on weight ticket.
- b. Trailers should be drop-weighed (both empty and loaded).
- c. All equipment should be inspected before load-

- ing, and cleaned or repaired where necessary to avoid loss or spillage.
- d. Open top trucks or trailers should be tarped or covered.
- e. Vans and closed trailers should be sealed and seal numbers indicated on all documents.
- f. If your customer requires appointments, make one in advance. Otherwise, as a courtesy, advise the buyer of your anticipated delivery schedules.
- g. A complete manifest and packing list should accompany each shipment. This should clearly indicate the order number, items shipped, number and type of packages of each commodity, as well as the gross, tare and net weights of each package. This detailed information should be put into an envelope and attached to the inside wall of the truck or van. If this cannot be done, give a complete set of papers to the driver to deliver with the original Bill of Lading covering the shipment. At the very least, notify buyer by telephone, telex or wire of these details on the day shipment leaves.
- h. Different lots should always be properly segregated and bulkheaded to avoid comingling. Each package should be tagged or marked to aid in proper identification and segregation at the receiving point.
- i. Be aware that someone at the delivery point will have to unload the shipment. Pay particular attention to door areas to assure that material is loaded safely. Proper care should be taken to insure that the material can be unloaded in a safe and expedient manner.

Buyer's Responsibility:

- a. If seller requires appointment prior to pickup, make one in advance. Otherwise, as a courtesy, advise the seller of your anticipated pickup schedule.
- b. Trailers should be drop-weighed (both empty and loaded).
- c. Carefully check shipment advices and compare package count, seal numbers, weights.
- d. Prior to unloading, if a significant* weight difference is apparent, the seller should be notified promptly and if requested, another weight should be taken to determine if spillage or theft might have occurred.
- e. After unloading, promptly advise seller of any significant* differences between advised and actual weights, segregation, classification or quality. (Note: Refer to Part IV of the circular for recommended procedures in handling quality problems.)
- f. Truck or trailer should be completely unloaded including any spilled material which should be picked up, weighed and identified as spilled from original containers. Buyers should cooperate in every way to help minimize losses.

WEIGHING, SHIPPING AND RECEIVING (RAIL SHIPMENT)

Seller's Responsibility:

- Each package should be individually weighed and the entire rail car should be checkweighed for comparison. Reconcile or explain any differences.
 If rail car is weighed during inclement weather or wind, make note of this on weight ticket.
- Railroad cars should be uncoupled and at rest (if possible) before weighing.
- All equipment should be inspected before loading, and cleaned or repaired where necessary to avoid loss or spillage.
- d. Railroad cars should be sealed and seal numbers indicated on all documents.
- e. A complete manifest and packing list should accompany each shipment. This should clearly indicate the order number, items shipped, number and type of packages of each commodity, as well as the gross, tare and net weights of each package. This detailed information should be put into an envelope and attached to the inside wall of the railroad car. If this cannot be done, mail a complete set of papers to the buyer on the day shipment leaves.
- f. Different lots should always be properly segregated and bulkheaded to avoid comingling. Each package should be tagged or marked to aid in proper identification and segregation at the receiving point.
- g. Be aware that someone at the delivery point will have to unload the shipment. Pay particular attention to door areas to assure that material can be unloaded in a safe and expedient manner.

Buyer's Responsibility:

- Railroad cars should be uncoupled and at rest (if possible) before weighing.
- b. Carefully check shipment advices and compare package count, seal numbers, weights.
- c. Prior to unloading, if a significant* weight difference is apparent, the seller should be notified promptly and if requested, another weight should be taken to determine if spillage or theft might have occurred.
- d. After unloading, promptly advise seller of any significant* differences between advised and actual weights, segregation, classification or quality. (Note: Refer to Part IV of the circular for recommended procedures in handling quality problems.)
- Rail car should be completely unloaded including any spilled material which should be picked up, weighed and identified as spilled from original containers. Buyer should cooperate in every way to help minimize losses.

WEIGHING, SHIPPING AND RECEIVING (EXPORT/IMPORT SHIPMENT)

Seller's Responsibility:

- Each package should be individually weighed and the entire container load should be checkweighed for comparison. If container is weighed during inclement weather or wind, make note of this on weight ticket.
- b. Container and chassis should be drop-weighed, if possible, both empty and loaded.
- c. Prepare and send to buyer a complete manifest and packing list indicating the order number, items shipped, number and type of packages of each commodity, as well as the gross, tare and net weights of each package and the seal numbers.
- d. If shipment is against a Letter of Credit, pay strict attention to **all** terms.
- e. Place seals on all container doors and indicate seal numbers on documentation.
- Material and packages should be properly stowed and braced to prevent movement during shipment.
- g. Be aware that someone at the delivery point will have to unload the shipment. Pay particular attention to door areas to assure that material is loaded safely. Proper care should be taken to insure that the material can be unloaded in a safe and expedient manner.

Buyer's Responsibility:

- Container and chassis should be drop-weighed, if possible, both empty and loaded.
- Carefully check shipment advices and compare package count, seal numbers, weights.
- Prior to unloading, if a significant' weight difference is apparent, the seller should be notified promptly and if requested, another weight should

- be taken to determine if spillage or theft might have occurred. Seller should be given opportunity to appoint surveyor or representative to verify weights.
- d. After unloading, promptly advise seller of any significant* differences between advised and actual weights, segregation, classification or quality. (Note: Refer to Part IV of the circular for recommended procedures in handling quality problems.)
- e. Container should be completely unloaded including any spilled material which should be picked up, weighed and identified as spilled from original containers. Buyer should cooperate in every way to help minimize losses.

PART III

TRANSPORTATION GUIDE

The mode and type of conveyance should be specified in the contract. If it has not been, then it is important that buyer and seller agree upon the mode and type to be used. These guidelines will assist in determining the appropriate means of transportation to employ.

A. Mode-Truck/Trailer

- 1. Type:
 - a. Dump
 - b. Removable sides
 - c. Van-open or closed
 - d. Dimensions of unit (20 ft., 40 ft., etc.)
 - e. Determine if truck/trailer capacity meets minimum weight specified on contract.

B. Mode-Rail Car

- 1. Type:
 - a. Box car or gondola
 - b. Size of door opening, i.e. single or double door
 - c. Special type D.F., Hi Cube, etc.
 - d. Dimensions of car (40 ft., 50 ft., 60 ft., etc.)
 - e. Determine if rail car capacity meets minimum weight specified on contract.

C. Export Shipments

- 1. Container:
 - a. Type of container, i.e. closed, open-top, flat rack, hi-cube, etc.
 - b. Size of container (20 ft., 35 ft., 40 ft., 45 ft., etc.)
 - c. Determine if container capacity meets minimum weight specified on contract.
- 2. Breakbulk

^{*}For purposes of this section, the meaning of the word "significant shall be determined by agreement between buyer and seller, depending on the commodities and their values.

PART IV

REJECTIONS—DOWNGRADES—CLAIMS

A brief explanation of these items will help one understand and implement the procedures recommended in this section.

Rejections: Rejections can occur when a buyer refuses to accept a shipment of material that does not conform to the description specified in the contract. Usually in such cases, the buyer cannot utilize the material and the seller is asked to remove the material from the buyer's place of delivery. A rejection can occur prior to unloading, but often the cause of the problem cannot be determined until the material has been offloaded and graded. Any part, or all of the shipment, may be subject to rejection.

Downgrades: Downgrades can occur when all, or part, of the material in a shipment is not in conformity with the description specified in the contract. Often, in such cases, the buyer can utilize the material and is willing to accept delivery of the material, subject to a price commensurate with its value.

Claims: This term is used mostly in export-import movements, and is used generically to encompass both rejections and downgrades, as well as weight shortages.

Strict adherence to contract terms can minimize the common causes of these difficulties. However, if a problem arises, it should be given prompt attention and settlement should be attempted as quickly as is practical. It is essential that both parties cooperate and keep communications open to minimize expenses and to preserve the relationship. Negotiations should not be conflicting but mutually beneficial and fair. Listed below are some recommended steps to be taken when a problem arises.

DOMESTIC SHIPMENTS

Buyer's Responsibilities:

- a. In the event of a rejection buyer must notify seller immediately by telephone or telex. If seller fails to respond within two business days, buyer may return material in most prudent manner. Subject to contract provisions, buyer should promptly advise seller concerning replacement of rejected material.
- b. In the event of a downgrade buyer must notify seller immediately by telephone or telex and afford seller an opportunity to inspect the material prior to its use. If material is to be inspected by seller or his representative, buyer should agree to a mutually convenient time to do so.
- Buyer must give seller option of removing material if he does not agree to downgrade. (All costs of unloading and reloading are for seller's account.)

Seller's Responsibilities:

- a. In the event of a rejection seller should respond promptly and advise buyer of his intentions. Seller must reply within two business days. Subject to contract provisions, he must advise buyer promptly concerning replacement of rejected material.
- b. In the event of an unacceptable downgrade seller must advise buyer within two business days if he

- wishes to inspect material and agree upon a mutually convenient time to do so.
- If seller wishes to remove downgraded material from buyer's delivery point, he must advise buyer promptly. (All costs of unloading and reloading are for seller's account.)

EXPORT-IMPORT SHIPMENTS

Buyer's Responsibility:

- a. In the event of a claim, time is of the essence and notification should be given to seller within a reasonable period of time after arrival of vessel in receiving port.
- b. In the event of a claim, the material should be held intact until agreement has been reached. The acceptable portion of the material may be consumed and/or arrangements may be made to sample a portion of material, i.e., 10%–25% with balance held intact pending resolution of claim.

Seller's Responsibility:

- a. In the event of a claim, seller should respond to buyer's notification promptly by telephone, telex, wire, or cable.
- b. When a claim settlement has been agreed upon, terms of settlement must be followed promptly.

DOCUMENTS PROVIDED IN RESPONSE TO EPA'S REQUESTS NO. 22 & 23



RULE 6 NOTI.

NTENT (NOI) LETTER

Stale Form 51286 (R5 / 2---)
Form Approved by Stale Board of Accounts, 2004
INDIANA DEPARTMENT OF ENVIRONMENTAL
MANAGEMENT

Permit coverage under 327 IAC 15-6 applies to all entitles that:

ne not required to obtain an individual NPDES permit

most the general permit rule applicability requirements under 327 IAC 15-2-3; have not received an approved "No Exposure" exclusion

have a discharge composed entirely of storm water and allowed non-storm water contributions; and operate, maintain, or otherwise have responsibility for an industrial facility meeting the applicability requirements of

NOTE:

- This form must be used to apply for a general NPDES permit pursuant to 327 IAC 15-6.
- · Please type or print in ink.

under 32? IAC 15-2-9(b);

for storm water permitting:

327 IAC 15-5-2

 Return this form, required addenda, and payment by mail to the IDEM Rula 6 Coordinator at the address listed in the box on the upper-right.

EXCLUSIONS 200

For questir arding this form, contact:

IDEM - Rule amator 100 North Senate Avenue, Rm 1255 Mail Code 65-42

Indianapolis, IN 46204 Phone: (317) 233-0202 or

(800) 451-6027, ext. 30202 (within Indiana)

Web Access:

http://www.in.gov/damupermis/yaler/yastewater/webythr/storm/rule6 html

Initial NO	l letter
[∡ Renewal	NOI letter
☐ Amended	i NOI letter
Was the letter? ∐Yes	re a change of ownership since the last NOI

	TWO THE PARTY NAMED IN COLUMN TO THE PARTY NA	Charles and the second						
			A: GENERAL INFORMA	TION FOR FACILITY				
1.	Facility name:	J. Trockman & S	Sons, Inc.					
2.	Primary Standard In	ndustrial Classification (SIC	Code for the facility (4 d	_{igits):} 5093				
3,	Facility location add	iress: 1017 Bar	ys e Street					
DICI	y wn Of: Eva	nsville		ZIP: 47714	County: Vanderbur	gh		
4.	Longitude and Lati	tude of the approximate ce	nter of the facility to the n	earest fifteen (15) sec	onds			
Deci	mal Longitude:	87.54528		Decimal Latitude:	37.94666			
		LONGITUDE			LATITUDE			
	Dagrees	Minutes	Seconds	Degrees	Minutes	Seconda		
	87 •	32 .	43 "	37 .	56	48 "		
5.	On-site Facility Con	tact name:	Jeff Trock	an				
6.	On-site Facility Cor	tact title:	Vice Presid	lent				
7.	On-site Facility Co	ntact telephone number:	812-425-527	71				
8.	On-site Facility Co.	nlact facsimile number (if a	pplicable): 812	-425-5277				
9.	On-site Facility Co	ntaci e-mail address (if app	licable). jeff	@trockman.c	om			
10.		neasiq to take a bauaai ne	NPDES permit? (If yes, p	rovide permit number:	s) 🛱 Yes 🔲 No			
Perr	nil Number(s):	N- INROOJO 2	IN- NR600255	IN-	IN-			
11.	11. Brief nametive description of the industrial processes performed at the facility (attach edditional sheets if necessary): scrap metal recycling for resale							
L		·						

PART B: GENERAL INFORMA	TION FOR RESPONSIBLE IN	IVIDUAL * **
12. Responsible Individual name: Jeff Trockman		
13. Responsible Individual lite: Vice President		
14. Responsible Individual mailing address: P 0 Box	782	
City Evansville	Slate:	i ZIP: ; 47704
15. Responsible Individual telephone number: 812-4	25-5271	
16. Responsible Individual facsimile number (if applicable)	812-425-5277	
17. Responsible Individual e-mail address (If applicable):	jeff@trockman.	COM
PART C: (CORPORATIONS ONLY) GEN	ERAL INFORMATION FOR R	EGISTERED AGENT
18. Registered Agent name:		
Registered Agent title: Registered Agent mailing address:		,
City.	State:	ZIP:
21. Registered Agent telephone number.		
22. Registered Agent facsimile number (if applicable):		
23. Registered Agent e-mail address (if applicable):		
PANDE ENERGY INCOMMANDATION OF 24. Identification of the number and location of each outfall where including a namative description of the industrial activity associon of the industrial activity associated at the sociation of the industrial activities, including storage associated activities, including storage as	storm water exposed to indust clated with the drainage area of outheast corner includes various	rial activity discharges to a water of the state, each identified outfall: of the facility. The
25. Identification of any outfalls, listed above in item 24, that are s	lubstantially similar (Include ret	ison as to why outfalls are deemed similar):
N/A		
N/A 26. Identification of the outfall(s) to be monitored as representative	e of all such discharges:	N/A
		N/A tem 24:
26. Identification of the outfall(s) to be monitored as representative	ge outfall(s) identified above in	· · · · ·
26. Identification of the outfall(s) to be monitored as representative. 27. Identification of receiving water(s) for the storm water discharge.	e outfall(s) identified above in	tem 24:

OFFICE OF WATER QUALITY State Form 51285 (R5 / 2-09)

- ➤ In addition to the information in Parts A, B, C, and D facility representative must provide the following (check when completed):
- Proof of publication in a newspaper of largest circulation in the affected area.

PART F: FEES, CERTIFICATION, AND SIGNATURE

- Upon submission of this NOI letter, the responsible individual or registered agent shall pay a fee in the amount of fifty dollars (\$50). Make all checks and money orders payable to "IDEM."
- Pursuant to 327 IAC 15, the fee is NOT:
 - Transferable from one (1) facility location to another;
 - Transferable from one (1) person to another;
 - Transferable to any other type of permit issued by IDEM; or
 - Refundable.

Unless requested by the responsible individual or registered agent and approved by IDEM within three (3) days of submittel to IDEM or prior to the NOI letter processing by IDEM, whichever is earlier.

- There is also an annual fee of one hundred dollars (\$100), for which you will be billed.
- Pursuant to 327 IAC 15, the NOI letter is NOT:
 - Transferable from one (1) facility location to another (a new NOI letter is required for each facility location);
 - Transferable from one (1) facility name to another at the same location (a new NOI letter is required for a name change to the facility location).
- Pursuant to 327 IAC 15, the annual fee requirement is terminated:
 - When a written request for the "no exposure" exclusion from the facility is approved by IDEM;
- When a period of five (5) years passes, from the date of the NOI letter submittal. (Within ninety (90) days from the five (5) year permit term ending, a new, reapplication NOI letter must be submitted.).
- Allow a minimum of four (4) weeks for processing the NOI letter information and receipt of your Notice of Sufficiency.
- Make sure you have completed all appropriate sections of this NO! letter and have included all required addenda. Sign and date the NOI letter and return it to the address shown on page one (1) of this NOI letter. Incomplete or incorrect NOI letters will result in a delay in processing and issuance of your Notice of Sufficiency.
- Unless not applicable, all information requested in this NOI letter is MANDATORY for the administration and processing of your permit pursuant to 327 IAC 15-6. All data received will be regarded as a public record.
- ▶ The persons listed in "Part B: Responsible individual" must sign the following certification statement:

"By signing this NOI letter, I hereby certify under penalty of law that this document and all attachments were prepared under my direction or supervision in eccordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significent penalties for submitting talse information, including the possibility of fine and imprisonment for knowing violations,"

Type or print Responsible Individual Name:	Jeff Trockman		
Signature of Responsible Individual:		Date:	(mm/dd/year)
			(IIIIIVouvyear)

February 7, 2002

Mr. Jeff Trockman J. Trockman & Sons, Inc. P.O. Box 682 Evansville, Indiana 47704

Dear Mr. Trockman:

Re: Exempt Operation Status, 163-15369-00123

The application from J. Trockman & Sons, Inc. received on December 31, 2001, has been reviewed. Based on the data submitted and the provisions in 326 IAC 2-1.1-3, it has been determined that the scrap automobile metal body processing plant, located at 1017 Bayse Street, Evansville, Indiana 47714 has been re-classified from a FESOP source into an Exempted source. The source consists of the following emission units:

- (a) Replacement of the two (2) 750 Horsepower natural gas-fired reciprocating internal combustion (IC) engines into electric engines. These IC engines are used to power the shredder.
- (b) Shredding operation, capable of shredding a maximum of 24 tons per hour;
- (c) Two (2) diesel storage tanks, identified as tank no.1 and tank no. 6, each with a capacity of 250 gallons;
- (d) Five (5) diesel storage tanks, identified as tank no. 2, tank no. 3 and tank no. 4, tank no. 9 and tank no.10, each with a capacity of 1,000 gallons;
- (e) One (1) gasoline storage tank, identified as tank no. 5 with a capacity of 500 gallons;
- (f) One (1) used oil storage tank, identified as tank no.7 with a capacity of 500 gallons;
- (g) One (1) diesel storage tank, identified as tank no. 8 with a capacity of 500 gallons;
- (h) Brazing, torch cutting, soldering and welding operation.

The following conditions shall be applicable:

- (1) Pursuant to 326 IAC 5-1-2 (Opacity Limitations) except as provided in 326 IAC 5-1-3 (Temporary Exemptions), opacity shall meet the following:
 - (a) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
 - (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of 15 minutes (60 readings) in a 6-hour period as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuos opacity monitor in a six (6) hour period.

J. Trockman & Sons, Inc. Evansville, Indiana Reviewer: Aida De Guzman

(2) Pursuant to 326 IAC 6-3-2 (Process Operations), the PM emissions from the Shredding and Welding operations shall be limited using the following equation:

Interpolation and extrapolation of the data for the process weight rate up to sixty thousand (60,000) pounds per hour shall be accomplished by use of the equation:

 $E = 4.10 P^{0.67}$ where E = rate of emission in pounds per hour and P = process weight rate in tons per hour

- (3) Pursuant to 326 IAC 8-9-1 (Volatile Organic Liquid Storage Vessels), the ten (10) gasoline product storage tanks with capacities less than thirty-nine thousand (39,000) are subject to the following reporting and record keeping provisions of this rule:
 - (a) The owner or operator of the ten (10) storage vessels shall keep all records required by this section for three (3) years unless specified otherwise. Records required by subsection (b) below shall be maintained for the life of the vessel.
 - (b) The owner or operator of the ten (10) storage vessels shall maintain a record and submit to IDEM, OAQ a report containing the following information of each vessel:
 - (1) The vessel identification number:
 - (2) The vessel dimensions; and
 - (3) The vessel capacity.

The source is being re-classified from a FESOP source into an Exemption source.

An application or notification shall be submitted in accordance with 326 IAC 2 to the Office of Air Quality (OAQ) if the source proposes to construct new emission units, modify existing emission units, or otherwise modify the source.

Sincerely,

Original signed by Paul Dubenetzky Paul Dubenetzky, Chief Permits Branch Office of Air Quality

APD

cc: File - Vanderburgh
Vanderburgh County Health Department
Air Compliance - Scot Anslinger
Southwest Regional Office
Permit Tracking - Janet Mobley
Technical Support and Modeling - Michele Boner
Compliance Data Section - Karen Nowak
Local Agency Evansville Environmental Protection Agency

Indiana Department of Environmental Management Office of Air Quality and Evansville Environmental Protection Agency

Technical Support Document (TSD) for a Exemption

Source Background and Description

Source Name: J. Trockman and Sons, Inc.

Source Location: 1017 Bayse Street, Evansville, Indiana 47714

County: Vanderburgh

SIC Code: 5093

Exemption No.: 163-15369-00123 **Permit Reviewer:** Aida De Guzman

The Office of Air Quality (OAQ) has reviewed an application from J Trockman and Sons, Inc. relating to the re-permitting of the scrap automobile metal body processing plant, due to the reclassification of the source from a FESOP source into an Exempted source. The emission units are the following:

- (a) Replacement of the two (2) 750 Horsepower natural gas-fired reciprocating internal combustion (IC) engines into electric engines. These IC engines are used to power the shredder.
- (b) Shredding operation, capable of shredding a maximum of 24 tons per hour;
- (c) Two (2) diesel storage tanks, identified as tank no.1 and tank no. 6, each with a capacity of 250 gallons;
- (d) Five (5) diesel storage tanks, identified as tank no. 2, tank no. 3 and tank no. 4, tank no. 9 and tank no.10, each with a capacity of 1,000 gallons;
- (e) One (1) gasoline storage tank, identified as tank no. 5 with a capacity of 500 gallons;
- (f) One (1) used oil storage tank, identified as tank no.7 with a capacity of 500 gallons;
- (g) One (1) diesel storage tank, identified as tank no. 8 with a capacity of 500 gallons;
- (h) Brazing, torch cutting, soldering and welding operation.

Existing Approvals

The source has been operating under previous approvals including, but not limited to, the following:

- (a) FESOP F163-6855-00123, issued on March 10, 1997; and
- (b) First Minor Revision 163-9125, issued on May 8, 1998

TABLE 1

			1711)LL			
Pollutant	Emission Factor (lb/10 ³ lb)	Emissions (tons/yr)	Emission Factor (lb/10³ lb)	Emissions (tons/yr)	Emission Factor (lb/10 ³ lb)	Emissions (tons/yr)	Total Emissions (tons/yr)
	E6011		E6	012	E	1	
Particulate Matter (PM/PM10)	38.4	0.17	8.0	0.015	18 4	0.03	0.22
Cobalt	0.01	4.48 x 10 ⁻⁵	-	0.0	0.01	4.48 x 10 ⁻⁵	8.9 x 105 ⁻⁵
Manganese	9.98	0.045	-		10.3	0.017	0.062
Nickel	0.05	2.2 x 10⁴]-		0.02	3.3 x 10 ⁻⁵	2.5 x 10 ⁻⁴

Note: Above welding emission factors were taken from the AP-42 Table 12.19-2.

Methodology

Emissions = throughput, lb/yr * lb/1000 lb * ton/2000 lb

TABLE 2

	TORCH CUTTING	
Poliutant	Emission Factor (lb of PM//hr cutting time)	Emissions (tons/yr)
Particulate Matter (PM/PM10)	0.06	0.26

Note: Above torch cutting emission factor was taken from the "Industry Scrap Recycling Institute (ISRI)", since there are no available emission factor in the AP-42.

Potential To Emit

Pursuant to 326 IAC 2-1.1-1(16), Potential to Emit is defined as "the maximum capacity of a stationary source or emissions unit to emit any air pollutant under its physical and operational design. Any physical or operational limitation on the capacity of a source to emit an air pollutant, including air pollution control equipment and restrictions on hours of operation or type or amount of material combusted, stored, or processed shall be treated as part of its design if the limitation is enforceable by the U. S. EPA, the department, or the appropriate local air pollution control agency."

Pollutant	Potential To Emit (tons/year)
PM	0.75
PM-10	0.75
SO ₂	0.0
VOC	0.143
СО	0.0
NO,	0.0

HAP's	Potential To Emit (tons/year)
Cobalt	8.9 x 105
Manganese	0.062
Nickel	2.5 x 10 ⁵
Lead	0.009
TOTAL	0.071

Justification for Approval Level

(a) Pursuant to 326 IAC 2-1.1-3, the source will be issued an Exemption, since the potential to emit (as defined in 326 IAC 2-7-1(29)) of Particulate Matter (PM) or Particulate Matter with an aerodynamic diameter less than ten (10) micrometers (PM10), and the potential to emit of Lead is less than two-tenths (0.2) tons per year.

Actual Emissions

The following table shows the actual emissions from the source. This information reflects the 2000 OAQ emission data.

Pollutant	Actual Emissions (tons/year)			
PM	1.0			
PM-10	1.0			
SO ₂	0.0			
VOC	1.0			
co	17.0			
NO _x	3.0			
HAP (specify)	0.0			

The actual emissions were due to the combustion of natural gas from the two (2) internal combustion engines (IC), which power the shredder. These natural gas engines are now being replaced with electric engines.

Source Status/Limited Potential to Emit

Existing re-permitted source PSD Definition (emissions after controls, based on 8,760 hours of operation per year at rated capacity).

		Limited Potential to Emit (tons/year)						
Process/facility	РМ	PM-10	SO ₂	voc	co	NOx	Single HAP	Combined HAPs
Shredding	0.27	0.27	0.0	0.143	0.0	0.0	0.009	0.009
Welding	0.22	0.22	0.0	0.0	0.0	0.0	0.062	0.0623
Torch Cutting	0.26	0.26	0.0	0.0	0.0	0.0	0.0	0.0
Total Emissions	0.75	0.75	0.0	0.143	0.0	0.0	0.071	0.071

(a) This existing re-permitted source is **not** a major stationary source because no attainment pollutant is emitted at a rate of 250 tons per year or greater and it is not in one of the 28 listed source categories. Therefore, pursuant to 326 IAC 2-2, and 40 CFR 52.21, the PSD requirements do not apply.

County Attainment Status

The source is located in Vanderburgh County.

J. Trockman and Sons, inc. Evansville, Indiana Permit Reviewer: Aida De Guzman

Pollutant	Status
PM-10	attainment
SO	attainment
Ozone	maintenance
CO	attainment
Lead	not determined

- (a) Volatile organic compounds (VOC) are precursors for the formation of ozone. Therefore, VOC emissions are considered when evaluating the rule applicability relating to the ozone standards. Vanderburgh County has been designated as maintenance for ozone. Therefore, VOC emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2 and 40 CFR 52.21.
- (b) Vanderburgh County has been classified as attainment or unclassifiable for all the other criteria pollutants. Therefore, these emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2 and 40 CFR 52.21

Part 70 Permit Determination

326 IAC 2-7 (Part 70 Permit Program)

This existing source was issued a FESOP F163-6855-00123 on May 10, 1997. However, the source had replaced their main emission units, two natural gas-fired internal combustion engines into electric engines. Due to this change the source is no longer subject to the Part 70 Permit Program requirements because the new potential to emit (PTE) of:

- (a) each criteria pollutant is less than 100 tons per year,
- (b) a single hazardous air pollutant (HAP) is less than 10 tons per year, and
- (c) any combination of HAPs is less than 25 tons/year.

The source is being re-classified from a FESOP source into an Exemption source.

Federal Rule Applicability

- (a) New Source Performance Standards (NSPS)(326 IAC 12 and 40 CFR Part 60)
 - (1) 40 CFR Part 60.110b, Subpart Kb Standards of Performance for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels). This rule applies to each storage vessel with a capacity greater than or equal to 40 cubic meters (m³)(10,567 gallons) that is used to store volatile organic liquids (VOL's) for which construction, reconstruction, or modification is commenced after July 23, 1984.

The ten (10) fuel oil storage tanks are not subject to this NSPS because the capacity of each tank is less than 10,567 gallons.

- (b) There are no other New Source Performance Standards (NSPS)(326 IAC 12 and 40 CFR Part 60) applicable to this source.
- (c) There are no National Emission Standards for Hazardous Air Pollutants (NESHAPs)(326 IAC 14 and 40 CFR Part 63) applicable to this source.

State Rule Applicability - Entire Source

- (a) 326 IAC 5-1 (Visible Emissions Limitations)
 Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3
 (Temporary Exemptions), opacity shall meet the following, unless otherwise stated in this permit:
 - (1) Opacity shall not exceed an average of forty percent (40%) any one (1) six (6)

minute averaging period as determined in 326 IAC 5-1-4.

(2) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings) as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

State Rule Applicability - Individual Facilities

- (a) 326 IAC 8-1-6 (General Reduction Requirements)
 The Shredding Operation is not subject to 326 IAC 8-1-6, because its VOC potential emission is less than 25 tons per year.
- (b) 326 IAC 8-4-3 (Petroleum Liquid Storage Facilities)
 This rule applies to all petroleum liquid storage vessels with capacities greater than one hundred fifty thousand (150,000) liters (thirty-nine thousand (39,000) gallons) containing VOC whose true vapor pressure is greater than 10.5 kPa (1.52 psi).

The ten (10) petroleum storage tanks are not subject to this rule, because not one tank has a capacity of 39,000 gallons or more.

- (c) 326 IAC 8-9-1 (Volatile Organic Liquid Storage Vessels) This rule applies to stationary VOL vessels with a capacity of less than thirty-nine thousand (39,000) are subject to the following reporting and record keeping provisions of this rule:
 - (1) The owner or operator of the ten (10) storage vessels shall keep all records required by this section for three (3) years unless specified otherwise. Records required by subsection (2) shall be maintained for the life of the vessel.
 - (2) The owner or operator of the ten (10) storage vessels shall maintain a record and submit to IDEM, OAQ a report containing the following information of each vessel:
 - (i) The vessel identification number:
 - (ii) The vessel dimensions; and
 - (iii) The vessel capacity.
- (d) 326 IAC 6-3-2 (Process Operations)

This rule mandates a PM emission limit from the Shredding and Welding operations using the following equation:

Interpolation and extrapolation of the data for the process weight rate up to sixty thousand (60,000) pounds per hour shall be accomplished by use of the equation:

 $E = 4.10 P^{0.67}$ where E = rate of emission in pounds per hour and P = process weight rate in tons per hour

Conclusion

The re-permitting of this scrap automobile metal body processing plant shall be subject to the conditions of the attached Exemption 163-15369-00123.